

Tree Condition Assessment Guidelines:

- **Excellent** – healthy tree with exceptional growth form; no visible defects; well-formed crown; few minor dead branches acceptable; this tree condition is rare.
- **Good** – healthy tree; very minor defects/decay acceptable with callous forming/complete; well-formed crown; minor lean and/or few minor/major dead branches acceptable; vines may be growing along trunk but not present within crown.
- **Fair** – health questionable/stress evident; structurally sound tree; defects present that do not affect structural integrity; moderate lean; minor/major dead branches may be present; crown not broken out but not necessarily well formed or even; vines may be growing along trunk and within crown.

Ex. Fair tree could be experiencing insect damage, or exhibit a growth form that makes it very susceptible to wind damage in an open setting.

- **Poor** – significant health problems; may be structurally unsound; may be dead or dying; may contain significant decay; may have broken or missing top/crown; may have heavy lean; vines may be significantly affecting tree health.
- **Standing dead** – any tree inventoried that was standing upright and determined to be dead by the field team.

These tree species may commonly exhibit dead branches and/or ratty growth form/structure, which should be taken into account when assessing tree condition:

- Mulberry (*Morus spp.*)
- Pin Oak (*Quercus palustris*)
- Silver Maple (*Acer saccharinum*)
- Virginia Pine (*Pinus virginiana*)
- Scarlet Oak (*Quercus coccinea*)
- Black Locust (*Robinia pseudoacacia*)
- Osage Orange (*Maclura pomifera*)
- Willow Oak (*Quercus phellos*)
- Black Willow (*Salix nigra*)

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
C&O Canal National Historic Park								
NC-1	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Fair	Vines
NC-2	Willow oak	<i>Quercus phellos</i>	26	1	13	39	Fair	Many large vines
NC-3	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Many large vines
NC-4	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Many vines in canopy
NC-5	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Fair	Vines
NC-6	Princesstree	<i>Paulownia tomentosa</i>	5	1	2.5	7.5	Poor	Vines, reduced canopy
NC-7	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Poor	Many large vines
NC-8	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-9	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Fair	Many large vines
NC-10	White mulberry	<i>Morus alba</i>	9	1	4.5	13.5	Poor	Vines
NC-11	Princesstree	<i>Paulownia tomentosa</i>	6	1	3	9	Poor	Vines
NC-12	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-13	Black locust	<i>Robinia pseudoacacia</i>	9, 5, 5, 4	4	4.5	13.5	Fair	Multistem trunk 9 x 5 x 5 x 4, dead branches, trunk cut
NC-14	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-15	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Extensive vines
NC-16	American elm	<i>Ulmus americana</i>	9, 6	2	4.5	13.5	Poor	Twin trunk 9 x 6, extensive vines
NC-17	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines
NC-18	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines, broken branches
NC-19	Unknown		8	1	N/A	N/A	Standing Dead	
NC-20	Mockernut hickory	<i>Carya tomentosa</i>	9	1	4.5	13.5	Good	
NC-21	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-22	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Broken leader
NC-23	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Reduced canopy
NC-24	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-25	Post oak	<i>Quercus stellata</i>	19	1	9.5	28.5	Fair	Leaning, vines
NC-26	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Vines
NC-27	Mockernut hickory	<i>Carya tomentosa</i>	11	1	5.5	16.5	Good	
NC-28	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-29	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-30	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Minor vines
NC-31	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines
NC-32	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines
NC-33	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-34	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-35	Mockernut hickory	<i>Carya tomentosa</i>	15, 4	2	7.5	22.5	Fair	Twin trunk 15 x 4, many broken leaders
NC-36	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-37	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Vines
NC-38	Southern red oak	<i>Quercus falcata</i>	24	1	12	36	Fair	Several broken branches
NC-39	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken leaders, vines, leaning
NC-40	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-41	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Extensive vines
NC-42	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Fair	Broken leader, vines
NC-43	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-44	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Vines, reduced canopy
NC-45	Southern red oak	<i>Quercus falcata</i>	19	1	9.5	28.5	Good	
NC-46	American elm	<i>Ulmus americana</i>	11, 10	2	5.5	16.5	Fair	Twin trunk 11 x 10, vines
NC-47	Unknown		15	1	N/A	N/A	Standing Dead	
NC-48	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-49	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-50	Red maple	<i>Acer rubrum</i>	11, 8	2	5.5	16.5	Good	Twin trunk 11 x 8, vines
NC-51	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Reduced canopy
NC-52	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Good	
NC-53	Pignut hickory	<i>Carya glabra</i>	9	1	4.5	13.5	Good	
NC-54	American elm	<i>Ulmus americana</i>	7, 5, 4, 3	4	3.5	10.5	Fair	Multistem trunk 7 x 5 x 4 x 3, stressed
NC-55	Unknown		14	1	N/A	N/A	Standing Dead	
NC-56	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-57	Northern red oak	<i>Quercus rubra</i>	24	1	12	36	Good	
NC-58	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-59	American elm	<i>Ulmus americana</i>	6	1	3	9	Poor	Extensive vines, broken leader
NC-60	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Extensive vines, broken branches
NC-61	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-62	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-63	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-64	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-65	American elm	<i>Ulmus americana</i>	6, 5	2	3	9	Fair	stressed
NC-66	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-67	Mockernut hickory	<i>Carya tomentosa</i>	13	1	6.5	19.5	Good	
NC-68	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-69	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-70	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	
NC-71	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Stressed, broken branches
NC-72	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dying, extensive vines
NC-73	American elm	<i>Ulmus americana</i>	6, 6, 6, 5, 5	5	3	9	Good	Multistem trunk 6 x 6 x 6 x 5 x 5

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-74	Unknown		11	1	N/A	N/A	Standing Dead	
NC-75	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Extensive climbing vines
NC-76	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-77	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Stressed
NC-78	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Poor	Dying
NC-79	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Some broken branches
NC-80	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-81	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-82	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Fair	Trunk rot, vines, merged with 309G at base
NC-83	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-84	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-85	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-86	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-87	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-88	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-89	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-90	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-91	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-92	Southern red oak	<i>Quercus falcata</i>	29	1	14.5	43.5	Good	Broken branches
NC-93	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches, reduced canopy
NC-94	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-95	Blackgum	<i>Nyssa sylvatica</i>	14	1	N/A	N/A	Standing Dead	
NC-96	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Stressed, merged with 302G at base
NC-97	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Good	
NC-98	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-99	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-100	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-101	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Fair	Vines
NC-102	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Climbing vines in canopy
NC-103	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Poor	Extensive vines, stressed
NC-104	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-105	Tuliptree	<i>Liriodendron tulipifera</i>	8, 5	2	4	12	Good	Twin trunk 8 x 5
NC-106	Unknown		10	1	N/A	N/A	Standing Dead	
NC-107	Unknown		5	1	N/A	N/A	Standing Dead	
NC-108	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-109	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-110	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-111	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Climbing vines
NC-112	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Broken branches
NC-113	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines
NC-114	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-115	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dead canopy, extensive vines
NC-116	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-117	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Broken branches
NC-118	Red maple	<i>Acer rubrum</i>	22	1	11	33	Fair	Extensive vines
NC-119	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Stressed
NC-120	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-121	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Vines, stressed
NC-122	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Fair	Climbing vines
NC-123	Black locust	<i>Robinia pseudoacacia</i>	9	1	4.5	13.5	Fair	Broken branches
NC-124	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Climbing vines, reduced canopy
NC-125	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-126	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Vines
NC-127	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-128	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Many vines, stressed
NC-129	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-130	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines, reduced canopy
NC-131	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-132	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Missing canopy, extensive vines
NC-133	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Poor	Extensive vines, stressed
NC-134	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-135	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-136	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-137	Blackgum	<i>Nyssa sylvatica</i>	9, 8	2	4.5	13.5	Poor	Twin trunk 9 x 8, extensive vines, dying
NC-138	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines
NC-139	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines, stressed, dying
NC-140	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Many vines, dying
NC-141	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Extensive vines, reduced canopy
NC-142	Unknown		7	1	N/A	N/A	Standing Dead	
NC-143	Northern red oak	<i>Quercus rubra</i>	23, 21, 18	3	11.5	34.5	Poor	Multistem trunk 23 x 21 x 18, one trunk dead, extensive vines
NC-144	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Stressed, climbing vines
NC-145	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Poor	Dying
NC-146	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-147	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	Slightly stressed
NC-148	Red maple	<i>Acer rubrum</i>	12, 7	2	6	18	Good	Multistem trunk 12 x 7, broken branches
NC-149	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines, broken branches
NC-150	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-151	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-152	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Poor	Stressed, extensive vines, dying
NC-153	Tuliptree	<i>Liriodendron tulipifera</i>	6, 4	2	N/A	N/A	Standing Dead	Twin trunk 6 x 4
NC-154	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-155	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Reduced canopy
NC-156	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Fair	Extensive climbing vines, dead branches
NC-157	Unknown		10	1	N/A	N/A	Standing Dead	
NC-158	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Vines, stressed
NC-159	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-160	White oak	<i>Quercus alba</i>	18	1	9	27	Good	Broken branches, vines
NC-161	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines climbing in canopy
NC-162	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	canopy
NC-163	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-164	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Extensive vines, reduced canopy
NC-165	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-166	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Good	
NC-167	White oak	<i>Quercus alba</i>	25	1	N/A	N/A	Standing Dead	
NC-168	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Poor	Dying
NC-169	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Climbing vines, reduced canopy
NC-170	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Stressed
NC-171	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Poor	Dying
NC-172	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-173	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Stressed
NC-174	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Broken branches
NC-175	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-176	Honey locust	<i>Gleditsia triacanthos</i>	6	1	3	9	Poor	Stressed, reduced canopy, broken branches
NC-177	American elm	<i>Ulmus americana</i>	8, 5, 5, 4, 3	5	4	12	Good	Multistem trunk 8 x 5 x 5 x 4 x 3
NC-178	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-179	Red maple	<i>Acer rubrum</i>	14	1	7	21	Poor	Dead canopy
NC-180	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-181	Unknown		7	1	N/A	N/A	Standing Dead	
NC-182	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	
NC-183	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-184	Callery pear	<i>Pyrus calleryana</i>	12	1	6	18	Poor	Extensive vines, stressed, reduced crown
NC-185	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Fair	Extensive vines
NC-186	Unknown		10	1	N/A	N/A	Standing Dead	
NC-187	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-188	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Fair	Broken leader, trunk damage
NC-189	White oak	<i>Quercus alba</i>	27	1	13.5	40.5	Good	
NC-190	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Poor	Extensive vines
NC-191	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-192	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-193	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leaning
NC-194	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Broken branches
NC-195	Unknown		14	1	N/A	N/A	Standing Dead	
NC-196	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	Some broken branches
NC-197	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines, broken branches
NC-198	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Poor	Leaning, extensive vines
NC-199	Unknown		16	1	N/A	N/A	Standing Dead	
NC-200	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-201	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-202	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Poor	Leaning
NC-203	Unknown		11	1	N/A	N/A	Standing Dead	
NC-204	American elm	<i>Ulmus americana</i>	6	1	3	9	Poor	Broken leader, broken branches, extensive vines
NC-205	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	Some broken branches
NC-206	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, damaged trunk
NC-207	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines
NC-208	Willow oak	<i>Quercus phellos</i>	8, 4	2	4	12	Fair	Multistem trunk 8 x 4, extensive vines in canopy
NC-209	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Fair	Many vines
NC-210	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Leaning, dead leader
NC-211	Unknown		8	1	N/A	N/A	Standing Dead	
NC-212	Honey locust	<i>Gleditsia triacanthos</i>	5, 4	2	2.5	7.5	Fair	Multistem trunk 5 x 4, stressed growth, vines
NC-213	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Many vines
NC-214	Black cherry	<i>Prunus serotina</i>	7, 3	2	3.5	10.5	Fair	Twin trunk 7 x 3, leaning
NC-215	Black cherry	<i>Prunus serotina</i>	10, 4	2	5	15	Poor	Twin trunk 10 x 4 (standing dead), broken leader, vines
NC-216	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Many vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-217	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Leaning, many vines
NC-218	Unknown		8	1	N/A	N/A	Standing Dead	
NC-219	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	Some broken branches, reduced canopy
NC-220	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-221	Siberian elm	<i>Ulmus pumila</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4, some broken branches
NC-222	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Poor	Many vines, broken leader
NC-223	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-224	Unknown		12	1	N/A	N/A	Standing Dead	
NC-225	Unknown		5	1	N/A	N/A	Standing Dead	
NC-226	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-227	Sweetgum	<i>Liquidambar styraciflua</i>	11, 2	2	5.5	16.5	Good	Multistem trunk 11 x 2, some broken branches
NC-228	Black locust	<i>Robinia pseudoacacia</i>	13	1	6.5	19.5	Fair	Many vines
NC-229	Unknown		5	1	N/A	N/A	Standing Dead	
NC-230	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-231	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Vines
NC-232	Tree of heaven	<i>Ailanthus altissima</i>	9	1	4.5	13.5	Poor	Broken branches, stressed, leaning
NC-233	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-234	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-235	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-236	Black locust	<i>Robinia pseudoacacia</i>	21, 8	2	10.5	31.5	Fair	Twin trunk 21 x 8, many dead leaders, vines
NC-237	Willow oak	<i>Quercus phellos</i>	25	1	12.5	37.5	Good	Some broken branches
NC-238	American elm	<i>Ulmus americana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, vines
NC-239	American elm	<i>Ulmus americana</i>	15	1	7.5	22.5	Fair	Vines, broken leader
NC-240	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-241	Unknown		8	1	N/A	N/A	Standing Dead	
NC-242	American elm	<i>Ulmus americana</i>	10	1	N/A	N/A	Standing Dead	
NC-243	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-244	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-245	American elm	<i>Ulmus americana</i>	5, 5	2	2.5	7.5	Poor	Twin trunk 5 x 5, vines, reduced canopy
NC-246	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-247	Tree of heaven	<i>Ailanthus altissima</i>	7, 4	2	3.5	10.5	Fair	Twin trunk 7 x 4, vines
NC-248	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-249	Mockernut hickory	<i>Carya tomentosa</i>	5, 1	2	2.5	7.5	Poor	Twin trunk 5"(dead) x 1"(alive)
NC-250	Common persimmon	<i>Diospyros virginiana</i>	13	1	6.5	19.5	Poor	Extensive vines climbing in canopy, dead branches
NC-251	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Vines
NC-252	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-253	Unknown		8	1	N/A	N/A	Standing Dead	
NC-254	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Fair	Leaning, vines
NC-255	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-256	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-257	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Vines
NC-258	Unknown		11	1	N/A	N/A	Standing Dead	
NC-259	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-260	Unknown		11	1	N/A	N/A	Standing Dead	
NC-261	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-262	Unknown		10	1	N/A	N/A	Standing Dead	
NC-263	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Leaning, broken branches, extensive vines climbing in canopy
NC-264	Tree of heaven	<i>Ailanthus altissima</i>	8, 3	2	4	12	Fair	vines
NC-265	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Good	Twin trunk 7 x 3, second trunk standing dead
NC-266	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Vines, no canopy
NC-267	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Fair	Multistem trunk 6 x 5 x 4
NC-268	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-269	Unknown		8	1	N/A	N/A	Standing Dead	
NC-270	Red maple	<i>Acer rubrum</i>	12, 5	2	6	18	Good	Multistem trunk 12 x 5, second trunk standing dead
NC-271	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines climbing in canopy
NC-272	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines
NC-273	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	
NC-274	Tree of heaven	<i>Ailanthus altissima</i>	8	1	4	12	Fair	Leaning, stressed
NC-275	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-276	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Broken leader, leaning, extensive vines
NC-277	Unknown		15	1	N/A	N/A	Standing Dead	
NC-278	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-279	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-280	Black locust	<i>Robinia pseudoacacia</i>	8, 7	2	4	12	Fair	Twin trunk 8 x 7, vines
NC-281	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines in canopy
NC-282	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Broken trunk
NC-283	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Leaning
NC-284	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-285	Slippery elm	<i>Ulmus rubra</i>	10, 5	2	5	15	Good	Twin trunk 10 x 5

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-286	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	
NC-287	Slippery elm	Ulmus rubra	7	1	3.5	10.5	Fair	Vines
NC-288	Unknown		9	1	N/A	N/A	Standing Dead	
NC-289	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Climbing vines and broken branches
NC-290	White mulberry	Morus alba	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, several dead branches
NC-291	Sweetgum	Liquidambar styraciflua	8	1	4	12	Poor	Extensive vines
NC-292	Black locust	Robinia pseudoacacia	7, 5, 5, 4	4	3.5	10.5	Poor	Multistem trunk 7 x 5 x 5 x 4, trunk rot, many large vines
NC-293	Red maple	Acer rubrum	8	1	4	12	Good	Climbing vines
NC-294	American holly	Ilex opaca	5	1	2.5	7.5	Good	
NC-295	Black locust	Robinia pseudoacacia	7	1	3.5	10.5	Fair	Vines, broken leader
NC-296	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Many vines
NC-297	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Many vines
NC-298	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Extensive vines, broken leader
NC-299	Unknown		10	1	N/A	N/A	Standing Dead	
NC-300	River birch	Betula nigra	7	1	3.5	10.5	Fair	Many vines, reduced canopy
NC-301	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Extensive vines
NC-302	Sweetgum	Liquidambar styraciflua	12	1	6	18	Poor	Extensive vines, broken branches
NC-303	Red maple	Acer rubrum	5	1	2.5	7.5	Fair	Leaning, trunk damage
NC-304	Red maple	Acer rubrum	11	1	5.5	16.5	Good	
NC-305	River birch	Betula nigra	9	1	4.5	13.5	Good	
NC-306	Red maple	Acer rubrum	13	1	6.5	19.5	Good	Vines
NC-307	River birch	Betula nigra	7	1	3.5	10.5	Good	
NC-308	Sweetgum	Liquidambar styraciflua	10	1	5	15	Fair	Vines in canopy
NC-309	Red maple	Acer rubrum	6	1	3	9	Good	
NC-310	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	Reduced canopy
NC-311	Tree of heaven	Ailanthus altissima	11	1	5.5	16.5	Fair	Leaning, vines
NC-312	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Poor	Reduced canopy, broken leader, extensive vines, stressed
NC-313	Red maple	Acer rubrum	8	1	4	12	Good	
NC-314	River birch	Betula nigra	8, 7	2	4	12	Poor	Twin trunk 8 x 7, dying, broken leader, vines
NC-315	Red maple	Acer rubrum	5	1	2.5	7.5	Good	
NC-316	Sweetgum	Liquidambar styraciflua	14	1	7	21	Poor	Extensive vines, leaning, reduced canopy
NC-317	Red maple	Acer rubrum	13	1	6.5	19.5	Good	
NC-318	Red maple	Acer rubrum	9	1	4.5	13.5	Good	
NC-319	River birch	Betula nigra	7	1	3.5	10.5	Good	
NC-320	Siberian elm	Ulmus pumila	7	1	3.5	10.5	Good	Some vines
NC-321	American elm	Ulmus americana	5	1	2.5	7.5	Poor	Very stressed
NC-322	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Broken leader, vines
NC-323	Red maple	Acer rubrum	6	1	3	9	Good	
NC-324	Black locust	Robinia pseudoacacia	5	1	2.5	7.5	Poor	Several dead leader, vines
NC-325	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Leaning, broken leader
NC-326	Siberian elm	Ulmus pumila	5	1	2.5	7.5	Good	
NC-327	Red maple	Acer rubrum	24	1	12	36	Good	
NC-328	Sweetgum	Liquidambar styraciflua	5, 4	2	2.5	7.5	Poor	Twin trunk 5 x 4(standing dead), broken leader, many vines
NC-329	Sweetgum	Liquidambar styraciflua	7, 4, 3	3	3.5	10.5	Fair	Multistem trunk 7 x 4 x 3, vines
NC-330	River birch	Betula nigra	11	1	5.5	16.5	Good	Leaning
NC-331	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Leaning, vines
NC-332	American elm	Ulmus americana	16	1	8	24	Fair	Dead branches
NC-333	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Vines
NC-334	River birch	Betula nigra	9	1	N/A	N/A	Standing Dead	
NC-335	River birch	Betula nigra	7	1	3.5	10.5	Good	
NC-336	Red maple	Acer rubrum	10	1	5	15	Good	
NC-337	Red maple	Acer rubrum	7	1	N/A	N/A	Standing Dead	
NC-338	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Leaning, vines
NC-339	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Broken leader
NC-340	Red maple	Acer rubrum	7	1	3.5	10.5	Good	
NC-341	Tuliptree	Liriodendron tulipifera	20	1	10	30	Good	
NC-342	Blackgum	Nyssa sylvatica	5	1	2.5	7.5	Good	
NC-343	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Good	
NC-344	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Good	
NC-345	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	
NC-346	Tuliptree	Liriodendron tulipifera	18	1	9	27	Good	
NC-347	Sweetgum	Liquidambar styraciflua	17	1	8.5	25.5	Good	
NC-348	River birch	Betula nigra	11	1	5.5	16.5	Good	Vines
NC-349	Sweetgum	Liquidambar styraciflua	7, 7	2	3.5	10.5	Fair	Twin trunk 7 x 7, vines
NC-350	Tuliptree	Liriodendron tulipifera	17	1	8.5	25.5	Good	
NC-351	American holly	Ilex opaca	6	1	3	9	Good	
NC-352	Pignut hickory	Carya glabra	8	1	4	12	Good	
NC-353	Scarlet oak	Quercus coccinea	13	1	6.5	19.5	Fair	Heavy vines at base, branch dieback in lower canopy
NC-354	Sweetgum	Liquidambar styraciflua	12	1	6	18	Fair	Heavy branch dieback in crown, little crown remains, minor vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-355	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Minor vines into crown, unbalanced and thin crown, branch dieback
NC-356	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Heavy vines into crown, heavy branch dieback into crown, exposed roots on slope
NC-357	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Heavy vines into crown, heavy branch dieback in canopy, little crown remains
NC-358	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines into crown, thin crown
NC-359	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead and broken branches
NC-360	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Vines into crown, exposed roots on slope, branch dieback in lower canopy - Fair/poor
NC-361	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Broken branches
NC-362	Red maple	<i>Acer rubrum</i>	11, 9, 8	3	5.5	16.5	Fair	Multistem 11 x 9 x 8, main leader dead, smallest leader is rotting, branch dieback for 9" trunk
NC-363	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-364	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-365	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Large vines on trunk into canopy, large trunk wound, exposed roots on slope
NC-366	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Large trunk wound, dead upper branches
NC-367	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-368	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	Dead lower branches
NC-369	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form. Splits above DBH
NC-370	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken lower branches
NC-371	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches, thin crown, overtopped
NC-372	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines into crown, thin crown
NC-373	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Branch dieback in lower canopy, bend in leader
NC-374	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Slight lean, heavy vines into crown
NC-375	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning towards road
NC-376	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean
NC-377	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Some broken branches
NC-378	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Broken main leader
NC-379	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken lower branches
NC-380	Red maple	<i>Acer rubrum</i>	15, 7	2	7.5	22.5	Fair	Vine on trunk, lean. Twin trunks 15 x 7
NC-381	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vine on trunk
NC-382	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines on lower branches
NC-383	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-384	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, vines entering crown, exposed roots on slope
NC-385	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Unbalanced crown, broken branches
NC-386	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Heavy vines on trunk into crown
NC-387	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, healed over trunk wound
NC-388	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-389	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, lean
NC-390	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Heavy vines on trunk into crown
NC-391	American sycamore	<i>Platanus occidentalis</i>	9	1	4.5	13.5	Good	
NC-392	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form, thin crown
NC-393	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-394	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk into crown
NC-395	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Vines into crown
NC-396	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy vines on trunk into crown
NC-397	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Fair	Heavy vines into crown, unbalanced crown, slight lean
NC-398	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Significant lean, broken branches
NC-399	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy vines on trunk into crown
NC-400	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Irregular growth form
NC-401	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk, irregular bark
NC-402	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, lean
NC-403	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Broken branches
NC-404	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Heavy vines on trunk into crown, lean
NC-405	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	crown
NC-406	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Irregular crown
NC-407	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines on lower branches, split leader
NC-408	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Heavy vines on trunk, slight lean
NC-409	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk into crown
NC-410	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	Splits above DBH
NC-411	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	One sided
NC-412	Tuliptree	<i>Liriodendron tulipifera</i>	27	1	13.5	40.5	Fair	Vines on trunk
NC-413	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-414	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Vines on trunk into crown
NC-415	Sweetgum	<i>Liquidambar styraciflua</i>	7, 4	2	3.5	10.5	Poor	Dead decaying leader on 7" stem, interfering branches. Twin trunks 7 x 4

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-416	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Unbalanced crown, vines into crown, branch dieback in crown
NC-417	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Irregular trunk
NC-418	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-419	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches
NC-420	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Heavy vines into crown, minor dieback into crown
NC-421	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Irregular trunk, lean
NC-422	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	
NC-423	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-424	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Vines on trunk into crown
NC-425	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, dead 5" trunk, broken branches
NC-426	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-427	Norway maple	<i>Acer platanoides</i>	9	1	4.5	13.5	Good	Minor vines into crown
NC-428	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	One sided
NC-429	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-430	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	One sided, trunk wounds
NC-431	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Broken upper trunk
NC-432	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Heavy vines into crown, bend in leader, branch dieback in lower canopy
NC-433	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	
NC-434	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Thin crown, one sided, broken main leader
NC-435	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, vines on lower branches
NC-436	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Nearly horizontal lean over trail
NC-437	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Heavy vines into crown, broken branches
NC-438	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Vines on trunk, broken trunk
NC-439	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular growth form, broken branches
NC-440	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, one sided
NC-441	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Heavy vines on trunk, included bark, lean
NC-442	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-443	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Fair	Heavy vines on trunk, broken branches
NC-444	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	One sided
NC-445	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaning towards road, heavy vines into crown, branch dieback in lower canopy
NC-446	Virginia pine	<i>Pinus virginiana</i>	11, 9	2	N/A	N/A	Standing Dead	Twins 11 x 9
NC-447	Virginia pine	<i>Pinus virginiana</i>	11, 11	2	5.5	16.5	Fair	Trunk wound, irregular growth form. Twin trunks 11 x 11
NC-448	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Heavy vines on trunk into canopy
NC-449	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken lower branches
NC-450	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches, overtopped
NC-451	Sweetgum	<i>Liquidambar styraciflua</i>	9, 4	2	4.5	13.5	Fair	Overtopped. Twin trunks 9 x 4
NC-452	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, broken branches
NC-453	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on trunk, one sided
NC-454	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, broken branches, irregular trunk
NC-455	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Healed trunk wound at base, thin crown
NC-456	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Nearly dead crown, many dead branches
NC-457	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead and broken branches
NC-458	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Fair	Heavy vines on trunk
NC-459	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Few large broken branches
NC-460	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Nearly dead crown
NC-461	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-462	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Fair	Heavy vines on trunk
NC-463	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, broken branches
NC-464	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Irregular crown
NC-465	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Large adjacent pine on crown
NC-466	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Broken upper trunk
NC-467	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean on slope
NC-468	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-469	Unknown		5	1	N/A	N/A	Standing Dead	
NC-470	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-471	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Thin crown
NC-472	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Trunk wound
NC-473	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-474	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Poor	Nearly dead, rotten trunk, leaning on adjacent tree towards road, crown still producing needles
NC-475	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-476	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Nearly horizontal lean over road
NC-477	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Heavy vines taken over crown, heavy branch dieback in crown, leaning toward road
NC-478	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-479	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-480	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-481	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, broken branches
NC-482	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-483	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Minor branch dieback in crown, exposed roots on slope
NC-484	Red maple	<i>Acer rubrum</i>	13, 6	2	6.5	19.5	Poor	Twin trunks 13 x 6, heavy vines into crown, branch dieback
NC-485	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean
NC-486	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, water sprouts
NC-487	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, exposed roots on slope, irregular trunk
NC-488	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-489	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Large vines on trunk into crown
NC-490	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Slight lean
NC-491	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Large trunk wound with decay
NC-492	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Large vines on trunk into crown
NC-493	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Vines into crown, branch die back in lower canopy
NC-494	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular trunk, overtopped
NC-495	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Large vines on trunk into crown
NC-496	Cherry sp.	<i>Prunus sp.</i>	5	1	2.5	7.5	Good	
NC-497	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Significant lean, heavy vines into crown, little crown remains
NC-498	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean
NC-499	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken leader, broken branches
NC-500	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	Exposed roots on slope
NC-501	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines on trunk, lean
NC-502	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Minor branch dieback in crown, exposed roots on slope, thin crown
NC-503	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy vines into crown
NC-504	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines into crown
NC-505	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-506	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Unbalanced crown, exposed roots on slope
NC-507	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Irregular crown
NC-508	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-509	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Lean, heavy vines on trunk
NC-510	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Large vines on trunk into crown
NC-511	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Heavy vines on trunk
NC-512	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Lean, has black cherry leaning on trunk
NC-513	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines on trunk
NC-514	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-515	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Fair	Heavy vines into crown, branch dieback in lower canopy
NC-516	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines into crown, thin crown
NC-517	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-518	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Bend in trunk
NC-519	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Heavy vines into crown, branch dieback in lower canopy
NC-520	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-521	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-522	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Heavy vines into crown, branch dieback into crown, unbalanced
NC-523	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	One sided, some broken branches
NC-524	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Large vine girdling trunk, lean
NC-525	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	Minor bend in leader, minor branch dieback in crown
NC-526	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Heavy vines into crown, thin crown
NC-527	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Heavy vines into crown, exposed roots on slope
NC-528	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Heavy vines on trunk
NC-529	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken lower branches
NC-530	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Thin crown
NC-531	Black cherry	<i>Prunus serotina</i>	15	1	7.5	22.5	Poor	Right bend in middle of trunk, growing into adjacent tree
NC-532	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular trunk
NC-533	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Heavy vines into crown, bend in leader
NC-534	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in leader, vines into crown
NC-535	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Irregular trunk
NC-536	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken leader
NC-537	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Vines into crown, thin canopy
NC-538	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Bend in leader
NC-539	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken leader, broken branches
NC-540	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	crown
NC-541	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-542	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-543	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin canopy, lean
NC-544	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	
NC-545	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Heavy vines, thin crown
NC-546	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-547	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Thin crown, overtopped
NC-548	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Thin crown
NC-549	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Significant bend in trunk
NC-550	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Some greenbrier on lower branches
NC-551	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Vines on lower branches
NC-552	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Heavy vines, thin canopy
NC-553	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Leaning towards road, exposed roots on slope
NC-554	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form, thin crown
NC-555	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Significant lean
NC-556	Southern red oak	<i>Quercus falcata</i>	20	1	10	30	Good	Bend in upper trunk
NC-557	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Poor branching structure, vines taking over crown
NC-558	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Exposed roots on slope, vines on trunk
NC-559	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Bend in leader, unbalanced crown, exposed roots on slope
NC-560	Tuliptree	<i>Liriodendron tulipifera</i>	27	1	13.5	40.5	Good	Few broken branches
NC-561	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown
NC-562	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Slight bend in trunk
NC-563	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Some broken branches
NC-564	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Significant lean on slope, irregular growth form
NC-565	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Thin crown
NC-566	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown, broken branches
NC-567	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, exposed roots on slope
NC-568	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Thin crown
NC-569	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Exposed roots on slope
NC-570	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-571	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Vines into crown, thin crown
NC-572	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	One sided
NC-573	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Heavy vines into crown, exposed roots on slope
NC-574	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Heavy vines into crown, thin crown
NC-575	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Moderate bend in leader, vines at base, leaning towards road
NC-576	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown
NC-577	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, vines entering into crown
NC-578	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Poor	Heavy vines taking over crown, exposed roots on slope
NC-579	River birch	<i>Betula nigra</i>	10	1	5	15	Fair	Lean, water sprouts
NC-580	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular trunk, vines on lower trunk
NC-581	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Some exposed roots
NC-582	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Irregular trunk
NC-583	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown
NC-584	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	One sided
NC-585	American holly	<i>Ilex opaca</i>	13	1	6.5	19.5	Good	Small secondary leader growing out of trunk above DBH, interfering branches
NC-586	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Some broken branches
NC-587	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-588	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Exposed roots on drainage, broken branches
NC-589*	Tuliptree	<i>Liriodendron tulipifera</i>	42	1	21	63	Good	Few broken branches
NC-590	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-591	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Vines into crown, branch dieback in lower canopy, bend in leader
NC-592	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken main leader, secondary leader good
NC-593*	Tuliptree	<i>Liriodendron tulipifera</i>	34	1	17	51	Fair	Broken branches, some trunk wounds
NC-594	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Slight lean, some broken branches
NC-595	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	
NC-596	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Overtopped by adjacent tulip tree, some trunk wounds
NC-597	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Moderate bend in leader, vines into crown, branch dieback in crown
NC-598	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken leader with regrowth. Exposed roots on slope
NC-599	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken tip of leader
NC-600	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Some exposed roots on slope, broken lower branches
NC-601	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Fair	Vines into crown, thin crown
NC-602	Red maple	<i>Acer rubrum</i>	20	1	10	30	Poor	Significant lean, fungus on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-603	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Some broken branches, irregular crown
NC-604	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Severe lean towards road, irregular root collar
NC-605	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Some broken branches
NC-606	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Vines into crown, thin crown
NC-607	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead and broken branches
NC-608	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Thin crown
NC-609	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	structure
NC-610	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-611	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Good	One sided
NC-612	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Large vine on trunk
NC-613	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Broken lower branches
NC-614	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Slight lean, vines into crown
NC-615	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-616	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-617	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-618	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Vine on trunk, dead small leader
NC-619	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Irregular growth form, large broken limb
NC-620	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	crown
NC-621	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Unbalanced crown, minor vines into crown
NC-622	Red maple	<i>Acer rubrum</i>	26	1	13	39	Poor	Large trunk hollow, can see through trunk
NC-623	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Irregular trunk
NC-624	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Leaning towards road, branch dieback in lower canopy
NC-625	Tuliptree	<i>Liriodendron tulipifera</i>	22, 14	2	11	33	Good	Included bark, twin trunks 22 x 14
NC-626	Loblolly pine	<i>Pinus taeda</i>	21	1	10.5	31.5	Good	Thin crown
NC-627	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-628	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Unbalanced crown, exposed roots on slope, branch dieback in lower canopy
NC-629	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	Bend in upper trunk
NC-630	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Significant lean
NC-631	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	
NC-632	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Branch dieback in crown, exposed roots on slope
NC-633	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	branches
NC-634	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-635	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Irregular growth form, significant lean
NC-636	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning towards road, bend in leader, vines into crown
NC-637	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Thin crown
NC-638	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Heavy branch dieback in crown, little crown remains, vines into crown
NC-639	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-640	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Broken leader
NC-641	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Irregular growth form
NC-642	Blackgum	<i>Nyssa sylvatica</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, additional 3" stem is dead. Trunks cross in canopy, minor branch dieback in crown
NC-643	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Thin crown, dead and broken branches
NC-644	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	2' long cavity on trunk rotting, poor branching structure, branch dieback in crown
NC-645	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-646	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-647	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback and dead wood in crown, unbalanced crown
NC-648	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning towards road, water sprouts at base
NC-649	Unknown		7	1	N/A	N/A	Standing Dead	
NC-650	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Thin crown, dead and broken branches
NC-651	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, broken branches
NC-652	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Bend in leader, thin crown
NC-653	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken leader, branch dieback in crown, two 1' long cavities observed in trunk, unbalanced crown
NC-654	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Thin crown
NC-655	Black oak	<i>Quercus velutina</i>	13	1	6.5	19.5	Fair	bend in leader, water sprouts, thin crown
NC-656	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Poor branching structure
NC-657	Black oak	<i>Quercus velutina</i>	16	1	8	24	Fair	Leaning towards road, branch dieback in crown, rotting branches in lower canopy,
NC-658	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Irregular growth form, interfering crown with adjacent oak
NC-659	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Significant lean, interfering with crown on blackgum

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-660	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Poor	severe lean, heavy branch dieback in crown
NC-661	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Branch dieback in crown, unbalanced crown
NC-662	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-663	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Thin crown
NC-664	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular crown
NC-665	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader, leaning, branch dieback in crown
NC-666	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-667	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	crown
NC-668	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-669	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown, broken branches
NC-670	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-671	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Unbalanced crown, slight lean towards the road
NC-672	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Exposed roots on slope
NC-673	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Poor	Vines in crown, irregular bark
NC-674	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, minor branch dieback in crown, slight lean, unbalanced crown
NC-675	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Minor branch dieback in lower canopy
NC-676	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Twin trunks above DBH, one of the stems has a large cavity that is rotting
NC-677	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Bend in leader, low branch dieback
NC-678	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Broken lower branches
NC-679	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Unbalanced crown, bend in leader
NC-680	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Leaning, severe bend in leader, poor branching structure
NC-681	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-682	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Poor branching structure thin crown
NC-683	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Fair	Leaning towards road, 4' long trunk wound rotting, poor branching structure
NC-684	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Broken and bent leader, vines into crown
NC-685	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-686	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, broken branches
NC-687	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-688	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-689	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	Slight bend in leader, minor vine at base
NC-690	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-691	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Poor branching structure, dead wood in crown
NC-692	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-693	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Severe bends in leader, heavy vines into crown, unbalanced crown
NC-694	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Branch dieback in crown, bend in leader
NC-695	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-696	White oak	<i>Quercus alba</i>	17, 14	2	8.5	25.5	Good	Twin trunks 17 x 14
NC-697	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown, vines into crown
NC-698	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Right angle in upper trunk
NC-699	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-700	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular growth form
NC-701	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-702	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Fair	Long section of removed and rotting bark on trunk, thin crown
NC-703	Sassafras	<i>Sassafras albidum</i>	6	1	N/A	N/A	Standing Dead	
NC-704	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Large branch dieback in crown
NC-705	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Broken branches, thin crown
NC-706	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean
NC-707	Red maple	<i>Acer rubrum</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4, poor branching structure, bend in leader at base
NC-708	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead branches
NC-709	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-710	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Rotting branches in lower canopy, small cavity at base with decay, bend in leader, unbalanced crown
NC-711	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Poor branching structure
NC-712	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin crown
NC-713	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-714	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, broken branches
NC-715	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-716	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Leaning, poor branching structure
NC-717	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-718	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Severely twisted leader, vines into crown
NC-719	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-720	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Poor	Broken main leader
NC-721	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-722	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Heavy branch dieback in crown, thin crown
NC-723	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-724	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-725	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-726	Unknown		13	1	N/A	N/A	Standing Dead	
NC-727	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	2' long cavity at base rotting, vines into crown, leaning towards road
NC-728	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in crown
NC-729	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-730	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Leaning, bend in leader, branch dieback in crown
NC-731	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Bend in leader, rotting branches in lower canopy, vines into crown, unbalanced crown
NC-732	Blackgum	<i>Nyssa sylvatica</i>	6, 5	2	3	9	Good	5
NC-733	Tuliptree	<i>Liriodendron tulipifera</i>	20, 11	2	10	30	Fair	Twin trunks 20 x 11, vines into crown, thin crown
NC-734	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Good	Bark slightly irregular
NC-735	Sassafras	<i>Sassafras albidum</i>	9	1	4.5	13.5	Poor	Broken leader
NC-736	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	Broken lower branches
NC-737	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-738	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	Few broken branches
NC-739	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, Minor vine entering crown, exposed roots on slope
NC-740	American hornbeam	<i>Carpinus caroliniana</i>	5	1	2.5	7.5	Fair	Rotting stem at base broken off, small 0.5" stem sprouting from base with leaves, mainstem has severe lean and branch dieback in crown
NC-741	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Trunk cavity on upper trunk, large broken branches
NC-742	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	2' long crack on trunk healing
NC-743	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-744	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Good	Some broken branches
NC-745	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	N/A	N/A	Standing Dead	
NC-746	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, unbalanced crown, vines into crown, rotting branches in lower canopy
NC-747	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Heavy vines into crown, branch dieback in crown, moderate bend in leader
NC-748	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Dead, decaying leader
NC-749	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Bend in leader, leaning, vines into crown
NC-750	Tuliptree	<i>Liriodendron tulipifera</i>	16, 15	2	8	24	Fair	Twin trunks 16 x 15, dead wood in crown of mainstem, both stems leaning towards the road
NC-751	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-752	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Lean, broken branches
NC-753	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-754	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	Broken lower branches
NC-755	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Fair	Significant lean, broken branches
NC-756	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Lean
NC-757	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-758	Blackgum	<i>Nyssa sylvatica</i>	7, 6	2	3.5	10.5	Good	Slight lean, twin trunks 7 x 6
NC-759	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-760	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-761	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-762	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead branches
NC-763	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-764	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	Few broken branches
NC-765	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	
NC-766	Unknown		24	1	N/A	N/A	Standing Dead	
NC-767	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Good	
NC-768	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	Slight lean
NC-769	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Fair	Thin crown, debris leaning on trunk
NC-770	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-771	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Unbalanced crown
NC-772	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Poor	Severe bark decay, tree nearly dead
NC-773	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-774	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-775	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Large branch dieback in crown, exposed roots on slope
NC-776	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines into crown, branch dieback in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-777	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Good	
NC-778	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	Few broken branches
NC-779	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Twin trunks 2" stem, vine into crown, leaning towards the road , exposed roots on slope
NC-780	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Vines into crown from adjacent tree, branch dieback in crown
NC-781	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Bend in leader, branch dieback and vines in crown, thin crown
NC-782	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Main leader broken, secondary leader good
NC-783	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	
NC-784	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-785	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-786	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Lean
NC-787	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-788	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	
NC-789	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Irregular growth form, lean
NC-790	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-791	White oak	<i>Quercus alba</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4, both stems are leaning, branch dieback in crown, rotting branches in lower canopy
NC-792	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Irregular crown, overtopped by adjacent oak
NC-793	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-794	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Leaning towards the road, exposed roots on slope
NC-795	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Fair	Irregular trunk
NC-796	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-797	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-798	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Heavy branch dieback in crown
NC-799	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader, vines into crown, branch dieback in crown, thin crown
NC-800	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-801	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Minor branch dieback in lower canopy, minor vines entering crown
NC-802	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-803	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-804	Tuliptree	<i>Liriodendron tulipifera</i>	25	1	12.5	37.5	Good	Minor bend in leader
NC-805	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Bend in trunk
NC-806	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-807	Norway maple	<i>Acer platanoides</i>	10	1	5	15	Good	
NC-808	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form, lean
NC-809	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	Slight lean
NC-810	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines, several dead branches
NC-811	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-812	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Few dead branches
NC-813	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Significant lean
NC-814	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-815	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-816	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-817	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-818	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-819	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-820	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-821	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-822	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	Minor vines entering crown
NC-823	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	Minor branch dieback in crown
NC-824	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-825	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Irregular trunk
NC-826	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Leaning towards the road, poor branching structure
NC-827	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-828	Unknown		14	1	N/A	N/A	Standing Dead	
NC-829	Red maple	<i>Acer rubrum</i>	11, 9	2	5.5	16.5	Poor	Twin trunk 11 x 9, rotted out at base, leaning, undermined by bank
NC-830	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Few broken branches
NC-831	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Adjacent red maple leaning against trunk
NC-832	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Fair	Poor branching structure, exposed roots on slope
NC-833	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Minor branch dieback in lower canopy
NC-834	Red maple	<i>Acer rubrum</i>	14, 13, 13	3	7	21	Poor	Two trunks with significant lean, 14" trunk leader dead. Multistem 14 x 13 x 13
NC-835	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-836	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-837	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branches in lower canopy are rotting, unbalanced crown
NC-838	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Few broken branches
NC-839	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Poor	Vine damage, lean. Twin trunks 6 x 5
NC-840	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-841	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-842	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-843	Unknown		7	1	N/A	N/A	Standing Dead	
NC-844	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-845	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-846	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-847	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	
NC-848	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown, unbalanced crown
NC-849	American holly	<i>Ilex opaca</i>	8	1	4	12	Fair	Lean
NC-850	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Bend in leader, poor branching structure
NC-851	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader, branch dieback in crown, thin crown
NC-852	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Overtopped by vines
NC-853	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	Irregular growth form
NC-854	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-855	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Bend in leader
NC-856	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Fair	Dead leader, dead wood in crown
NC-857	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor vines into crown
NC-858	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	crown
NC-859	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-860	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Vines at base
NC-861	Tuliptree	<i>Liriodendron tulipifera</i>	27	1	13.5	40.5	Fair	Poor branching structure, branch dieback in lower canopy
NC-862	American beech	<i>Fagus grandifolia</i>	18	1	9	27	Fair	Included bark, broken third trunk
NC-863	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Broken branches
NC-864	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Branch dieback in crown and lower canopy
NC-865	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken leader
NC-866	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Dying crown, large wound on upper trunk
NC-867	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-868	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-869	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	
NC-870	Scarlet oak	<i>Quercus coccinea</i>	28	1	14	42	Good	Some broken branches
NC-871	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Vine entering crown, thin crown
NC-872	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Moderate bend in leader, branch dieback in crown, thin crown
NC-873	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Irregular crown
NC-874	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Interfering crowns, irregular crown
NC-875	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Severe bend in leader, vine entering crown
NC-876	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-877	Red maple	<i>Acer rubrum</i>	12, 4	2	6	18	Fair	Twin trunks 12 x 4 stem, small cavity at base healing, poor branching structure on both stems
NC-878	Pine sp.	<i>Pinus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-879	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-880	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-881	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Fair	Branch dieback in crown, unbalanced crown
NC-882	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Split leader, vines on trunk
NC-883	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-884	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-885	Black oak	<i>Quercus velutina</i>	9	1	4.5	13.5	Fair	Slight lean, vines into crown, bend in leader
NC-886	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	Minor vine not yet in crown
NC-887	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning
NC-888	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Good	With vines
NC-889	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	Broken branches
NC-890	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-891	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-892	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Fair	Irregular bark, branch dieback in crown
NC-893	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Minor bend in leader
NC-894	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Branch dieback in crown and lower canopy
NC-895	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Branch dieback in crown, thin crown
NC-896	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Minor branch dieback in crown
NC-897	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Branch dieback in lower canopy, thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-898	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Minor vines into crown
NC-899	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-900	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Dead trunk sprout, dead upper branches, lean
NC-901	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines on trunk
NC-902	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, one sided, vines on trunk
NC-903	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-904	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Lean, one sided
NC-905	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-906	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	Some broken branches
NC-907	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-908	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-909	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor dead wood in crown
NC-910	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	crown
NC-911	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-912	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Heavy vines in crown, dead branches
NC-913	Black oak	<i>Quercus velutina</i>	8	1	4	12	Good	Minor branch dieback in lower canopy
NC-914	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Bend in leader, branch dieback in crown
NC-915	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Bend in leader, poor branching structure, branch dieback in lower canopy
NC-916	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-917	Cherry sp.	<i>Prunus sp.</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-918	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Irregular crown, broken branches
NC-919	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-920	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Bend in upper trunk
NC-921	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-922	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-923	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-924	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Moderate lean, branch dieback in crown, unbalanced crown
NC-925	Unknown		9	1	N/A	N/A	Standing Dead	
NC-926	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-927	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Some broken branches
NC-928	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor branch dieback in canopy, thin crown
NC-929	American beech	<i>Fagus grandifolia</i>	24	1	12	36	Good	Included bark. Splits above DBH
NC-930	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-931*	Tuliptree	<i>Liriodendron tulipifera</i>	37	1	18.5	55.5	Good	Few broken branches
NC-932	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Branch dieback in lower canopy, unbalanced crown
NC-933	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-934	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Adjacent tree leaning on this tree
NC-935	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Leaning, low branch dieback, 4.5' long trunk wound healed over
NC-936	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Moderate bend in leader
NC-937	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-938	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	3' long cavity on trunk rotting, heavy branch dieback in crown, thin crown
NC-939	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Bend in leader, leaning towards trail
NC-940	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-941	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Unbalanced crown, leaning towards road
NC-942	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Fair	Branch dieback in canopy, gall at base
NC-943	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-944	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Branch dieback in crown and lower canopy
NC-945	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-946	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-947	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-948	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	
NC-949	Unknown		7	1	N/A	N/A	Standing Dead	
NC-950	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-951	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Irregular growth form
NC-952	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Many dead branches
NC-953	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Slight lean
NC-954	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	
NC-955	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Branch dieback and dead wood in lower canopy
NC-956	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean at top
NC-957	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	
NC-958	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Good	Slight lean, dead wood in crown
NC-959	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Vines in canopy
NC-960	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-961	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean at top, large trunk wound
NC-962	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-963	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Bend in leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-964	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-965	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	Slight lean, unbalanced crown
NC-966	American holly	<i>Ilex opaca</i>	5, 4	2	2.5	7.5	Good	Twin trunks 5 x 4
NC-967	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-968	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Minor bend in leader
NC-969	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dead leader, lean, vines into crown
NC-970	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Slight lean
NC-971	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Minor bend in leader
NC-972	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-973	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dead leader, lean, vines into crown
NC-974	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-975	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-976	Unknown		14	1	N/A	N/A	Standing Dead	
NC-977	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Bend in leader
NC-978	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	
NC-979	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Unbalanced crown, vines into crown
NC-980	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-981	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-982	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-983	Cherry sp.	<i>Prunus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-984	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-985	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Fair	Irregular growth form, broken branches
NC-986	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dead branches, thin crown, interfering crowns
NC-987	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Significant lean, broken secondary trunk
NC-988	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	Broken branches
NC-989	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Heavy branch dieback in crown, vines into crown, fungus observed on trunk
NC-990	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-991	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Bend in trunk
NC-992	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Multistem (under 5")
NC-993	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Poor branching structure
NC-994	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Unbalanced crown due to adjacent tree canopy
NC-995	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Minor bend in leader
NC-996	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-997	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor vines into crown
NC-998	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	Broken branches
NC-999	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-1000	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Large vines on trunk
NC-1001	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Good	
NC-1002	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-1003	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Good	Dead branches
NC-1004	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Large branch removed in canopy, leaning towards the road
NC-1005	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown
NC-1006	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Irregular growth form, broken branches
NC-1007	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Significant lean
NC-1008	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Minor branch dieback in lower canopy
NC-1009	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-1010	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Lean, healed trunk wound
NC-1011	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-1012	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-1013	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-1014	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor branch dieback in lower canopy
NC-1015	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-1016	American beech	<i>Fagus grandifolia</i>	16	1	8	24	Good	
NC-1017	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy
NC-1018	Red maple	<i>Acer rubrum</i>	27	1	13.5	40.5	Good	Healed trunk wound
NC-1019	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	crown
NC-1020	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Vines in canopy
NC-1021	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, bend in leader
NC-1022	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-1023*	Scarlet oak	<i>Quercus coccinea</i>	31	1	15.5	46.5	Fair	Large branch dieback in canopy, exposed roots on slope
NC-1024	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Severe bend in leader, adjacent tree leaning on this tree, thin crown
NC-1025	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Branch dieback in canopy, rotting branches in lower canopy
NC-1026	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Large healed over trunk wound
NC-1027	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Good	
NC-1028	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1029	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Poor branching structure

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1030	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-1031	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-1032	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Irregular trunk
NC-1033	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1034	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-1035	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Slightly unbalanced crown
NC-1036	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Slight lean, branch dieback in lower canopy, bend in leader, thin crown
NC-1037	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Nearly dead, broken leader, vines taking over crown
NC-1038	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	Bend in leader
NC-1039	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1040	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Water sprouts, dead tree leaning on it, galls at base
NC-1041	Pine sp.	<i>Pinus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-1042	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-1043	Red maple	<i>Acer rubrum</i>	21, 6	2	10.5	31.5	Fair	Twin trunks 21 x 6, main stem has poor branching structure
NC-1044	Pine sp.	<i>Pinus sp.</i>	12	1	N/A	N/A	Standing Dead	Leaning on adjacent tree
NC-1045	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	Some broken branches
NC-1046	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1047	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Dead leader, buds and leaves on small branches in lower canopy, insect/woodpecker holes observed at base of trunk
NC-1048	American beech	<i>Fagus grandifolia</i>	9, 7	2	4.5	13.5	Good	Included bark, slight bend in 7" trunk, Twin trunks 9 x 7
NC-1049	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	Thin crown
NC-1050	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-1051	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	
NC-1052	Red maple	<i>Acer rubrum</i>	12, 11, 10	3	6	18	Fair	Triple trunks 12 x 11 x 10, minor branch dieback in crown of each stem, irregular growth form
NC-1053	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Unbalanced crown
NC-1054	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-1055	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Branch dieback in crown, bend in leader
NC-1056	Sassafras	<i>Sassafras albidum</i>	11	1	5.5	16.5	Fair	Lean, poor branching structure
NC-1057	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-1058	Canadian serviceberry	<i>Amelanchier canadensis</i>	5	1	2.5	7.5	Fair	Multistem (3 stems < 5"), poor branching structure, leaning towards road
NC-1059	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Large trunk wound, possible lightning strike
NC-1060	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Minor branch dieback in lower canopy
NC-1061	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Tree leaning on trunk, dead branches
NC-1062	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form, lean
NC-1063	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Minor branch dieback in lower canopy
NC-1064	Black oak	<i>Quercus velutina</i>	13	1	6.5	19.5	Good	Slight lean, thin crown
NC-1065	Pine sp.	<i>Pinus sp.</i>	16	1	N/A	N/A	Standing Dead	
NC-1066	Black oak	<i>Quercus velutina</i>	8	1	4	12	Fair	Broken branches, one sided
NC-1067	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy, growing into crown of adjacent tree, unbalanced crown
NC-1068	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-1069	Tuliptree	<i>Liriodendron tulipifera</i>	25	1	12.5	37.5	Good	Bend in leader
NC-1070	Oak sp.	<i>Quercus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-1071	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, one sided
NC-1072	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-1073	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-1074	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Water sprouts, thin crown
NC-1075	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Lots of water sprouts, vines into crown
NC-1076	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branches
NC-1077	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	Slight lean
NC-1078	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Some dead wood in crown
NC-1079	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Vines, broken branches
NC-1080	Tuliptree	<i>Liriodendron tulipifera</i>	19, 5	2	9.5	28.5	Fair	Twin trunks 19 x 5, poor branching structure for both stems, bend in leader, exposed roots
NC-1081	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Twin trunks, trunk wounds at the base rotting, both trunks are leaning, vines into crown, thin crown
NC-1082	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Unbalanced crown, dead wood in crown, bend in leader
NC-1083	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches, one sided
NC-1084	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-1085	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Some exposed roots

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1086	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1087	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Minor vines into crown
NC-1088	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-1089	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Split leader, included bark
NC-1090	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-1091	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Irregular growth form, water sprouts
NC-1092	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Lean at top
NC-1093	White oak	<i>Quercus alba</i>	20	1	10	30	Fair	Bend in leader, leaning, along trail, exposed roots on trail side
NC-1094	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Vines on trunk, one sided
NC-1095	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	
NC-1096	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	Minor bend in leader, slightly unbalanced crown
NC-1097	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Fair	Broken secondary leader
NC-1098	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Reduced canopy
NC-1099	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-1100	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-1101	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-1102	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Several broken branches, dead tree leaning on trunk
NC-1103	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dead decaying leader
NC-1104	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Irregular growth form
NC-1105	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1106	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-1107	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-1108	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1109	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-1110	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Slight lean, exposed roots
NC-1111	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Slight bend in leader
NC-1112	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-1113	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Branch dieback in crown
NC-1114	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-1115	American holly	<i>Ilex opaca</i>	5, 3	2	2.5	7.5	Good	Twin trunks 5 x 3, slight lean
NC-1116	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-1117	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Significant lean on slope, large tree leaning on crown
NC-1118	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Few dead branches
NC-1119	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1120	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Thin crown, lean
NC-1121	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-1122	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Lean, irregular growth form
NC-1123	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean, heavy branch dieback in crown, thin crown
NC-1124	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-1125	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-1126	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Moderate bend in leader, thin crown, branch dieback in leader
NC-1127	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Thin crown
NC-1128	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Few broken branches
NC-1129	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-1130	Red maple	<i>Acer rubrum</i>	10	1	N/A	N/A	Standing Dead	
NC-1131	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-1132	Unknown		5	1	N/A	N/A	Standing Dead	
NC-1133	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Poor branching structure, slight lean
NC-1134	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Bend in leader, poor branching structure
NC-1135	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1136	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Bend in leader, slight lean
NC-1137	Sweetbay	<i>Magnolia virginiana</i>	6	1	3	9	Good	
NC-1138	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Poor	Dead leader, water sprouts
NC-1139	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Significant lean, dead branches in crown
NC-1140	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Fair	Vines in canopy
NC-1141	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	Broken branches
NC-1142	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Large vine on trunk
NC-1143	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Very thin crown, lean
NC-1144	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-1145	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Broken branches, irregular trunk
NC-1146	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, bend in leader
NC-1147	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Included bark, broken branches
NC-1148	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-1149	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-1150	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Heavy branch dieback in crown, thin crown
NC-1151	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-1152	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Dead wood in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1153	American beech	<i>Fagus grandifolia</i>	15	1	7.5	22.5	Fair	Included bark, interfering branches, snag leaning on trunk. Splits above DBH
NC-1154	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Leaning towards road, branch dieback in crown and lower canopy
NC-1155	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Few broken branches
NC-1156	Post oak	<i>Quercus stellata</i>	5	1	2.5	7.5	Good	
NC-1157	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-1158	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-1159	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-1160	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Thin crown, 4" red maple growing into base of trunk
NC-1161	Red maple	<i>Acer rubrum</i>	10, 9	2	5	15	Fair	One sided, included bark. Twin trunks 10 x 9
NC-1162	Unknown		8	1	N/A	N/A	Standing Dead	
NC-1163	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Leaning, poor branching structure
NC-1164	Pine sp.	<i>Pinus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-1165	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Good	Few broken branches
NC-1166	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Significant lean, dead branches
NC-1167	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-1168	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Bend in leader, branch dieback in crown
NC-1169	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-1170	Red maple	<i>Acer rubrum</i>	7, 2	2	3.5	10.5	Fair	Twin trunks 7 x 2, poor branching structure, minor vine into crown
NC-1171*	White oak	<i>Quercus alba</i>	30	1	15	45	Fair	Dead branches, included bark
NC-1172	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, irregular growth form
NC-1173	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Trunk at nearly right angle in crown, dead branches
NC-1174	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1175	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1176	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, broken branches
NC-1177	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Lean, thin crown
NC-1178	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, many broken branches
NC-1179	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Thin crown
NC-1180	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken leader
NC-1181	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular growth form, thin crown
NC-1182	American beech	<i>Fagus grandifolia</i>	14	1	7	21	Fair	Split leader, included bark, water sprouts
NC-1183	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Branch dieback in lower canopy
NC-1184	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Interfering crowns, lean, broken branches
NC-1185	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Within riprap lined ephemeral stream near culvert draining 295, twin trunks 4" stem, poor branching structure, leaning
NC-1186	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-1187	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	Minor branch dieback in lower canopy
NC-1188	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1189	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Moderate lean towards road, vines at base, unbalanced crown
NC-1190	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-1191	Sweetbay	<i>Magnolia virginiana</i>	7	1	3.5	10.5	Good	
NC-1192	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-1193	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Slight lean
NC-1194	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-1195	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-1196	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback and dead wood in crown
NC-1197	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1198	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	Minor bend in leader
NC-1199	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Bend in leader, moderate lean towards road, thin crown
NC-1200	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines in canopy
NC-1201	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Several broken branches, lean
NC-1202	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Broken branches
NC-1203	Blackgum	<i>Nyssa sylvatica</i>	23	1	11.5	34.5	Good	Leader splits above DBH
NC-1204	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-1205	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-1206	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Poor	10' long cavity on trunk rotting, leaning
NC-1207	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor branch dieback in crown
NC-1208	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1209	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Some broken branches
NC-1210	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Lean
NC-1211	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Minor branch dieback in crown
NC-1212	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Extensive vines in canopy
NC-1213	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Few broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1214	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	
NC-1215	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Fair	Several broken branches in crown
NC-1216	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Bend in leader, leaning towards road
NC-1217	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Heavy branch dieback in crown, unbalanced crown
NC-1218	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Branch dieback in lower canopy
NC-1219	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-1220	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Significant lean towards road, vines at base, rotting branches in lower canopy
NC-1221	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Bend in trunk
NC-1222	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Branch dieback in lower canopy
NC-1223	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-1224	Unknown		6	1	N/A	N/A	Standing Dead	
NC-1225	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	Broken lower branches
NC-1226	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-1227	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	Minor branch dieback in crown
NC-1228	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Heavy branch dieback in crown, little crown remains
NC-1229	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Underminded by bank
NC-1230	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, many dead branches
NC-1231	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Good	Vines in canopy, broken branches
NC-1232	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Minor vines into crown, minor branch dieback in lower canopy
NC-1233	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin crown
NC-1234	Post oak	<i>Quercus stellata</i>	5	1	2.5	7.5	Fair	Water sprouts, branch dieback in lower canopy
NC-1235	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Few broken branches
NC-1236	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1237	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-1238	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Several large galls on trunk, water sprouts, dead wood in crown
NC-1239	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean, branch dieback in crown, thin crown
NC-1240	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Fair	Irregular bark, branch dieback in lower crown and canopy
NC-1241	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1242	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in lower canopy
NC-1243	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Few dead branches
NC-1244	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Fair	Lean, dead branches
NC-1245	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Moderate lean towards road, bend in leader, adjacent tree canopy growing into this tree canopy
NC-1246	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1247	Pine sp.	<i>Pinus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-1248	Common persimmon	<i>Diospyros virginiana</i>	5, 4, 2	3	2.5	7.5	Fair	Triple trunk 5 x 4 x 2, smaller stems are leaning towards road
NC-1249	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	Bend in leader
NC-1250	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Minor vines at base
NC-1251	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-1252	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor branch dieback in crown
NC-1253	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-1254	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Branch dieback in crown, unbalanced crown
NC-1255	Sweetbay	<i>Magnolia virginiana</i>	6	1	3	9	Good	Slight lean
NC-1256	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Broken branches in crown
NC-1257	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Lean
NC-1258	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	Bend in leader at base due to slope
NC-1259	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Bend in trunk
NC-1260	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	branches in lower canopy, rotten stem at base
NC-1261	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Branch dieback and dead wood in crown
NC-1262	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Fair	Unbalanced crown, leaning towards the road
NC-1263	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Leaning towards road, unbalanced crown
NC-1264	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Large cavity on trunk rotting, leaning, dead 2" stem near base
NC-1265	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in canopy
NC-1266	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Branch dieback and dead wood in lower canopy
NC-1267	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Fair	Irregular growth form, interfering crowns
NC-1268	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines into crown, branch dieback in crown, thin crown
NC-1269	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Some dead lower branches
NC-1270	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1271	White oak	<i>Quercus alba</i>	18	1	9	27	Fair	Lean, dead branches
NC-1272	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Trunk rotting in small section in crown, thin crown
NC-1273	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Some broken branches
NC-1274	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-1275*	Northern red oak	<i>Quercus rubra</i>	31	1	15.5	46.5	Good	
NC-1276	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in crown and lower canopy
NC-1277	Sweet cherry	<i>Prunus avium</i>	6	1	3	9	Good	
NC-1278	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-1279	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean, healed trunk wound
NC-1280	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Very few needles in crown
NC-1281*	Tuliptree	<i>Liriodendron tulipifera</i>	38	1	19	57	Good	
NC-1282	Oak sp.	<i>Quercus sp.</i>	22	1	N/A	N/A	Standing Dead	
NC-1283	Southern red oak	<i>Quercus falcata</i>	25	1	12.5	37.5	Good	Few broken branches
NC-1284	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	Interfering crowns
NC-1285	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, dead branches
NC-1286	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-1287	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	Few broken branches
NC-1288	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering crown, irregular growth form
NC-1289	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Leaning, rotting branches in lower canopy, unbalanced crown
NC-1290	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	vine entering into crown, fungus observed on trunk, thin cavity on trunk healing
NC-1291	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in lower canopy
NC-1292	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Minor branch dieback in lower canopy
NC-1293	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-1294	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Leaning towards road, unbalanced crown, vines into crown
NC-1295	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-1296	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Lean, one sided
NC-1297	Sweet cherry	<i>Prunus avium</i>	5	1	2.5	7.5	Poor	Irregular growth form, leaning horizontal
NC-1298	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-1299	Sweet cherry	<i>Prunus avium</i>	5	1	2.5	7.5	Fair	Broken leader
NC-1300	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-1301	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1302	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Branch dieback in crown
NC-1303	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form, broken branches
NC-1304	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Bend in leader, thin crown
NC-1305	Sweetbay	<i>Magnolia virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, interfering crowns
NC-1306	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Good	
NC-1307	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	
NC-1308	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Poor branching structure
NC-1309	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Included bark
NC-1310	Blackgum	<i>Nyssa sylvatica</i>	5, 2	2	2.5	7.5	Fair	Twin trunks 5 x 2 stem, bend in leader, poor growth form for 2" stem
NC-1311	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Branch dieback in crown
NC-1312	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1313	Unknown		22	1	N/A	N/A	Standing Dead	
NC-1314	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Irregular trunk
NC-1315	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1316	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Crosses with adjacent tree trunk, low branch dieback
NC-1317	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	N/A	N/A	Standing Dead	
NC-1318	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	Minor branch dieback in crown
NC-1319	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Few broken branches
NC-1320	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	Minor branch dieback in crown
NC-1321	Unknown		8	1	N/A	N/A	Standing Dead	
NC-1322	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Fair	Broken branches
NC-1323	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Bend in leader, minor branch dieback in lower canopy
NC-1324	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Few broken branches
NC-1325	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Poor	Dying or dead crown
NC-1326	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-1327	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-1328	White oak	<i>Quercus alba</i>	8, 5	2	4	12	Good	Twin trunks 8 x 5
NC-1329	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-1330	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Significant lean towards road
NC-1331	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Some branch dieback, one sided
NC-1332	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bend in leader, vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1333	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Few broken branches, bend in upper trunk
NC-1334	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken leader, significant lean
NC-1335	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1336*	White oak	<i>Quercus alba</i>	34	1	17	51	Fair	Vines on trunk, broken limb, slight lean
NC-1337	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Irregular crown
NC-1338	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-1339	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, broken branches
NC-1340	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Overtopped, growing into Virginia pine
NC-1341	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Moderate lean
NC-1342	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-1343	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-1344	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-1345	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-1346	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Broken branches
NC-1347	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Few broken branches
NC-1348	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Water sprouts, thin crown
NC-1349	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Broken crown
NC-1350	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in crown
NC-1351	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Branch dieback in crown and lower canopy
NC-1352	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Branch dieback in lower canopy, slightly unbalanced crown
NC-1353	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, irregular growth form
NC-1354	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-1355	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-1356	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Slight lean, branch dieback in lower canopy
NC-1357	Unknown		6	1	N/A	N/A	Standing Dead	
NC-1358	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Fair	Trunk wound, bend in upper trunk
NC-1359	Red maple	<i>Acer rubrum</i>	14, 13, 7	3	7	21	Good	Multistem trunk 14 x 13 x 7
NC-1360	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Some broken branches
NC-1361	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, thin crown
NC-1362	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1363	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Thin crown
NC-1364	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Bend in leader, poor branching structure
NC-1365	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Broken main leader
NC-1366	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Severe lean, thin crown
NC-1367	Unknown		5	1	N/A	N/A	Standing Dead	
NC-1368	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-1369	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Dead lower branches
NC-1370	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form, thin crown, greenbrier on lower trunk
NC-1371	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Branch dieback in lower canopy
NC-1372	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Fair	Crown growing into adjacent Virginia pine
NC-1373	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-1374	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-1375	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	One sided, greenbrier on lower trunk
NC-1376	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Good	Irregular trunk
NC-1377	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Slightly one sided, small 2" trunk sprout
NC-1378	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Broken branches, dead tree leaning on trunk
NC-1379	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-1380	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Fair	Branch dieback in crown and lower canopy, unbalanced crown
NC-1381	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-1382	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dead wood in crown
NC-1383	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Dead branches, lean
NC-1384	Unknown		8	1	N/A	N/A	Standing Dead	
NC-1385	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-1386	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Good	Few broken branches
NC-1387	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-1388	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean towards road, bend in leader, branch dieback in lower canopy
NC-1389	Black oak	<i>Quercus velutina</i>	6	1	3	9	Good	
NC-1390	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slightly unbalanced crown
NC-1391	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-1392	White oak	<i>Quercus alba</i>	14	1	7	21	Good	One sided
NC-1393	Blackgum	<i>Nyssa sylvatica</i>	6	1	N/A	N/A	Standing Dead	
NC-1394	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-1395	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Greenbrier on lower branches
NC-1396	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	Slightly one sided
NC-1397	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-1398	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1399	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Broken branches
NC-1400	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-1401	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	Some small dead branches
NC-1402	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Poor	Decaying branches in crown
NC-1403	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1404	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-1405	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Thin crown
NC-1406	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Poor branching structure, bend in leader
NC-1407	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Poor	Dead decaying leader
NC-1408	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	crown
NC-1409	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Bend in leader in canopy, rotting branches and dieback in lower canopy
NC-1410	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Growing out of adjacent white oak
NC-1411	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Bend in leader, branch dieback in crown
NC-1412	Scarlet oak	<i>Quercus coccinea</i>	21	1	10.5	31.5	Fair	Slight lean, branch dieback in crown and lower canopy
NC-1413	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-1414	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-1415	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Few broken branches
NC-1416	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Broken branches, lean in upper trunk
NC-1417	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-1418	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-1419	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in crown
NC-1420	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	One sided, interfering crowns authority adjacent pine
NC-1421	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	Few water sprouts
NC-1422	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Dead branches, overtopped
NC-1423	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Heavy vines into crown, branch dieback in crown
NC-1424	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1425	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-1426	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning, vines in canopy
NC-1427	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy branch dieback in crown, little crown remains
NC-1428	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, broken branches
NC-1429	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1430	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Fair	Leaning leader, unbalanced crown
NC-1431	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Irregular trunk
NC-1432	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-1433	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Leaning, large branch dieback in crown/thin crown, dead wood in crown
NC-1434	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate lean and bend in leader, thin crown
NC-1435	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-1436	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Slightly unbalanced crown, exposed roots on slope
NC-1437	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Thin crown, one sided
NC-1438	White oak	<i>Quercus alba</i>	24	1	N/A	N/A	Standing Dead	
NC-1439	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Thin crown, unbalanced crown
NC-1440	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-1441	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-1442	Scarlet oak	<i>Quercus coccinea</i>	24	1	12	36	Good	Minor dieback in crown, slightly unbalanced crown
NC-1443*	Tuliptree	<i>Liriodendron tulipifera</i>	31	1	15.5	46.5	Good	Broken branches
NC-1444	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Adjacent tree canopy interfering with this tree canopy, vines entering into crown
NC-1445	Tree of heaven	<i>Ailanthus altissima</i>	7, 6	2	3.5	10.5	Fair	Lean, one sided. Twin trunks 7 x 6
NC-1446	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Cavity at base, low branch dieback
NC-1447	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Irregular trunk
NC-1448	Southern red oak	<i>Quercus falcata</i>	19	1	9.5	28.5	Good	Minor branch dieback in crown
NC-1449	Black oak	<i>Quercus velutina</i>	9	1	4.5	13.5	Good	Few broken branches
NC-1450	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning
NC-1451	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Poor branching structure, branch dieback in lower canopy
NC-1452	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Abnormal growth
NC-1453	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-1454	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning towards road, bend in leader
NC-1455	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Some dead branches
NC-1456	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, branch dieback in crown, thin crown
NC-1457	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Slight lean
NC-1458	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	One sided
NC-1459	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-1460	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1461	Mockernut hickory	<i>Carya tomentosa</i>	9	1	4.5	13.5	Fair	Irregular growth form
NC-1462	Sweetgum	<i>Liquidambar styraciflua</i>	23	1	11.5	34.5	Good	
NC-1463	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Excellent	Leaning, branch dieback in crown, thin crown
NC-1464	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1465	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Growing into adjacent canopy
NC-1466	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean, broken branches
NC-1467	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-1468	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Severe lean, branch dieback in crown, thin crown
NC-1469	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-1470	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-1471	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-1472	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, lean in upper trunk
NC-1473	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Unbalanced crown, bend in leader, slight lean
NC-1474	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Fair	Large branch dieback in crown and rotting branches in lower canopy
NC-1475	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular trunk, overtopped
NC-1476	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	Slightly unbalanced crown
NC-1477	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean on slope, few water sprouts
NC-1478	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1479	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1480	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Trunk wound, irregular growth form
NC-1481	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in leader, dead wood in crown, adjacent tree interfering with this tree canopy
NC-1482	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Broken leader, dead wood in crown
NC-1483	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Irregular growth form
NC-1484	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, one sided
NC-1485	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-1486	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-1487	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-1488	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Severe bend in leader, branch dieback in crown, thin crown
NC-1489	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Severe bend in leader, branch dieback in crown, little crown remains
NC-1490	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Slight lean
NC-1491	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular trunk, some water sprouts
NC-1492	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-1493	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Good	Unbalanced crown
NC-1494	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Good	
NC-1495	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-1496	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, broken branches
NC-1497	American holly	<i>Ilex opaca</i>	5, 4	2	2.5	7.5	Good	Twins 5 x 4
NC-1498	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1499	Scarlet oak	<i>Quercus coccinea</i>	24	1	12	36	Good	Minor branch dieback in lower canopy
NC-1500	American elm	<i>Ulmus americana</i>	10	1	5	15	Good	
NC-1501	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying crown, many dead branches
NC-1502	Tree of heaven	<i>Ailanthus altissima</i>	9	1	4.5	13.5	Fair	Lean, one sided
NC-1503	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Lean
NC-1504	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Good	Slight lean
NC-1505	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-1506	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-1507	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	Branch dieback in crown
NC-1508	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, many dead branches
NC-1509	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Some large dead branches
NC-1510	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-1511	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Leaning and unbalanced crown, branches in lower canopy are rotting
NC-1512	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1513	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Branch dieback in crown and lower canopy
NC-1514	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-1515	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1516	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Lean
NC-1517	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy branch dieback in crown
NC-1518	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-1519	Unknown		10	1	N/A	N/A	Standing Dead	
NC-1520	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken leader
NC-1521	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Significant lean
NC-1522	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Irregular growth form
NC-1523	Unknown		7	1	N/A	N/A	Standing Dead	
NC-1524	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Moderate lean, leaning on adjacent tree, branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1525	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Thin crown
NC-1526	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Bend in leader in crown, lots of water sprouts
NC-1527	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Some broken branches
NC-1528	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Fair	Large wound in crown, rotting bark and galls on trunk
NC-1529	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1530	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Some broken branches
NC-1531	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Bend in upper trunk
NC-1532	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-1533	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1534	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dead and bent leader, vines into crown
NC-1535	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Poor	Has large Virginia pine leaning on crown
NC-1536	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Lean, split leader
NC-1537	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1538	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	
NC-1539	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1540	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-1541	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1542	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown, water sprouts
NC-1543	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Branch dieback in crown, unbalanced crown
NC-1544	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Fair	Bend in upper trunk, dead Virginia pine leaning on trunk
NC-1545	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Minor cavity at base healing, some dead wood in lower canopy
NC-1546	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Thin crown, water sprouts, lean
NC-1547	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Slight lean
NC-1548	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Irregular growth form
NC-1549	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-1550	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1551	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in lower trunk, dead sucker
NC-1552	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-1553	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Reduced canopy, broken leader
NC-1554	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	
NC-1555	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-1556	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Irregular growth form
NC-1557	Unknown		11	1	N/A	N/A	Standing Dead	
NC-1558	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Irregular growth form, broken branches
NC-1559	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-1560	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Poor	Significant lean, thin crown
NC-1561	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Many water sprouts
NC-1562	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular trunk
NC-1563	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-1564	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-1565	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-1566	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-1567	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-1568	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Dead branch
NC-1569	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-1570	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	One sided, few broken branches. Twin trunks 15 x 11
NC-1571	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	Small dead leader
NC-1572	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Many water sprouts
NC-1573	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1574	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Good	
NC-1575	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Few water sprouts
NC-1576	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1577	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Good	Some dead wood in lower canopy
NC-1578	White oak	<i>Quercus alba</i>	22	1	11	33	Fair	Large branch dieback and dead wood in crown
NC-1579	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1580	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Broken branches
NC-1581	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Branch dieback and dead wood in lower canopy, unbalanced crown
NC-1582	Red maple	<i>Acer rubrum</i>	6, 5, 5	3	3	9	Fair	Triple trunks 6 x 5 x 5, 5" stem is dead, poor branching structure in mainstem
NC-1583	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1584	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-1585	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Leaning
NC-1586	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1587	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1588	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-1589	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1590	Northern red oak	<i>Quercus rubra</i>	29	1	14.5	43.5	Good	
NC-1591	White oak	<i>Quercus alba</i>	14	1	7	21	Poor	Significant lean in upper trunk, many dead branches
NC-1592	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Poor	Broken leader
NC-1593	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-1594	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Significant lean, some dead branches
NC-1595	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Irregular growth form, interfering crowns
NC-1596	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, thin crown
NC-1597	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, thin crown
NC-1598	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, unbalanced crown
NC-1599	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-1600	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Poor	Nearly dead, broken and dead leader, few green sprouts on trunk
NC-1601	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1602	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-1603	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-1604	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Fair	Branch dieback in crown, unbalanced crown, some dead wood in lower canopy
NC-1605	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-1606	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean
NC-1607	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-1608	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	Some dead branches
NC-1609	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-1610	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Dying crown, dead leader
NC-1611*	Tuliptree	<i>Liriodendron tulipifera</i>	32	1	16	48	Good	
NC-1612	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced crown, poor branching structure, thin crown
NC-1613	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Slight lean and unbalanced crown, bend in leader
NC-1614	Red maple	<i>Acer rubrum</i>	9, 6	2	4.5	13.5	Good	Included bark. Twin trunks 9 x 6
NC-1615	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Trunk wound, splits above DBH
NC-1616	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in lower canopy
NC-1617	Tuliptree	<i>Liriodendron tulipifera</i>	26, 26	2	13	39	Good	Included bark, few broken branches. Twin trunks 26 x 26
NC-1618	Scarlet oak	<i>Quercus coccinea</i>	25	1	12.5	37.5	Fair	Moderate lean, unbalanced crown
NC-1619	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Poor	Nearly dead, bent broken and dead leader, still budding in crown
NC-1620	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	One sided, few broken branches
NC-1621	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Thin crown
NC-1622	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dead leader, large trunk wound with decay
NC-1623	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Slight lean
NC-1624	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-1625	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Leaning, poor branching structure
NC-1626	White oak	<i>Quercus alba</i>	18	1	9	27	Fair	Branch dieback and dead wood in crown, unbalanced crown
NC-1627	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Significant lean
NC-1628	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Lean, broken branches
NC-1629	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Irregular trunk
NC-1630	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken lower branches
NC-1631	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-1632	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Half dead crown
NC-1633	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Lean, healed basal wound
NC-1634	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1635	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Branch dieback in crown, thin crown
NC-1636	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	
NC-1637	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-1638	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-1639	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Broken leader
NC-1640	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Slight bend in leader
NC-1641	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1642	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-1643	White oak	<i>Quercus alba</i>	22	1	11	33	Fair	Many Sapsucker holes, some dead branches
NC-1644	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Broken branches
NC-1645	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1646	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Good	
NC-1647	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Fair	One dead leader
NC-1648	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead tree leaning on trunk
NC-1649	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Large vine on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1650	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-1651	Unknown		6	1	N/A	N/A	Standing Dead	
NC-1652	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Minor bend in leader
NC-1653	Tuliptree	<i>Liriodendron tulipifera</i>	28	1	14	42	Good	Minor vines
NC-1654	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1655	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Dying crown
NC-1656	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-1657	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead branches, irregular trunk
NC-1658	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slight lean
NC-1659	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Few broken branches
NC-1660	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Unbalanced crown, slight lean
NC-1661	Unknown		7	1	N/A	N/A	Standing Dead	
NC-1662	Red maple	<i>Acer rubrum</i>	9, 6	2	4.5	13.5	Good	Lean. Twin trunks 9 x 6
NC-1663	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Poor	Dying crown
NC-1664	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Some dead branches, a little one sided
NC-1665	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	
NC-1666	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Thin crown
NC-1667	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Fair	Irregular growth form
NC-1668	Sassafras	<i>Sassafras albidum</i>	8	1	4	12	Fair	Irregular growth form, few trunk growths
NC-1669	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1670	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Water sprouts, greenbrier on lower branches, bend in crown
NC-1671	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Greenbrier on lower trunk, large broken limbs
NC-1672	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-1673	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Lean
NC-1674	American holly	<i>Ilex opaca</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6 stem
NC-1675	Red maple	<i>Acer rubrum</i>	6, 1	2	3	9	Fair	Twin trunks 6 x 1 stem, small cavity on leader healing, slight lean
NC-1676	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Thin crown
NC-1677	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines entering crown, thin crown, branch dieback in crown
NC-1678	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form
NC-1679	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-1680	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-1681	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines entering crown, thin crown, branch dieback in crown
NC-1682	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Poor	Severe trunk wound, can see through trunk
NC-1683	Pine sp.	<i>Pinus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-1684	Blackgum	<i>Nyssa sylvatica</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3 stem, bend in leader, rotting branches on 3" stem
NC-1685	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1686	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Bend in leader, slight lean, poor branching structure
NC-1687	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Bend in leader, slight lean, poor branching structure, branch dieback in lower canopy
NC-1688	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, unbalanced crown
NC-1689	Red maple	<i>Acer rubrum</i>	9, 3	2	4.5	13.5	Fair	Significant lean on slope. Twin trunks 9 x 3
NC-1690	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-1691	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown
NC-1692	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	N/A	N/A	Standing Dead	
NC-1693	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1694	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branches
NC-1695	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Severe bend in leader, vines into crown, thin crown
NC-1696	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-1697	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Slight lean
NC-1698	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-1699	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, branch dieback in crown, bend in leader
NC-1700	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Minor vines
NC-1701	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	DBH
NC-1702	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Slight lean, healed minor trunk wound
NC-1703	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1704	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Broken branches
NC-1705	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bend in upper trunk
NC-1706	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Irregular growth form, broken branches
NC-1707	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-1708	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Some broken branches, lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1709	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1710	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Significant lean towards road, heavy vines at base entering crown
NC-1711	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-1712	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in crown, standing dead tree leaning on this tree
NC-1713	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	Some broken branches
NC-1714	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Few broken branches
NC-1715	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Heavy branch dieback in crown, very thin crown
NC-1716	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Some broken branches, overtopped
NC-1717	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Minor branch dieback in lower canopy
NC-1718	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-1719	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Severe bend in leader, thin crown
NC-1720	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, branch dieback in crown, bend in leader
NC-1721	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Poor	Topped leader, rotting bark on trunk, buds on lower branches observed
NC-1722	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Some included bark
NC-1723	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Poor	Significant lean, vertical crack forming from base up trunk
NC-1724	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-1725	Unknown		12	1	N/A	N/A	Standing Dead	
NC-1726	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1727	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Irregular growth form
NC-1728	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Dead broken leader
NC-1729	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Significant lean on slope
NC-1730	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1731	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor low branch dieback
NC-1732	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-1733*	White oak	<i>Quercus alba</i>	31	1	15.5	46.5	Good	Healed trunk wound
NC-1734	Unknown		9	1	N/A	N/A	Standing Dead	
NC-1735	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Unbalanced crown, vines into crown, rotting branches in lower canopy
NC-1736	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1737	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Broken branches, one sided
NC-1738	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Irregular trunk
NC-1739	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-1740	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Leaning, branch dieback in crown
NC-1741	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	
NC-1742	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Good	One dead leader
NC-1743	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean
NC-1744	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, branch dieback in crown
NC-1745	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Broken branches
NC-1746	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-1747	Bitternut hickory	<i>Carya cordiformis</i>	10	1	5	15	Good	
NC-1748	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1749	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Broken branches, bend in trunk
NC-1750	Scarlet oak	<i>Quercus coccinea</i>	24	1	12	36	Poor	Tree nearly dead, most bark has decayed off tree. One branch alive at top
NC-1751	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-1752	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Good	Minor bend in leader, some water sprouts near base
NC-1753	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Slight lean
NC-1754	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Irregular crown
NC-1755	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Dead tree leaning on trunk
NC-1756	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Split leader, overtopped
NC-1757	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-1758	Oak sp.	<i>Quercus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-1759	Unknown		7	1	N/A	N/A	Standing Dead	
NC-1760	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Bend in leader, poor branching structure, dead wood in crown
NC-1761	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Thin crown
NC-1762	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-1763	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-1764	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1765	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-1766	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken branches
NC-1767	Red maple	<i>Acer rubrum</i>	9, 8	2	4.5	13.5	Fair	Twin trunks 9 x 8 stem, dead wood in crown on mainstem and rotting branches in lower canopy of 8" stem, 8" stem leaning towards road
NC-1768	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Fair/poor, snapped leader, little to no crown remains

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1769	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1770	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, branch dieback in crown
NC-1771	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-1772	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean on slope, bent leader
NC-1773	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Significant lean
NC-1774	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Significant lean
NC-1775	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Slight lean
NC-1776	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight bend in leader, thin crown
NC-1777	Northern red oak	<i>Quercus rubra</i>	27	1	13.5	40.5	Fair	Large broken limb in crown
NC-1778	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form, one sided
NC-1779	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-1780	Blackgum	<i>Nyssa sylvatica</i>	9, 8	2	4.5	13.5	Fair	Twin trunks 9 x 8, water sprouts, vines into crown, rotting branches in lower canopy, bend in leader
NC-1781	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Broken branches, overtopped
NC-1782	Red maple	<i>Acer rubrum</i>	13, 10	2	6.5	19.5	Good	Twin trunk 13 x 10
NC-1783	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines in lower branches, included bark, broken secondary leader
NC-1784	Unknown		10	1	N/A	N/A	Standing Dead	
NC-1785	Sweet cherry	<i>Prunus avium</i>	14	1	7	21	Fair	Sapsucker holes
NC-1786	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-1787	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Significant lean
NC-1788	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Significant lean
NC-1789	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in crown
NC-1790	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	7" cavity on trunk rotting, branch dieback in lower canopy
NC-1791	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Trunk rot at base, leaning
NC-1792	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1793	Loblolly pine	<i>Pinus taeda</i>	17	1	8.5	25.5	Fair	Branch dieback in crown, sapsucker holes and sap ooze on trunk at base
NC-1794	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Slight lean and slightly unbalanced crown
NC-1795	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, branch dieback in crown, bend in leader
NC-1796	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	Some broken branches
NC-1797	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in crown
NC-1798	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-1799	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-1800	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Split leader
NC-1801	Unknown		8	1	N/A	N/A	Standing Dead	
NC-1802	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Poor	Dying branches, broken leader
NC-1803	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	Minor bend in leader
NC-1804	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Thin crown, broken branches
NC-1805	Black oak	<i>Quercus velutina</i>	14	1	7	21	Good	
NC-1806	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-1807	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Minor branch dieback in lower canopy, slightly unbalanced crown
NC-1808	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	Irregular growth form
NC-1809	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-1810	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Fair	Branch dieback in crown and lower canopy, poor branching structure, standing dead tree leaning on small branch in this tree's canopy
NC-1811	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Few broken branches
NC-1812	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1813	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	
NC-1814	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	branches in crown and lower canopy, bend in leader
NC-1815	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Fair	Significant lean
NC-1816	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in crown, dead wood in lower canopy
NC-1817	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-1818	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Slight bend in leader
NC-1819	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Branch dieback in crown and lower canopy, unbalanced crown
NC-1820	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch dieback in crown, rotting branches in lower canopy
NC-1821	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1822	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Many dead branches
NC-1823	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Irregular crown
NC-1824	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-1825	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-1826	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Few broken branches
NC-1827	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying crown, dead branches
NC-1828	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1829	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Twin trunks above DBH, slight lean, exposed roots on slope
NC-1830	Sassafras	<i>Sassafras albidum</i>	13	1	6.5	19.5	Good	Slight lean
NC-1831	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-1832	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Unbalanced crown
NC-1833	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	Broken lower branches
NC-1834	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Overtopped, broken branches
NC-1835	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead tree leaning on trunk
NC-1836	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown
NC-1837	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	
NC-1838	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Bend in leader
NC-1839	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1840	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-1841	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	Bend in trunk
NC-1842	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Leaning, branch dieback in crown, thin crown
NC-1843	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Moderate lean, branch dieback in crown, thin crown
NC-1844	Red maple	<i>Acer rubrum</i>	11, 5	2	5.5	16.5	Good	Included bark, slightly one sided. Twin trunks 11 x 5
NC-1845	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, broken branches
NC-1846	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	Branch dieback and dead wood in lower canopy, slightly unbalanced crown
NC-1847	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Branch dieback in lower canopy
NC-1848	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, unbalanced crown
NC-1849	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor bend in leader
NC-1850	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Hole in trunk, several dead branches
NC-1851	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Lots of water sprouts, branch dieback in crown, thin crown
NC-1852	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Fair	Broken main leader, secondary leaders growing
NC-1853	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-1854	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Heavy branch dieback in crown, dead wood in crown, bend in leader
NC-1855	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-1856	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown
NC-1857	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-1858	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	
NC-1859	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dying crown, branch decay
NC-1860	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Fair	Thin crown, dead 2" sucker. Twin trunks 6 x 5
NC-1861	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-1862	Red maple	<i>Acer rubrum</i>	5, 4, 3	3	2.5	7.5	Fair	Triple trunks 5 x 4 x 3, leaning
NC-1863	American holly	<i>Ilex opaca</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4 stem, gall at base of mainstem, bend in 4" stem
NC-1864	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-1865	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	Thin crown
NC-1866	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Branch dieback in crown, thin crown
NC-1867	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-1868	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	
NC-1869	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Fair	Thin crown
NC-1870	Red maple	<i>Acer rubrum</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4 stem, branch dieback in crown of 4" stem
NC-1871	Oak sp.	<i>Quercus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-1872	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Fair	Leaning, vines, dead branches
NC-1873	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-1874	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Few large dead branches in crown
NC-1875	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead leader
NC-1876	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1877	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Bend in leader, branch dieback and dead wood in crown, vines entering crown
NC-1878	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines on lower trunk, split leader
NC-1879	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight bend in leader
NC-1880	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Leaning towards road, branch dieback in lower canopy
NC-1881	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	Slight lean
NC-1882	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Twin stems merged at DBH
NC-1883	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, lean
NC-1884	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1885	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-1886	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Branch dieback in lower canopy
NC-1887	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-1888	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1889	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1890	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1891	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-1892	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-1893	White oak	<i>Quercus alba</i>	8	1	4	12	Good	Some broken branches
NC-1894	Black oak	<i>Quercus velutina</i>	6	1	3	9	Fair	6" long cavity on trunk with decay, branch dieback in crown, unbalanced crown
NC-1895	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1896	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-1897	Unknown		7	1	N/A	N/A	Standing Dead	
NC-1898	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-1899	Unknown		8	1	N/A	N/A	Standing Dead	
NC-1900	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Broken branches, overtopped
NC-1901	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-1902	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Broken branches
NC-1903	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy
NC-1904	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Poor branching structure, branch dieback in crown and lower canopy
NC-1905	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Lean, broken branches
NC-1906	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6 stem, leaning towards road due to slope
NC-1907	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1908	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-1909	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk wound at base
NC-1910	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	Few broken branches
NC-1911	Scarlet oak	<i>Quercus coccinea</i>	17	1	8.5	25.5	Good	Minor dieback and dead wood in lower canopy, adjacent standing dead tree leaning on this tree
NC-1912	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-1913	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Broken branches
NC-1914	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Branch dieback in lower canopy
NC-1915	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines, dead branches, stressed
NC-1916	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight bend in leader
NC-1917	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown, bend in leader
NC-1918	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown, thin crown
NC-1919	American beech	<i>Fagus grandifolia</i>	16	1	8	24	Fair	Lots of water sprouts
NC-1920	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Topped leader, vines into crown
NC-1921	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Irregular growth form, lean
NC-1922	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Branch dieback in crown, bend in leader
NC-1923	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Included bark, trunk cavity at base, broken branches
NC-1924	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Some exposed roots
NC-1925	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Thin crown, overtopped
NC-1926	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	Minor branch dieback in lower canopy
NC-1927	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-1928	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-1929	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	One sided
NC-1930	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Fair	Lean, thin crown, bend in trunk
NC-1931	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader
NC-1932	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Irregular growth form, one sided, broken branches
NC-1933	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1934	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Good	Included bark, few dead branches. Twins 8 x 5
NC-1935	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-1936	Willow oak	<i>Quercus phellos</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6, vines entering into crown, unbalanced crown
NC-1937	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-1938	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Branches in lower canopy are rotting, minor vine into crown
NC-1939	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-1940	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	Slightly unbalanced crown
NC-1941	Sassafras	<i>Sassafras albidum</i>	12	1	6	18	Good	
NC-1942	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-1943	Unknown		7	1	N/A	N/A	Standing Dead	
NC-1944	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1945	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Thin crown
NC-1946	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Poor branching structure
NC-1947	Unknown		5	1	N/A	N/A	Standing Dead	
NC-1948	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	
NC-1949	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-1950	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Crown nearly dead
NC-1951	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Slight lean, some dead wood in crown
NC-1952	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Slight lean
NC-1953	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Thin crown
NC-1954	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Minor branch dieback in crown
NC-1955	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-1956	Unknown		10	1	N/A	N/A	Standing Dead	
NC-1957	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Fair	Trunk wound at base healing, dead wood in crown
NC-1958	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-1959	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Fair	road, branches in lower canopy are rotting
NC-1960	Unknown		16	1	N/A	N/A	Standing Dead	
NC-1961	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Small healed trunk wound
NC-1962	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	Slight lean, minor dead wood
NC-1963	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, slight lean
NC-1964	Pignut hickory	<i>Carya glabra</i>	12	1	6	18	Fair	Vines, dead branches
NC-1965	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Bend in upper trunk
NC-1966	Pine sp.	<i>Pinus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-1967	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-1968	Red maple	<i>Acer rubrum</i>	15, 4	2	7.5	22.5	Fair	Twin trunks 15 x 4. Lean on slope
NC-1969	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Poor branching structure, some dead wood in lower canopy, vines entering crown
NC-1970	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Snag hanging from branches, water sprouts
NC-1971	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-1972	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-1973	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-1974	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-1975	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Fair	Branch dieback and dead wood in crown, vines into crown
NC-1976	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-1977	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Few broken branches
NC-1978	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Fair	road, branches in lower canopy are rotting
NC-1979	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-1980	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Fair/poor, severe lean, heavy branch dieback in crown
NC-1981	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	Slightly one sided
NC-1982	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Unbalanced crown
NC-1983	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Fair/poor, severe lean, branch dieback in crown
NC-1984	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Irregular growth form, small trunk wound
NC-1985	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	Bend in leader
NC-1986	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-1987	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Lean, broken branches
NC-1988	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Poor branching structure, missing leader
NC-1989	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader, branch dieback in crown, thin crown
NC-1990	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Leaning, heavy vines into crown
NC-1991	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Unbalanced crown
NC-1992	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Some broken branches
NC-1993	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-1994	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-1995	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Vines, broken branches
NC-1996	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-1997	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Fair	Leaning, branch dieback in crown
NC-1998	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-1999	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-2000	Tuliptree	<i>Liriodendron tulipifera</i>	24, 16	2	12	36	Fair	Twin trunks 24 x 16, oozing at union of stems, 16" stem has a small cavity and is leaning
NC-2001	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-2002	Black oak	<i>Quercus velutina</i>	16	1	8	24	Fair	Heavy branch dieback in lower canopy
NC-2003	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-2004	Mockernut hickory	<i>Carya tomentosa</i>	13	1	6.5	19.5	Fair	Bark damage, stressed
NC-2005	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	
NC-2006	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	Branch dieback and dead wood in crown
NC-2007	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	Slight lean
NC-2008	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Branch dieback in crown, thin crown, slight lean
NC-2009	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-2010	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-2011	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaning, branch dieback in crown, thin crown	
NC-2012	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Split leader, included bark	
NC-2013	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Good		
NC-2014	Virginia pine	<i>Pinus virginiana</i>	21	1	10.5	31.5	Fair	trunk	
NC-2015	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	Broken branches	
NC-2016	American holly	<i>Ilex opaca</i>	6	1	3	9	Good		
NC-2017	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Lean, broken branches	
NC-2018	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Dead branches, leaning	
NC-2019	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good		
NC-2020	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Thin crown, lean	
NC-2021	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken leader, unusual growth form, moderate dead wood, water sprouts	
NC-2022	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, dead wood in lower canopy	
NC-2023	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Good	Minor dead wood	
NC-2024	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Split leader	
NC-2025	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown	
NC-2026	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Good	Minor branch dieback in lower canopy	
NC-2027	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Vines in canopy, broken branches	
NC-2028	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean	
NC-2029	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Heavy branch dieback in crown, thin crown	
NC-2030	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Minor bend in leader	
NC-2031	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Significant lean, dead tree laying on trunk	
NC-2032	White oak	<i>Quercus alba</i>	16	1	8	24	Fair	Unbalanced crown, leaning towards the road	
NC-2033	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, branch dieback in crown	
NC-2034	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Trunk wound at base	
NC-2035	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good		
NC-2036	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Minor branch dieback in crown	
NC-2037	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Interfering crowns	
NC-2038	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Slight lean, one sided branching	
NC-2039	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Fair	Interfering crowns, broken branches	
NC-2040	American holly	<i>Ilex opaca</i>	6	1	3	9	Good		
NC-2041	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good		
NC-2042	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular crown, decayed branch	
NC-2043	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good		
NC-2044	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Bend in leader	
NC-2045	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good		
NC-2046	Mockernut hickory	<i>Carya tomentosa</i>	11	1	5.5	16.5	Fair	Broken branches, bark damage	
NC-2047	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good		
NC-2048	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Few broken branches	
NC-2049	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown and lower canopy	
NC-2050	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Few broken branches	
NC-2051	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Good	Slight bend in trunk	
NC-2052	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good		
NC-2053	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, one sided branching	
NC-2054	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Reduced canopy	
NC-2055	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good		
NC-2056	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Unusual growth form	
NC-2057	Unknown		11	1	N/A	N/A	Standing Dead		
NC-2058	Northern red oak	<i>Quercus rubra</i>	25	1	12.5	37.5	Fair	Lean in upper trunk, large dead branch in crown	
NC-2059	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead		
NC-2060	Red maple	<i>Acer rubrum</i>	14, 13	2	7	21	Good	Twin trunk 14 x 13	
NC-2061	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead		
NC-2062	American beech	<i>Fagus grandifolia</i>	16	1	8	24	Good		
NC-2063	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good		
NC-2064	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Vines, broken branches	
NC-2065	Post oak	<i>Quercus stellata</i>	8	1	4	12	Fair	Irregular growth form, interfering crown	
NC-2066	White oak	<i>Quercus alba</i>	8	1	4	12	Good		
NC-2067	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good		
NC-2068	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	Moderate dead wood and broken branches	
NC-2069	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good		
NC-2070	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good		
NC-2071	Mockernut hickory	<i>Carya tomentosa</i>	11	1	5.5	16.5	Fair	Bark damage, several dead branches	
NC-2072	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Irregular growth form	
NC-2073	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good		
NC-2074	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	Broken branches	
NC-2075	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Slight lean, minor broken branches	
NC-2076	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead		
NC-2077	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Good	Few broken branches	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-2078	Sweetgum	Liquidambar styraciflua		8	1	4	12	Poor	Large trunk wound, broken leader
NC-2079	Red maple	Acer rubrum		12	1	6	18	Good	
NC-2080	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Broken leader
NC-2081	Black oak	Quercus velutina		24	1	12	36	Fair	Lean, dead branches
NC-2082	Blackgum	Nyssa sylvatica		10	1	5	15	Good	
NC-2083	Blackgum	Nyssa sylvatica	6, 5	2	3	9	Good		Included bark. Twin trunks 6 x 5
NC-2084	American beech	Fagus grandifolia		12	1	6	18	Good	
NC-2085	American holly	Ilex opaca		6	1	3	9	Good	Lean
NC-2086	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-2087	Tuliptree	Liriodendron tulipifera		5	1	2.5	7.5	Good	
NC-2088	Pin oak	Quercus palustris		7	1	3.5	10.5	Poor	Fungus, many dead branches
NC-2089	Willow oak	Quercus phellos		6	1	3	9	Good	Moderate dead wood, unusual growth form
NC-2090	Willow oak	Quercus phellos		8	1	4	12	Good	Vines entering into crown
NC-2091	Willow oak	Quercus phellos		10	1	5	15	Fair	Lean, one sided
NC-2092	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Broken branches
NC-2093	Blackgum	Nyssa sylvatica		8	1	4	12	Good	
NC-2094	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Fair	Branch dieback in crown, unbalanced crown
NC-2095	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Fair	Bend in upper crown
NC-2096	Red maple	Acer rubrum		9	1	4.5	13.5	Poor	Broken leader, split trunk
NC-2097	American holly	Ilex opaca		6	1	3	9	Good	
NC-2098	Unknown			8	1	N/A	N/A	Standing Dead	
NC-2099	Virginia pine	Pinus virginiana		11	1	N/A	N/A	Standing Dead	
NC-2100	White oak	Quercus alba		6	1	3	9	Fair	Vines in canopy, broken branches
NC-2101	Virginia pine	Pinus virginiana		7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown, bend in leader
NC-2102	Virginia pine	Pinus virginiana		11	1	N/A	N/A	Standing Dead	
NC-2103	Red maple	Acer rubrum	15, 15	2	7.5	22.5	Good		One sided, twin trunks 15 x 15
NC-2104	Northern red oak	Quercus rubra		15	1	7.5	22.5	Good	Slight lean
NC-2105	American beech	Fagus grandifolia		16	1	8	24	Good	
NC-2106	Tuliptree	Liriodendron tulipifera		18	1	9	27	Good	
NC-2107	Willow oak	Quercus phellos		14	1	7	21	Fair	Lean, moderate dead wood, interference from neighboring tree
NC-2108	Red maple	Acer rubrum		7	1	3.5	10.5	Fair	Irregular growth form
NC-2109	White oak	Quercus alba		6	1	3	9	Poor	branches
NC-2110	Black oak	Quercus velutina		11	1	5.5	16.5	Good	
NC-2111	Tuliptree	Liriodendron tulipifera		8	1	4	12	Fair	Irregular growth form
NC-2112	Black oak	Quercus velutina		10	1	5	15	Poor	Broken leader
NC-2113	Southern red oak	Quercus falcata		6	1	3	9	Poor	Broken crown, trunk bent at right angle
NC-2114	Red maple	Acer rubrum		9	1	4.5	13.5	Good	
NC-2115	American holly	Ilex opaca		5	1	2.5	7.5	Good	
NC-2116	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	
NC-2117	Willow oak	Quercus phellos		15	1	7.5	22.5	Fair	Unbalanced crown, leaning towards road, branches in lower canopy are rotting
NC-2118	Unknown			11	1	N/A	N/A	Standing Dead	
NC-2119	Southern red oak	Quercus falcata		8	1	4	12	Good	
NC-2120	Northern red oak	Quercus rubra		9	1	4.5	13.5	Fair	Some dead branches
NC-2121	Red maple	Acer rubrum		7	1	3.5	10.5	Good	Unusual growth form
NC-2122	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Good	
NC-2123	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Fair	Lean, thin crown
NC-2124	Black oak	Quercus velutina		14	1	7	21	Good	Slight lean
NC-2125	Blackgum	Nyssa sylvatica		14	1	7	21	Good	
NC-2126	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Good	Slight lean, broken branches
NC-2127	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Poor	Lean, dying crown
NC-2128	Southern red oak	Quercus falcata		17	1	8.5	25.5	Good	
NC-2129	Virginia pine	Pinus virginiana		7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-2130	Tuliptree	Liriodendron tulipifera		16	1	8	24	Fair	Poor branching structure, leaning
NC-2131	Sweetgum	Liquidambar styraciflua		11	1	5.5	16.5	Fair	Unbalanced crown, branch dieback in lower canopy
NC-2132	Sassafras	Sassafras albidum		8	1	4	12	Poor	Significant bark damage, dead leader
NC-2133	Red maple	Acer rubrum		14	1	7	21	Good	
NC-2134	Virginia pine	Pinus virginiana		13	1	N/A	N/A	Standing Dead	
NC-2135	Tuliptree	Liriodendron tulipifera		23	1	11.5	34.5	Fair	Poor branching structure, slight lean
NC-2136	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	Irregular growth form, broken branches
NC-2137	Southern red oak	Quercus falcata		9	1	4.5	13.5	Good	One sided branching
NC-2138	Virginia pine	Pinus virginiana		12	1	N/A	N/A	Standing Dead	
NC-2139	Red maple	Acer rubrum		11	1	5.5	16.5	Fair	Poor branching structure
NC-2140	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	One sided branching, minor dead wood
NC-2141	Blackgum	Nyssa sylvatica		6	1	3	9	Good	Irregular trunk
NC-2142	Southern red oak	Quercus falcata		9	1	4.5	13.5	Good	
NC-2143	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Slight lean, heavy branch dieback in crown, thin crown
NC-2144	Virginia pine	Pinus virginiana		14	1	7	21	Good	Slight lean and branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2145	Red maple	<i>Acer rubrum</i>	10, 7	2	5	15	Fair	Twin trunks 10 x 7, included bark
NC-2146	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2147	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Included bark, splits above DBH
NC-2148	Tuliptree	<i>Liriodendron tulipifera</i>	15, 11	2	7.5	22.5	Good	Twin trunks 15 x 11, slight bend in 15" leader, thin crown for both stems
NC-2149	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Minor broken branches
NC-2150	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor dead wood
NC-2151	Red maple	<i>Acer rubrum</i>	25	1	12.5	37.5	Good	Included bark
NC-2152	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	
NC-2153	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-2154	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Bend in trunk, irregular growth form
NC-2155	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy branch dieback in crown, slight lean, thin crown
NC-2156	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-2157	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	One sided
NC-2158	Virginia pine	<i>Pinus virginiana</i>	21	1	10.5	31.5	Good	
NC-2159	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	Bend in trunk
NC-2160	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	One sided
NC-2161	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Significant lean
NC-2162	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-2163	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-2164	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2165	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Significant lean, dead leader
NC-2166	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Fair	Branch dieback in lower canopy, moss growing at base
NC-2167	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Fair	Moderate dead wood
NC-2168	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-2169	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-2170	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, slightly unbalanced crown
NC-2171	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Good	
NC-2172	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Fair	Branches in lower canopy are rotting, unbalanced crown, canopy leaning towards road
NC-2173	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-2174	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Branch dieback and dead wood in crown, broken leader
NC-2175	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-2176	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-2177	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-2178	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Minor bend in leader
NC-2179	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-2180	Blackgum	<i>Nyssa sylvatica</i>	10, 8	2	5	15	Fair	Twin trunks 10 x 8, intertwined trunks
NC-2181	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Split above DBH, included bark
NC-2182	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, reduced canopy
NC-2183	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-2184	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Many broken branches, thin crown
NC-2185	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Minor broken branches
NC-2186	Black oak	<i>Quercus velutina</i>	14	1	7	21	Good	
NC-2187	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form, adjacent standing dead tree leaning on this tree
NC-2188	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-2189	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-2190	Black oak	<i>Quercus velutina</i>	6	1	3	9	Good	
NC-2191	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Extensive vines into canopy
NC-2192	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	Some broken branches
NC-2193	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-2194	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy branch dieback in crown, thin crown, bend in leader, slight lean
NC-2195	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, dead branches
NC-2196	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Slight lean
NC-2197	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Some broken branches
NC-2198	Southern red oak	<i>Quercus falcata</i>	8	1	N/A	N/A	Standing Dead	
NC-2199	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-2200	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Fair	Broken branches
NC-2201	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-2202	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-2203	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-2204	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-2205	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-2206	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-2207	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-2208	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Fair	Intertwined trunks. Overtopped. Twin trunks 7 x 4
NC-2209	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2210	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Trunk wound and decay, heavy lean
NC-2211	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2212	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Interfering branching
NC-2213	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Thin crown, broken branches
NC-2214	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Minor broken branches
NC-2215	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown, thin crown, bend in leader, slight lean
NC-2216	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor vines
NC-2217	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-2218	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	Slight lean
NC-2219	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-2220	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-2221	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Fair	Thin crown, large broken branches
NC-2222	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2223	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches
NC-2224	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-2225	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Minor dead wood
NC-2226	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Leaning, broken branches
NC-2227	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Good	
NC-2228	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-2229	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Interfering branching
NC-2230	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-2231	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	Bend in upper trunk
NC-2232	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-2233	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-2234	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-2235	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Good	
NC-2236	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Small trunk wound with gummosis, branch dieback in crown, leaning, thin crown
NC-2237	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown, thin crown
NC-2238	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-2239	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-2240	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-2241	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Slight lean
NC-2242	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	Leaning, branch dieback in crown
NC-2243	Black oak	<i>Quercus velutina</i>	18	1	9	27	Good	Few broken branches, slight lean
NC-2244	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Thin crown
NC-2245	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Splits above DBH, included bark, minor dead wood
NC-2246	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Dead branches
NC-2247	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-2248	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Fair	Broken branches
NC-2249	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-2250	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Fair	Unbalanced crown, canopy cover leaning towards road
NC-2251	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering branches, thin crown
NC-2252	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, branch dieback in crown, adjacent standing dead tree leaning on this tree
NC-2253	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-2254	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy, broken branches
NC-2255	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, branch dieback in crown
NC-2256	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-2257	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-2258	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	Lean
NC-2259	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, thin crown
NC-2260	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Thin crown
NC-2261	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-2262	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Slight lean, unusual growth form, water sprouts
NC-2263	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, broken leader
NC-2264	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning, branch dieback in lower canopy
NC-2265	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Thin crown, slight lean
NC-2266	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	One sided branching
NC-2267	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Slight lean
NC-2268	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-2269	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Fair	Broken secondary leader, dead tree leaning on lower branch
NC-2270	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Lean, broken branches
NC-2271	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Minor broken branches in crown
NC-2272	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	
NC-2273	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	One sided
NC-2274	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2275	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-2276	Sweetgum	<i>Liquidambar styraciflua</i>	10, 8	2	5	15	Fair	Broken branches in crown, included bark. Twin trunks 10 x 8
NC-2277	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2278	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2279	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Fair	Dead tree in branches
NC-2280	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, bend in leader, branch dieback in crown
NC-2281	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-2282	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Lean
NC-2283	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	Few broken branches
NC-2284	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-2285	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-2286	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-2287	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	Thin crown
NC-2288	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Poor	Debris leaning against trunk, broken branches, bend in trunk
NC-2289	Unknown		9	1	N/A	N/A	Standing Dead	
NC-2290	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Broken primary leader, secondary leader has taken over
NC-2291	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Unusual growth form, one sided branching, minor broken branches
NC-2292	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Water sprouts
NC-2293	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Broken branches, multiple leaders
NC-2294	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Thin crown
NC-2295	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-2296	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-2297	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Included bark, unusual growth form
NC-2298	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-2299	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback in crown
NC-2300	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Heavy branch dieback in canopy, vines into crown, some irregular bark
NC-2301	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Fair	Significant lean
NC-2302	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-2303	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Included bark, minor broken branches
NC-2304	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Thin crown
NC-2305	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Lean, broken branches
NC-2306	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2307	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Thin crown, bend in trunk
NC-2308	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, included bark, water sprouts
NC-2309	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-2310	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Broken branches
NC-2311	Tuliptree	<i>Liriodendron tulipifera</i>	15, 5	2	7.5	22.5	Good	Twin trunks 15 x 5
NC-2312	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-2313	Blackgum	<i>Nyssa sylvatica</i>	5, 5	2	2.5	7.5	Good	One twin with bend in trunk. Twin trunks 5 x 5
NC-2314	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Reduced canopy, broken branches
NC-2315	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, some broken branches
NC-2316	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-2317	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Unusual growth form, water sprouts, moderate dead wood
NC-2318	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Broken branches
NC-2319	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-2320	American holly	<i>Ilex opaca</i>	8, 4	2	4	12	Good	Twin trunks 8 x 4
NC-2321	Northern red oak	<i>Quercus rubra</i>	6, 5	2	3	9	Fair	Twin trunks 6 x 5 vines entering crown, poor branching structure
NC-2322	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form
NC-2323	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Fair	Heavy lean, broken branches
NC-2324	American holly	<i>Ilex opaca</i>	6, 3	2	3	9	Good	Twin trunks 6 x 3
NC-2325	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	
NC-2326	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Some broken branches
NC-2327	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Broken branches
NC-2328	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Dying crown, lean
NC-2329	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	Interfering crown with Virginia pine
NC-2330	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy, broken branches
NC-2331	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-2332	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Heavy lean, one sided branching
NC-2333	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2334	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-2335	Sweetgum	<i>Liquidambar styraciflua</i>	11, 6	2	5.5	16.5	Fair	Twin trunks 11 x 6. 6" twin dead, interfering branches, one sided
NC-2336	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken main leader, secondary leaders taken over
NC-2337	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	Minor dead wood

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2338	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, bend in leader, unbalanced crown
NC-2339	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-2340	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Thin crown
NC-2341	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-2342	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-2343	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Lots of water sprouts on trunk, large branch dieback in crown
NC-2344	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Minor branch dieback in lower canopy
NC-2345	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	One sided, broken branches, lean
NC-2346	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Moderate dead wood
NC-2347	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-2348	Mockernut hickory	<i>Carya tomentosa</i>	7	1	3.5	10.5	Good	
NC-2349	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Half of trunk broken, bent over
NC-2350	Red maple	<i>Acer rubrum</i>	5, 3	2	2.5	7.5	Fair	Twin trunks 5 x 3. Lean, one sided
NC-2351	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	One sided branching, moderate broken branches
NC-2352	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Fair	Bend in leader, unbalanced crown
NC-2353	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-2354	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-2355	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	3' long trunk wound at base rotting, poor branching structure
NC-2356	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-2357	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-2358	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form, broken branches
NC-2359	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead branches, leaning
NC-2360	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-2361	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in crown
NC-2362	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Thin crown, slight lean
NC-2363	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Poor branching structure
NC-2364	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Moderate dead wood and broken branches
NC-2365	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Irregular growth form
NC-2366	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-2367	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, unusual growth form, minor broken branches
NC-2368	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-2369	Red maple	<i>Acer rubrum</i>	25	1	12.5	37.5	Fair	Lean, interfering branching, included bark
NC-2370	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	
NC-2371	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	Moderate broken branches and dead wood
NC-2372	Red maple	<i>Acer rubrum</i>	9, 7	2	4.5	13.5	Poor	Twin trunks 9 x 7, included bark, interfering branching, broken branches, lean, water sprouts
NC-2373	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-2374	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Unusual growth form, moderate dead wood
NC-2375	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Poor	Trunk bent at right angle
NC-2376	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Lean, irregular trunk
NC-2377	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Broken branches
NC-2378	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth, broken branches
NC-2379	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-2380	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Nearly right angle bend in trunk, lean
NC-2381	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Broken lower branches
NC-2382	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2383	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	
NC-2384	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Good	Slight lean
NC-2385	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Slight lean, bend in leader
NC-2386	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, irregular bark
NC-2387	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Good	Interfering branching
NC-2388	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Greenbrier on lower trunk
NC-2389	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Fair	Lean
NC-2390	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-2391	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-2392	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-2393	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2394	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Fair	Significant lean
NC-2395	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Lean, broken leader
NC-2396	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Fair	Branch dieback in lower canopy and dead wood in crown
NC-2397	Black oak	<i>Quercus velutina</i>	14	1	7	21	Good	Some broken branches
NC-2398	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Broken secondary leader
NC-2399	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken leader, thin crown
NC-2400	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Large standing dead leaning on this tree, slight bend in leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2401	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2402	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Adjacent beech growing into base one branch growing into this tree's canopy,
NC-2403	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Some broken branches in crown
NC-2404	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-2405	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-2406	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Broken branches
NC-2407	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Minor vines and dead wood
NC-2408	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-2409	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback in lower canopy, unbalanced crown
NC-2410	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	One sided, broken branches, interfering crowns
NC-2411	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Bend in leader
NC-2412	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Broken branches, suckering
NC-2413	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	Minor broken branches
NC-2414	Tuliptree	<i>Liriodendron tulipifera</i>	26	1	13	39	Good	
NC-2415	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	atypical
NC-2416	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Irregular growth form
NC-2417	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-2418	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-2419	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-2420	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Some dead branches with fungus
NC-2421	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor cracks on trunk
NC-2422	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	Growing into adjacent white oak
NC-2423	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-2424	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-2425	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Few broken branches
NC-2426	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Few broken branches
NC-2427	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Healed trunk wound, included bark
NC-2428	Red maple	<i>Acer rubrum</i>	7, 5, 4, 3, 3	5	3.5	10.5	Fair	Lean, included bark, water sprouts. Multistem 7 x 5 x 4 x 3 x 3
NC-2429	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Good	Some broken branches
NC-2430	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-2431	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Extensive dead wood, water sprouts
NC-2432	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Broken trunk
NC-2433	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2434	Red maple	<i>Acer rubrum</i>	7, 7, 6	3	3.5	10.5	Good	Multistem trunk 7 x 7 x 6
NC-2435	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Irregular growth form
NC-2436	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Lean
NC-2437	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-2438	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, dead branches
NC-2439	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Fair	Branch dieback in crown
NC-2440	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Trunk horizontal, dead tree laying on it
NC-2441	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-2442	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One-sided branching, moderate dead wood
NC-2443	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Right angle bend in leader. Broken trunk
NC-2444	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Slight lean, irregular growth form
NC-2445	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Minor trunk wound, minor broken branches
NC-2446	Unknown		9	1	N/A	N/A	Standing Dead	
NC-2447	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-2448	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Fair	Irregular crown, broken branches
NC-2449	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2450	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy, dead branches
NC-2451	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-2452	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-2453	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, vines
NC-2454	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Few broken branches
NC-2455	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	Broken branches
NC-2456	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Broken leader, trunk wound at base healing, remaining canopy is fine
NC-2457	American beech	<i>Fagus grandifolia</i>	17	1	8.5	25.5	Good	Split above DBH
NC-2458	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2459	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Slight lean, irregular crown
NC-2460	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Irregular growth form
NC-2461	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Broken branch
NC-2462	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Moderate dead wood and broken branches
NC-2463	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Fair	3' long trunk wound rotting, low branch dieback
NC-2464	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback and dead wood in crown
NC-2465	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2466	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-2467	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2468	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-2469	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-2470	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead branches, vines
NC-2471	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Irregular growth form, minor dead wood
NC-2472	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, split leader, broken branches
NC-2473	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2474	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Branch dieback in lower canopy
NC-2475	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Trunk wound, thin crown
NC-2476	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Right turn in trunk. Water sprouts. Dead secondary leader
NC-2477	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-2478	Tuliptree	<i>Liriodendron tulipifera</i>	28	1	14	42	Good	Broken branches
NC-2479	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	One sided
NC-2480	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2481	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	One-sided branching
NC-2482	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Significant lean, large tree leaning on crown
NC-2483	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Moderate dead wood
NC-2484	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-2485	Red maple	<i>Acer rubrum</i>	11, 5	2	5.5	16.5	Fair	Twin trunks 11 x 5, interfering branching, included bark
NC-2486	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-2487	Blackgum	<i>Nyssa sylvatica</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, branch dieback and dead wood in crown
NC-2488	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken main leader, secondary leader growing well
NC-2489	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2490	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Irregular growth form
NC-2491	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Interfering branching, broken branches
NC-2492	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Leaning towards road, bend in leader at base
NC-2493	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	One-sided branching, minor dead wood
NC-2494	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2495	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Poor	Thin crown, extensive dead wood
NC-2496	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-2497	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-2498	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Heavy lean, extensive dead wood
NC-2499	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form
NC-2500	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-2501	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-2502	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	
NC-2503	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	Broken branches
NC-2504	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	Unbalanced crown due to adjacent tree canopy
NC-2505	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	Minor vines
NC-2506	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, lean
NC-2507	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-2508	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-2509	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Bend in leader, branch dieback in crown
NC-2510	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Bend in upper trunk, healed basal wound
NC-2511	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean
NC-2512	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	One sided, broken branches
NC-2513	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Slightly one sided
NC-2514	Unknown		11	1	N/A	N/A	Standing Dead	
NC-2515	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-2516	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Fair	Irregular growth form
NC-2517	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Broken branches
NC-2518	Elm sp.	<i>Ulmus sp.</i>	7	1	3.5	10.5	Good	Branch dieback in crown
NC-2519	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branches, irregular crown
NC-2520	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Heavy lean, irregular growth form, moderate dead wood
NC-2521	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering branching, included bark
NC-2522	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Good	Bend in leader
NC-2523	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Irregular crown, broken branches
NC-2524	American beech	<i>Fagus grandifolia</i>	14	1	7	21	Good	
NC-2525	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Broken branches
NC-2526	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Healed trunk wound
NC-2527	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Leaning horizontal
NC-2528	Loblolly pine	<i>Pinus taeda</i>	12	1	N/A	N/A	Standing Dead	
NC-2529	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-2530	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Slight lean, minor vines into crown
NC-2531	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Interfering branching

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2532	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Broken leader snapped and leaning over
NC-2533	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2534	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Moderate dead wood, slight lean
NC-2535	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Interfering branching
NC-2536	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering branching, irregular growth form
NC-2537	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Bend in leader, lots of water sprouts, dead wood in crown
NC-2538	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Unbalanced crown, leaning
NC-2539	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-2540	Mockernut hickory	<i>Carya tomentosa</i>	16	1	8	24	Fair	Branch dieback in crown
NC-2541	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Interfering branching, minor broken branches
NC-2542	Red maple	<i>Acer rubrum</i>	9, 5	2	4.5	13.5	Fair	Lean, broken branches. Twin trunks 9 x 5
NC-2543	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2544	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Broken leader
NC-2545	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Minor dead wood
NC-2546	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-2547	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-2548	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-2549	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-2550	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Broken crown
NC-2551	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Poor branching structure, rotting branches in lower canopy
NC-2552	Unknown		9	1	N/A	N/A	Standing Dead	
NC-2553	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, 3" sucker
NC-2554	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	Slight lean
NC-2555	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2556	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-2557	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	Minor vines entering crown, low branch dieback
NC-2558	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form, moderate broken branches
NC-2559	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Irregular crown
NC-2560	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-2561	Red maple	<i>Acer rubrum</i>	7, 4, 4	3	3.5	10.5	Fair	Thin crown, broken branches
NC-2562	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-2563	Unknown		7	1	N/A	N/A	Standing Dead	
NC-2564	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	Thin crown
NC-2565	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular bark, thin crown
NC-2566	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown
NC-2567	Virginia pine	<i>Pinus virginiana</i>	23	1	11.5	34.5	Poor	Leaning against adjacent tree, split trunk
NC-2568	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-2569	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead secondary leader
NC-2570	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	trunk
NC-2571	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Interfering branching
NC-2572	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	One sided
NC-2573	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Interfering branching
NC-2574	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-2575	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, broken branches
NC-2576	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-2577	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-2578	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Bend in leader, slight lean
NC-2579	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Interfering branching, interference from dead leaning tree
NC-2580	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Interfering branching, irregular growth form
NC-2581	Oak sp.	<i>Quercus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-2582	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-2583	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Broken branches
NC-2584	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Lots of water sprouts, exposed roots, bend in leader, dead wood in crown
NC-2585	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-2586	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches
NC-2587	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Heavy vines into crown
NC-2588	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Interfering branching, minor dead wood
NC-2589	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Large branch dieback in lower canopy, vines into crown, bend in leader, slight lean
NC-2590	Unknown		11	1	N/A	N/A	Standing Dead	
NC-2591	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Interfering branching, moderate dead wood
NC-2592	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy, broken branches
NC-2593	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Large vine on trunk
NC-2594	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Interfering branching

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2595	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Interfering branches
NC-2596	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-2597	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-2598	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor broken branches
NC-2599	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Minor vine into canopy
NC-2600	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Heavy lean, water sprouts, one-sided branching
NC-2601	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	DBH
NC-2602	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Slightly irregular crown
NC-2603	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-2604	Unknown		7	1	N/A	N/A	Standing Dead	
NC-2605	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean, broken branches
NC-2606	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Irregular growth form, lean
NC-2607	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Poor	Nearly horizontal lean, dead tree on trunk
NC-2608	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Significant lean, water sprouts
NC-2609	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Irregular growth form
NC-2610	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-2611	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-2612	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-2613	Southern red oak	<i>Quercus falcata</i>	19, 19	2	9.5	28.5	Fair	Twin trunks 19 x 19. Broken branches
NC-2614	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form
NC-2615	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Minor broken branches
NC-2616	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Broken main leader, rest of crown looks good
NC-2617	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-2618	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Significant lean, some broken branches
NC-2619	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Large trunk wound, vines
NC-2620	Black cherry	<i>Prunus serotina</i>	8, 8, 3	3	3.5	10.5	Fair	Dead 3" leader, included bark. Multistem 8 x 8 x 3
NC-2621	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Significant lean, heavy vines into crown
NC-2622	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-2623	American elm	<i>Ulmus americana</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6, heavy vines into crown
NC-2624	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Leaning
NC-2625	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Large bend in trunk, broken branches
NC-2626	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	Slight lean
NC-2627	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Bend in upper trunk
NC-2628	Red maple	<i>Acer rubrum</i>	13, 12	2	6.5	19.5	Fair	Broken branches, lean, included bark. Twin trunks 13 x 12
NC-2629	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Fair	Large vines on trunk
NC-2630	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Slight lean, heavy vines into crown
NC-2631	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2632	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form, lean, water sprouts, broken branches
NC-2633	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Fair	Broken branches, lean, some exposed roots by adjacent waters
NC-2634	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-2635	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown
NC-2636	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Fair	Moderate dead wood, one-sided branching
NC-2637	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-2638	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean
NC-2639	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2640	Red maple	<i>Acer rubrum</i>	14, 11, 7	3	7	21	Fair	Multistem 14 x 11 x 7. Included bark, 7" stem with significant lean, dead branches
NC-2641	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Good	Slight lean, broken branches
NC-2642	White oak	<i>Quercus alba</i>	8	1	4	12	Good	Moderate dead wood
NC-2643	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Few broken branches
NC-2644	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2645	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Good	One-sides branching, minor broken branches
NC-2646	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Fair	Lean, dead wood. Twins 8 x 5
NC-2647	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Poor	Heavy lean, extensive dead wood and broken branches
NC-2648	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-2649	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean
NC-2650	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Irregular growth farm
NC-2651	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Interference from leaning adjacent tree
NC-2652	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2653	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-2654	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Significant lean
NC-2655	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Irregular crown
NC-2656	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	One sided, large broken branches
NC-2657	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Trunk wound at base rotting, leaning towards road, branch dieback in crown
NC-2658	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean, broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2659	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Minor vines
NC-2660	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Significant lean, broken leader
NC-2661	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Good	Few broken branches
NC-2662	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	
NC-2663	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Poor branching structure, bend in leader
NC-2664	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines on lower trunk, water sprouts
NC-2665	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Several dead branches
NC-2666	Red maple	<i>Acer rubrum</i>	7, 2	2	3.5	10.5	Fair	2
NC-2667	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, healed trunk wound, water sprouts
NC-2668	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-2669	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Significant lean, dead branches
NC-2670	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	Bend in leader
NC-2671	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form, broken branches
NC-2672	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-2673	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-2674	American elm	<i>Ulmus americana</i>	8, 2	2	4	12	Good	Twin trunks 8 x 2, thin crown
NC-2675	Sweetgum	<i>Liquidambar styraciflua</i>	18	1				Large trunk wounds some are rotting, thin crown
NC-2676	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2677	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-2678	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Bend in trunk, thin crown
NC-2679	Sweetgum	<i>Liquidambar styraciflua</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4, branch dieback and dead wood in crown, thin crown
NC-2680	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Poor	Heavy vines into crown, dead leader
NC-2681	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Interfering branching
NC-2682	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Poor	Lean, broken leader, included bark
NC-2683	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5
NC-2684	Red maple	<i>Acer rubrum</i>	12, 8	2	6	18	Fair	Included bark, broken branches, slight lean. Twins 12 x 8
NC-2685	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken branches, broken secondary leader
NC-2686	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Severe lean, bend in leader
NC-2687	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Minor dead wood
NC-2688	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Bend in trunk, dead and broken branches
NC-2689	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Irregular growth form
NC-2690	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Bend in trunk, vines on lower branches
NC-2691	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken trunk
NC-2692	Pin oak	<i>Quercus palustris</i>	16	1	8	24	Fair	Broken upper branches, one sided
NC-2693	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines, broken branches
NC-2694	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-2695	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Few broken branches
NC-2696	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2697	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-2698	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-2699	Unknown		13	1	N/A	N/A	Standing Dead	
NC-2700	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Several dead branches
NC-2701	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-2702	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-2703	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-2704	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-2705	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-2706	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-2707	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Few broken branches
NC-2708	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Slightly one sided
NC-2709	American elm	<i>Ulmus americana</i>	5, 2, 1	3	2.5	7.5	Fair	Leaning, poor growth form at base. Multistem 5 x 2 x 1
NC-2710	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-2711	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Irregular growth form, extensive vines into canopy, included bark
NC-2712	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-2713	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Large vine on trunk, thin crown
NC-2714	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	Slight lean
NC-2715	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-2716	Red maple	<i>Acer rubrum</i>	11, 6	2	5.5	16.5	Fair	Twin trunks 11 x 6, rotting pine stem at base of this tree, exposed and elevated root collar, leaning over
NC-2717	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	
NC-2718	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	
NC-2719	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2720	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Trunk wound
NC-2721	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor vines
NC-2722	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular growth form, broken branches
NC-2723	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-2724	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Bend in trunk, dead branches
NC-2725	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2726	American elm	<i>Ulmus americana</i>	6	1	3	9	Poor	Heavy lean, water sprouts, extensive dead wood
NC-2727	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	One sided
NC-2728	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Leaning, dead leader
NC-2729	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-2730	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2731	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	Bend in leader
NC-2732	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Irregular growth form
NC-2733	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-2734	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Top of trunk broken, heavy vines
NC-2735	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-2736	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Slightly one sided
NC-2737	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on lower trunk, broken branches
NC-2738	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	Slight bend in leader at base
NC-2739	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	Minor bend in leader
NC-2740	Unknown		11	1	N/A	N/A	Standing Dead	
NC-2741	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Broken main leader, vines in trunk, bend in lower trunk
NC-2742	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Bend in lower trunk
NC-2743	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	Minor vine into crown
NC-2744	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Slight lean
NC-2745	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular crown, slight lean
NC-2746	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Vine into crown, branch dieback in lower canopy
NC-2747	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-2748	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Irregular crown shape
NC-2749	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Few dead decaying lower branches
NC-2750	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Fair	Lean, broken branches
NC-2751	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	Few broken branches
NC-2752	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Minor bend in leader
NC-2753	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Fair	Broken branches, slight lean
NC-2754	Red maple	<i>Acer rubrum</i>	26	1	13	39	Good	Irregular growth form
NC-2755	Red maple	<i>Acer rubrum</i>	20, 16	2	10	30	Good	Twin trunks 20 x 16 some included bark and slight lean
NC-2756	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2757	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Galls at base, poor branching structure, adjacent standing dead tree leaning on leader of this tree
NC-2758	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Poor branching structure, minor vines into crown
NC-2759	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Poor branching structure
NC-2760	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2761	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Crown nearly dead, peeling bark
NC-2762	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	
NC-2763	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-2764	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-2765	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Lean, dead branches
NC-2766	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-2767	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Significant lean, large trunk wounds, broken branches
NC-2768	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on trunk, broken main leader, secondary leader good
NC-2769	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines on lower branches
NC-2770	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	Interfering crown
NC-2771	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	Vines entering canopy from adjacent tree
NC-2772	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vine on trunk, unusual bark
NC-2773	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Few broken branches
NC-2774	Red maple	<i>Acer rubrum</i>	25	1	12.5	37.5	Good	
NC-2775	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-2776	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-2777	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-2778	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Minor dead wood
NC-2779	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Extensive vines on lower half, extensive dead wood
NC-2780	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2781	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines on lower branches
NC-2782	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Heavy vines into crown, branch dieback in crown
NC-2783	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Good	
NC-2784	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Lean, dead branches
NC-2785	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Lean. Interfering crown
NC-2786	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Dead leader
NC-2787	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy vines into crown, unbalanced crown
NC-2788	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Significant lean, dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2789	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	Slightly leaning
NC-2790	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-2791	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Trunks touching, some dead stump sprouts. Twin trunks 8 x 6
NC-2792	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form, dead branches
NC-2793	Red maple	<i>Acer rubrum</i>	14, 13	2	7	21	Fair	Twin trunk 14 x 13, broken leader
NC-2794	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Fair	Included bark, bend in lower trunk. Twin trunks 6 x 5
NC-2795	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Nearly horizontal, dying crown
NC-2796	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	Few dead branches
NC-2797	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Slight lean, poor branching structure, vines into crown
NC-2798	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Large rotten stem at base, canopy on healthy stem looks good
NC-2799	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	Significant lean. One sided
NC-2800	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-2801	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Lean. Interfering crown
NC-2802	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines on lower trunk, bend in upper trunk
NC-2803	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-2804	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Interfering crowns
NC-2805	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	Few broken branches
NC-2806	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering crowns, irregular growth form
NC-2807	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Vine into crown
NC-2808	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Significant lean. Interfering crowns
NC-2809	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Slight bend in trunk
NC-2810	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-2811	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Slight lean, some dead branches
NC-2812	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-2813	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines, few dead branches
NC-2814	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines on lower trunk
NC-2815	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	Few vines on trunk
NC-2816	Sweetgum	<i>Liquidambar styraciflua</i>	8, 6	2	4	12	Fair	Vines on trunk, dead branches. Twin trunks 8 x 6
NC-2817	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-2818	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	Slightly one sided
NC-2819	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines, thin crown, moderate dead wood
NC-2820	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Slight lean, broken branches
NC-2821	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2822	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Growing into adjacent tree, poor branching structure, vine into crown
NC-2823	Loblolly pine	<i>Pinus taeda</i>	15	1	N/A	N/A	Standing Dead	
NC-2824	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, bend in leader, thin crown
NC-2825	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2826	Unknown		8	1	N/A	N/A	Standing Dead	
NC-2827	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Few dead branches
NC-2828	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Large vines on trunk, slight lean
NC-2829	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Broken leader
NC-2830	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	Slight trunk deformation
NC-2831	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Large vine on trunk
NC-2832	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines on trunk
NC-2833	Red maple	<i>Acer rubrum</i>	6, 3, 3	3	3	9	Fair	Vines on trunk, lean, dead branches. Multistem 6 x 3 x 3
NC-2834	Oak sp.	<i>Quercus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-2835	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Main leader broken. Secondary leader growing well
NC-2836	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Moderate dead wood
NC-2837	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-2838	Willow oak	<i>Quercus phellos</i>	11, 6	2	5.5	16.5	Fair	Vines on lower branches. Twin trunks 11 x 6
NC-2839	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-2840	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-2841	Eastern white pine	<i>Pinus strobus</i>	19	1	9.5	28.5	Good	Minor vine at base
NC-2842	Willow oak	<i>Quercus phellos</i>	25	1	12.5	37.5	Good	
NC-2843	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Good	Vines on lower trunk
NC-2844	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-2845	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, moderate dead wood
NC-2846	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Many water sprouts
NC-2847	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Trunk decay, dying crown
NC-2848	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Slightly one sided
NC-2849	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-2850	Red maple	<i>Acer rubrum</i>	19, 3	2	9.5	28.5	Fair	Poor branching structure, twin trunks 19 x 3
NC-2851	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Lean
NC-2852	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2853	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Fair	Lean, interfering branching, moderate dead wood
NC-2854	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Fair	Dead branches, minor vines
NC-2855	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Extensive dead wood, thin crown
NC-2856	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-2857	Tuliptree	<i>Liriodendron tulipifera</i>	24	1	12	36	Good	Few dead branches
NC-2858	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Major trunk wound with decay, 5" cavity at base rotting. Twin trunks 15 x 2
NC-2859	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Few dead branches
NC-2860	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2861	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Irregular growth form, minor dead wood
NC-2862	Red maple	<i>Acer rubrum</i>	6, 5, 3	3	3	9	Fair	Multistem 6 x 5 x 3. 5" trunk broken
NC-2863	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-2864	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-2865	Post oak	<i>Quercus stellata</i>	5	1	2.5	7.5	Good	Some old sapsucker holes
NC-2866	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines on trunk, lean, dead branches, broken branches
NC-2867	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-2868	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-2869	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead branches, debris leaning on trunk
NC-2870	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Large vines on trunk. Broken branches
NC-2871	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead/decaying leader. Lean
NC-2872	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Broken trunk
NC-2873	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Slight bend in crown
NC-2874	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form
NC-2875	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	Slight lean on slope
NC-2876	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor lean, minor broken branches
NC-2877	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Cavity at base healing, small rotting trunk wounds, vine into crown
NC-2878	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Vines on trunk, lean, dead branches
NC-2879	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Fair	Vines on trunk
NC-2880	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Lean, minor broken branches
NC-2881	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Dead branches. Unbalanced crown
NC-2882	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Broken leader, thin crown
NC-2883	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines on trunk
NC-2884	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Few dead branches
NC-2885	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor vines
NC-2886	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Significant lean
NC-2887	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-2888	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Poor	Nearly dead. Some sprouts on trunk
NC-2889	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Poor	Twin trunks 6 x 5. Significant lean, large Virginia pine leaning on trunks
NC-2890	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-2891	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Damaged leader
NC-2892	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-2893	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Dead branches. Unbalanced crown
NC-2894	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Few broken branches
NC-2895	Scarlet oak	<i>Quercus coccinea</i>	20	1	10	30	Good	Healed over trunk wound, slight lean
NC-2896	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Leaning, few dead branches
NC-2897	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	Minor trunk wound and decay
NC-2898	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in leader, lean
NC-2899	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-2900	Flowering dogwood	<i>Cornus florida</i>	5	1	2.5	7.5	Poor	Trunk damage. Secondary leader broken off
NC-2901	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken leader, vines
NC-2902	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines in crown. Irregular trunk
NC-2903	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Significant lean
NC-2904	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-2905	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Vines in canopy. Some dead branches
NC-2906	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Fair	Many broken branches, one sided
NC-2907	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-2908	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Water sprouts
NC-2909	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Split leader. Irregular growth form
NC-2910	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-2911	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Minor vines, broken branches
NC-2912	Red maple	<i>Acer rubrum</i>	7, 6, 4	3	3.5	10.5	Good	4
NC-2913	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-2914	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Dead branches, thin crown, bend in leader
NC-2915	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Poor	Dead secondary leader, many water sprouts
NC-2916	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Some irregular branches in crown
NC-2917	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-2918	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Lean, thin crown, water sprouts
NC-2919	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2920	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Broken branches, snag leaning on trunk
NC-2921	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Broken lower branch
NC-2922	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Extensive vines in canopy
NC-2923	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Moderate dead wood
NC-2924	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	One-sided branching, moderate dead wood
NC-2925	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Significant lean
NC-2926	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-2927	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Few broken branches
NC-2928	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slight lean
NC-2929	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	crown
NC-2930	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Slight lean
NC-2931	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Slight lean
NC-2932	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Few dead branches
NC-2933	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-2934	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-2935	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2936	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Good	Some broken branches
NC-2937	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Two leaders and thin crown
NC-2938	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean
NC-2939	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Uneven crown
NC-2940	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Broken branches
NC-2941	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Somewhat one sided
NC-2942	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-2943	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Interference from adjacent tree
NC-2944	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Vines into crown, low branch dieback
NC-2945	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	One sided, irregular crown
NC-2946	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Stressed
NC-2947	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-2948	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, included bark, interference from adjacent trees
NC-2949	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-2950	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Interfering branching
NC-2951	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Bend in leader, thin crown
NC-2952	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-2953	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-2954	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	Slight lean
NC-2955	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Minor lean, sparse crown, moderate dead wood
NC-2956	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-2957	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-2958	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Leader splits above DBH
NC-2959	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-2960	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean, one sided
NC-2961	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	
NC-2962	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-2963	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Few dead branches
NC-2964	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Heavy vines on trunk. Dead tree leaning on trunk
NC-2965	Eastern white pine	<i>Pinus strobus</i>	12	1	6	18	Good	Minor vines into crown
NC-2966	Eastern white pine	<i>Pinus strobus</i>	8	1	4	12	Fair	Twin trunks 8 x 6, vines into crown
NC-2967	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Branch dieback in crown
NC-2968	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Slight lean
NC-2969	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Large vine on trunk and dead branches
NC-2970	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, thin crown, broken branches in crown, bend in leader
NC-2971	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, dead branches
NC-2972	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Some broken branches
NC-2973	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	trunk
NC-2974	Willow oak	<i>Quercus phellos</i>	27	1	13.5	40.5	Good	
NC-2975	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Irregular growth form
NC-2976	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean. One sided. Dead branches
NC-2977	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Heavy vines on trunk
NC-2978	Tree of heaven	<i>Ailanthus altissima</i>	8, 5	2	4	12	Fair	Vines in crown, lean. Twins 8 x 5
NC-2979	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Large decaying branch, leaning leader, trunk wound decaying
NC-2980	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines on trunk. Several broken branches
NC-2981	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Vines in canopy
NC-2982	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Branches weeping down
NC-2983	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Trunk wound, irregular growth form
NC-2984	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-2985	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Poor	Nearly dead
NC-2986	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Significant lean. Dead branches. Irregular trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-2987	Common hackberry	<i>Celtis occidentalis</i>	5	1	2.5	7.5	Fair	Bend in trunk, broken branches
NC-2988	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in trunk. One sided. Dead branches
NC-2989	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Unbalanced crown, branch dieback in crown
NC-2990	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-2991	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-2992	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean. Dead branches in crown
NC-2993	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-2994	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	Few dead branches
NC-2995	Eastern white pine	<i>Pinus strobus</i>	15	1	7.5	22.5	Good	
NC-2996	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines
NC-2997	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Vines on lower trunk
NC-2998	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Little crown remains, branch dieback in crown
NC-2999	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Little crown remains, bend in leader
NC-3000	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-3001	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided. Thin crown
NC-3002	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-3003	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-3004	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-3005	Red maple	<i>Acer rubrum</i>	5, 3	2	2.5	7.5	Fair	Twin trunk 5 x 3, vines in canopy
NC-3006	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced and thin crown
NC-3007	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-3008	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines in canopy
NC-3009	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-3010	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-3011	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Reduced crown
NC-3012	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Fair	Branch dieback in crown
NC-3013	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	Thin crown
NC-3014	American elm	<i>Ulmus americana</i>	7, 5	2	3.5	10.5	Fair	Included bark, dead branches. Twins 7 x 5, has cherry growing through fork in trunks
NC-3015	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Lean, irregular growth form
NC-3016	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Rotting cavity on trunk where a large branch has broken off, dead stem above DBH, thin crown
NC-3017	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-3018	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3019	Flowering dogwood	<i>Cornus florida</i>	7	1	3.5	10.5	Fair	Trunk wound. Included bark. One sided
NC-3020*	Red maple	<i>Acer rubrum</i>	30	1	15	45	Fair	Trunk rot
NC-3021	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, slight lean, thin crown
NC-3022	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	1 inch wide sprout. Lean. Vines in crown
NC-3023	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Lean, irregular growth form, dead branches
NC-3024	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3025	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Irregular crown. Large broken branches
NC-3026	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Little crown remains, branch dieback in crown
NC-3027	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Fair	Vines in canopy
NC-3028	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines in canopy
NC-3029	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines into crown, dead wood in crown
NC-3030	Pin oak	<i>Quercus palustris</i>	21	1	10.5	31.5	Good	
NC-3031	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Vines, reduced crown
NC-3032	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-3033	Unknown		7	1	N/A	N/A	Standing Dead	
NC-3034	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Broken branch
NC-3035	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines on lower branches
NC-3036	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-3037	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Lean, one sided
NC-3038	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-3039	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown, adjacent tree growing into this tree
NC-3040	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Branch dieback in crown, this tree canopy growing into adjacent tree
NC-3041	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-3042	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Poor branching structure, rotting branches in lower canopy
NC-3043	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Thin crown
NC-3044	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead side leader. Irregular growth form
NC-3045	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Greenbrier on lower trunk
NC-3046	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, one sided
NC-3047	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-3048	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean. One sided
NC-3049	Sweetgum	<i>Liquidambar styraciflua</i>	9, 5	2	4.5	13.5	Good	Twin trunks 9 x 5. Included bark
NC-3050	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3051	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Leaning
NC-3052	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Trunk wounds, bend in leader
NC-3053	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-3054	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Thin crown, broken branches
NC-3055	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3056	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-3057	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	Bend in trunk. Few broken branches
								Significant lean, large dead tree leaning on trunk
NC-3058	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	
NC-3059	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Bend in upper trunk
NC-3060	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Vines
NC-3061	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-3062	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3063	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-3064	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-3065	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-3066	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Bend at base, included bark
NC-3067	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-3068	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-3069	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Bend in trunk, broken main leader
NC-3070	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Slightly irregular trunk
NC-3071	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-3072	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Few broken branches
NC-3073	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Few dead branches
								Twin trunks 16 x 8. Secondary leader (twin) bent over. Very heavy vines
NC-3074	Virginia pine	<i>Pinus virginiana</i>	16, 8	2	8	24	Fair	
NC-3075	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	One sided, lean
NC-3076	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines in canopy
								Twin trunks above DBH, included bark, poor branching structure
NC-3077	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	
								Twin trunks above DBH, included bark, bend in branches leaning towards road
NC-3078	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	
NC-3079	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Irregular base
								Healed trunk cavity, dead branches. Twins 15 x 14
NC-3080	Virginia pine	<i>Pinus virginiana</i>	15, 14	2	7.5	22.5	Good	
NC-3081	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-3082	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-3083	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-3084	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-3085	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form, lean
NC-3086	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-3087	American holly	<i>Ilex opaca</i>	6, 4	2	3	9	Good	Twin trunks 6 x 4
								Vines into crown, bark growing around vines
NC-3088	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	
NC-3089	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-3090	Loblolly pine	<i>Pinus taeda</i>	17	1	8.5	25.5	Good	
NC-3091	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in leader, thin crown
NC-3092	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-3093	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Vines in crown
NC-3094	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Lean
NC-3095	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5
								Branch dieback and dead wood in crown, leaning, vines into crown
NC-3096	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	
NC-3097	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-3098	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown
NC-3099	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown
NC-3100	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-3101	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-3102	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-3103	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in lower branches, irregular crown
NC-3104	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Few dead branches
NC-3105	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form, lean
NC-3106	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Irregular growth form. Broken branches
NC-3107	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	One sided, broken branches
NC-3108	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-3109	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
								entire crown is leaning but trunk is upright
NC-3110	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Fair	
NC-3111	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Very heavy vines on trunk
NC-3112	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Fair	Vines on trunk
NC-3113	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-3114	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	
NC-3115	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor branch dieback in crown
NC-3116	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-3117	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Healed trunk cavity, dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3118	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Growing into adjacent tree
NC-3119	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Growing into adjacent tree
NC-3120	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Large broken branches. Thin crown
								Broken leader, secondary leader continues growth
NC-3121	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	
NC-3122	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, dieback in lower canopy
NC-3123	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	
NC-3124	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Irregular crown, broken branches
NC-3125	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor branch dieback in crown
NC-3126	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-3127	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3128	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-3129	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines in canopy
								Lean, debris leaning against trunk, one sided. Twins 13 x 13
NC-3130	Willow oak	<i>Quercus phellos</i>	13, 13	2	6.5	19.5	Fair	
NC-3131	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken trunk, water sprouts
NC-3132	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Split leader
NC-3133	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-3134	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Twin trunks above DBH, vines into crown
NC-3135	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3136	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-3137	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Likely dead, but not clear
NC-3138	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided. Dead broken branches
NC-3139	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Lean, debris leaning against trunk
NC-3140	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk
NC-3141	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Slight lean
NC-3142	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-3143	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form
NC-3144	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Dieback
NC-3145	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead secondary leader. Bend in trunk
NC-3146	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines
NC-3147	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Broken branches, irregular growth form
NC-3148	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-3149	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Irregular growth form, lean
NC-3150	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
								Heavy vines into crown, little crown remains
NC-3151	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	
NC-3152	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Little crown remains, thin crown
NC-3153	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
								Some dead branches. Roots coming out of trunk
NC-3154	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-3155	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Vines into crown
NC-3156	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3157	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branch in crown
NC-3158	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, broken branches
								Leaning, irregular growth form, vines into crown
NC-3159	Higan cherry	<i>Prunus subhirtella</i>	5	1	2.5	7.5	Fair	
NC-3160	Willow oak	<i>Quercus phellos</i>	6	1	N/A	N/A	Standing Dead	
								Thin crown. Bend in trunk. Dead/broken branches
NC-3161	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	
								Dead branch in crown, vines taking over crown, thin crown
NC-3162	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	
NC-3163	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-3164	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Fair	Broken branches, one sided
NC-3165	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dead leader. Included bark. Some decay
								Many vines on trunk and in crown. Dead branches
NC-3166	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	
NC-3167	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Vines on trunk
NC-3168	Unknown		9	1	N/A	N/A	Standing Dead	
NC-3169	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-3170	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3171	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-3172	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Some dead lower branches
NC-3173	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Vines
NC-3174	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Cavity at base, vines into crown
NC-3175	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning, thin crown
NC-3176	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	Broken branches
NC-3177	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Irregular crown
NC-3178	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly thin crown
								Dead lower branches. Vines in lower branches. Irregular growth form
NC-3179	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	
NC-3180	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-3181	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines
								Vines taking over crown, branch dieback in lower canopy
NC-3182	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3183	American holly	<i>Ilex opaca</i>		6	1	3	9 Good	
NC-3184	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Fair	Leaning
NC-3185	Blackgum	<i>Nyssa sylvatica</i>		6	1	3	9 Good	Some dead branches
NC-3186	Black cherry	<i>Prunus serotina</i>		8	1	4	12 Fair	Branch dieback in crown, bend in leader
NC-3187	Black cherry	<i>Prunus serotina</i>		11	1	5.5	16.5 Good	
NC-3188	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Lean, thin crown, sap oozing out of bark
NC-3189	Red maple	<i>Acer rubrum</i>		10	1	5	15 Good	Included bark
NC-3190	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Good	Vines into crown
NC-3191	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Good	
NC-3192	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Good	Greenbrier on lower branches
NC-3193	Tuliptree	<i>Liriodendron tulipifera</i>		14	1	7	21 Good	
NC-3194	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Fair	Irregular growth form
NC-3195	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	Some dead lower branches
NC-3196	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Poor	Severe lean, tree laying on trunk
NC-3197	American beech	<i>Fagus grandifolia</i>		5	1	2.5	7.5 Good	
NC-3198	Virginia pine	<i>Pinus virginiana</i>		12	1	N/A	N/A Standing Dead	
NC-3199	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A Standing Dead	
NC-3200	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Poor	Dying
NC-3201	American elm	<i>Ulmus americana</i>		5	1	2.5	7.5 Fair	Irregular growth form
NC-3202	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-3203	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Good	
NC-3204	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Fair	Vines taking over crown, branch dieback in lower canopy
NC-3205	White oak	<i>Quercus alba</i>		7	1	3.5	10.5 Fair	Vines
NC-3206	Red maple	<i>Acer rubrum</i>	9, 8	2	4.5	13.5 Fair		Twin trunk 9 x 8, vines
NC-3207	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Good	
NC-3208	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24 Fair	Vines on trunk
NC-3209	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-3210	Red maple	<i>Acer rubrum</i>		8	1	4	12 Fair	Interfering branches
NC-3211	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Rotting bark on trunk, thin crown
NC-3212	American holly	<i>Ilex opaca</i>		5	1	2.5	7.5 Good	
NC-3213	Willow oak	<i>Quercus phellos</i>		13	1	6.5	19.5 Fair	One sided. Broken branches, some large
NC-3214	Willow oak	<i>Quercus phellos</i>		14	1	7	21 Fair	Large vines in crown. One sided
NC-3215	Black cherry	<i>Prunus serotina</i>		9	1	4.5	13.5 Good	Few broken branches
NC-3216	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Fair	Vines
NC-3217	Unknown			6	1	N/A	N/A Standing Dead	
NC-3218	Willow oak	<i>Quercus phellos</i>		9	1	4.5	13.5 Good	
NC-3219	Red maple	<i>Acer rubrum</i>		10	1	5	15 Fair	Interfering branches
NC-3220	Willow oak	<i>Quercus phellos</i>		21	1	10.5	31.5 Fair	Large vines in crown. One sided
NC-3221	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Leaning, vines into crown, thin crown
NC-3222	American holly	<i>Ilex opaca</i>		5	1	2.5	7.5 Good	
NC-3223	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-3224	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Fair	Vines on trunk, snag leaning in crown
NC-3225	Willow oak	<i>Quercus phellos</i>		8	1	4	12 Good	
NC-3226	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Good	
NC-3227	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Fair	Heavy vines on trunk
NC-3228	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Reduced canopy
NC-3229	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Fair	Lean. Broken branches. Bent leader
NC-3230	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Fair	Bend in trunk, one sided
NC-3231	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-3232	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9 Fair		Dead stump sprouts, one sided. Twins 6 x 5
NC-3233	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	Bend in trunk
NC-3234	Virginia pine	<i>Pinus virginiana</i>		10, 8	2	5	15 Fair	Twin trunk 10 x 8, reduced canopy
NC-3235	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Good	
NC-3236	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Fair	Large broken branches, some dead branches
NC-3237	Black cherry	<i>Prunus serotina</i>		6	1	3	9 Good	Few broken branches
NC-3238	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Good	
NC-3239	Scarlet oak	<i>Quercus coccinea</i>		5	1	2.5	7.5 Fair	Lean, large broken branches
NC-3240	Red maple	<i>Acer rubrum</i>		14	1	7	21 Good	Minor broken branches in lower canopy
NC-3241	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Fair	Leaning, vines into crown
NC-3242	Tuliptree	<i>Liriodendron tulipifera</i>		12	1	6	18 Good	
NC-3243	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-3244	White oak	<i>Quercus alba</i>		6	1	3	9 Fair	Vines
NC-3245	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5 Fair	Irregular growth form. Dead/broken branches
NC-3246	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5 Fair		Twin trunks 7 x 5. 5" twin dead. Included bark
NC-3247	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Poor	Dying crown
NC-3248	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	Slight lean
NC-3249	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Poor	Broken trunk
NC-3250	American elm	<i>Ulmus americana</i>		8	1	4	12 Fair	Large rotting branches
NC-3251	White oak	<i>Quercus alba</i>		7	1	3.5	10.5 Good	Broken branches
NC-3252	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Lean, tree leaning on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3253	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5 Fair	Lean, thin crown
NC-3254	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Irregular growth form, broken branches
NC-3255	American holly	<i>Ilex opaca</i>		6	1	3	9 Fair	Damaged leader
NC-3256	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Fair	Leaning, broken branches in lower canopy
NC-3257*	Southern red oak	<i>Quercus falcata</i>		32	1	16	48 Good	
NC-3258	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	One sided
NC-3259	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Fair	Irregular growth form. Broken branches
NC-3260	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Significant lean, one sided
NC-3261	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Good	
NC-3262	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24 Good	Broken branches
NC-3263	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Poor	Broken leaders. Decaying branches
NC-3264	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	One sided, lean
NC-3265	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-3266	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24 Good	
NC-3267	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-3268	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-3269	Southern red oak	<i>Quercus falcata</i>		5	1	2.5	7.5 Good	
NC-3270	American holly	<i>Ilex opaca</i>		5	1	2.5	7.5 Good	Slight lean
NC-3271	Red maple	<i>Acer rubrum</i>	8, 8, 7, 5	4	4	12	Fair	Several stump sprouts, included bark. Multistem 8 x 8 x 7 x 5
NC-3272	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Fair	Vines in crown. One sided. Split leader
NC-3273	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Good	
NC-3274	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Reduced canopy
NC-3275	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Fair	Thin crown, broken branches
NC-3276	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	
NC-3277	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Lean. Dead broken branches
NC-3278	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Fair	Thin crown, broken branches, lean
NC-3279	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Fair	Dead branches. Side leader bent over from fallen tree
NC-3280	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Fair	Lean. Some broken branches
NC-3281	Tuliptree	<i>Liriodendron tulipifera</i>		15	1	7.5	22.5 Fair	Irregular growth form. Dead/broken branches
NC-3282	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Fair	Vines
NC-3283	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A Standing Dead	
NC-3284	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Thin crown, vine into crown
NC-3285	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Reduced canopy
NC-3286	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Thin crown. Dead/broken branches
NC-3287	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5 Fair	Splits just above DBH. Irregular growth form. Vines in crown of one leader
NC-3288	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-3289	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Poor	Stress fracture in trunk - large dead Virginia pine fallen on it
NC-3290	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-3291	Virginia pine	<i>Pinus virginiana</i>		5	1	2.5	7.5 Fair	Slight lean, unbalanced crown
NC-3292	Willow oak	<i>Quercus phellos</i>		10	1	5	15 Good	
NC-3293	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-3294	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Good	
NC-3295	Scarlet oak	<i>Quercus coccinea</i>		10	1	5	15 Fair	Broken branches, vine on trunk
NC-3296	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	Few broken branches
NC-3297	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Reduced canopy
NC-3298	Virginia pine	<i>Pinus virginiana</i>		11	1	N/A	N/A Standing Dead	
NC-3299	Willow oak	<i>Quercus phellos</i>		8	1	4	12 Fair	Irregular growth form
NC-3300	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	Broken branches
NC-3301	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Poor	Broken leader. Many water sprouts
NC-3302	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-3303	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12 Fair	Trunk wound
NC-3304	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-3305	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Branch dieback in crown, thin crown
NC-3306	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	Few broken branches
NC-3307	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Fair	Slight lean, thin crown
NC-3308	Virginia pine	<i>Pinus virginiana</i>		18	1	N/A	N/A Standing Dead	
NC-3309	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	
NC-3310	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24 Fair	Large vine in crown. Several broken branches
NC-3311	Virginia pine	<i>Pinus virginiana</i>		6	1	N/A	N/A Standing Dead	
NC-3312	Southern red oak	<i>Quercus falcata</i>		6	1	3	9 Good	
NC-3313	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Fair	Vines into crown, thin crown
NC-3314	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Leaning
NC-3315	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Poor	Dying
NC-3316	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Fair	Leaning, branch dieback in crown, thin crown
NC-3317	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	
NC-3318	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Leaning, unbalanced crown
NC-3319	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5 Good	Minor branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3320	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Broken leader, many water sprouts
NC-3321	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Broken leader. Trunk is bent, caused by large dead tree
NC-3322	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Broken branches, some water sprouts
NC-3323	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Many broken branches. Other tree fallen on canopy
NC-3324	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-3325	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular trunk, many broken branches
NC-3326	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3327	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Trunk wound, irregular trunk
NC-3328	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Severe lean, tree laying on trunk
NC-3329	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Good	
NC-3330	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	One sided. Dead branches. Thin crown
NC-3331	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form. Multiple leaders
NC-3332	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Dead stem at base, leaning on adjacent tree, dead wood in lower canopy
NC-3333	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Split leader. Pine growing through its roots
NC-3334	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-3335	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	
NC-3336	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular trunk, broken branches
NC-3337	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Lean, dead branches
NC-3338	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	
NC-3339	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Dead branches
NC-3340	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-3341	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-3342	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form. Debris leaning on lower trunk
NC-3343	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-3344	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Entwined with trunk of adjacent sweetgum, lean, thin crown
NC-3345	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-3346	American holly	<i>Ilex opaca</i>	5, 2	2	2.5	7.5	Good	Twin trunks 5 x 2
NC-3347	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Growing into adjacent tree, rotting branches in lower canopy
NC-3348	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-3349	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Severe trunk damage, lean
NC-3350	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Some broken/dead branches. Other tree leaning on trunk
NC-3351	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines on trunk, trunk cavity
NC-3352	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-3353	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Entwined with trunk of adjacent Virginia pine
NC-3354	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-3355	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-3356	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Dying
NC-3357	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Slightly unbalanced crown
NC-3358	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Irregular crown
NC-3359	American holly	<i>Ilex opaca</i>	11	1	5.5	16.5	Good	
NC-3360	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, unbalanced and thin crown
NC-3361	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-3362	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3363	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-3364	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-3365	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Some bends in trunk
NC-3366	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-3367	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-3368	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3369	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Large branch leaning on crown. Debris leaning on trunk
NC-3370	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean, vines on trunk
NC-3371	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Very heavy vines. Lean
NC-3372	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Some broken branches
NC-3373	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Lean, dead branches, healing trunk wound
NC-3374	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Broken main leader. Vines in lower canopy. Significant lean
NC-3375	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Slight bend in trunk
NC-3376	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Heavy vines on trunk, dying crown
NC-3377	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-3378	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Broken branches
NC-3379	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Bend in leader
NC-3380	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Few broken branches
NC-3381	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, thin crown
NC-3382	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3383	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3384	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-3385	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3386	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-3387	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Bend in upper trunk
NC-3388	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-3389	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-3390	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form, dead branches
NC-3391	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, thin crown
NC-3392	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Significant lean. Dead leader
NC-3393	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3394	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Broken leader. Lean
NC-3395	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines taking over crown
NC-3396	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-3397	Willow oak	<i>Quercus phellos</i>	14, 11	2	7	21	Good	Twin trunks 14 x 11
NC-3398	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Branch dieback in crown and lower canopy
NC-3399	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Included bark
NC-3400	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3401	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dieback
NC-3402	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Dead leader, branch decay
NC-3403	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular crown. One sided overtopped
NC-3404	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Fair	Large poison ivy vine on trunk. Large dead branches.
NC-3405	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-3406	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	form
NC-3407	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Trunk rot
NC-3408	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Broken branches
NC-3409	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Multiple leaders. Thin crown
NC-3410	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-3411	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3412	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Fair	Significant lean
NC-3413	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Little crown remains
NC-3414	Unknown		10	1	N/A	N/A	Standing Dead	
NC-3415	Pin oak	<i>Quercus palustris</i>	9, 3	2	4.5	13.5	Fair	Twin trunks 9 x 3. Lean, one sided
NC-3416	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-3417	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	branches
NC-3418	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-3419	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown
NC-3420	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean, thin crown
NC-3421	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-3422	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Vines
NC-3423	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3. Lean, one sided
NC-3424	Red maple	<i>Acer rubrum</i>	22	1	11	33	Good	Broken branches. Vine on lower trunk
NC-3425	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Good	
NC-3426	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-3427	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-3428	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken branches
NC-3429	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-3430	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Rotting and broken branches in crown and lower canopy
NC-3431	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Dead tree leaning on this tree in crown
NC-3432	Unknown		7	1	N/A	N/A	Standing Dead	
NC-3433	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Branch dieback and dead wood in lower canopy
NC-3434	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-3435	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	One sided, one broken leader
NC-3436	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Slight lean, minor branch dieback in lower canopy
NC-3437	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Poor	Horizontal due to dead tree leaning on trunk
NC-3438	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Thin crown, buttress roots
NC-3439	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Bend in leader. Thin crown. Broken branches in canopy
NC-3440	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular growth form, broken branches
NC-3441	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-3442	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Fair	Dead secondary leader. Dead broken branches in crown. Slight lean
NC-3443	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3444	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-3445	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Minor branch dieback in crown, twin trunks above DBH
NC-3446	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-3447	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Vines into crown
NC-3448	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Reduced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3449	Virginia pine	<i>Pinus virginiana</i>		7	1	N/A	N/A	Standing Dead
NC-3450	Virginia pine	<i>Pinus virginiana</i>		8	1	N/A	N/A	Standing Dead
NC-3451	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair
NC-3452	Black cherry	<i>Prunus serotina</i>		6	1	3	9	Fair
NC-3453	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair
NC-3454	Red maple	<i>Acer rubrum</i>	7, 5		2	3.5	10.5	Fair
NC-3455	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-3456	Southern red oak	<i>Quercus falcata</i>		6	1	3	9	Fair
NC-3457	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5	Fair
NC-3458	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair
NC-3459	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Good
NC-3460	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair
NC-3461	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair
NC-3462	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Good
NC-3463	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Poor
NC-3464	American holly	<i>Ilex opaca</i>		6	1	3	9	Good
NC-3465	American elm	<i>Ulmus americana</i>		5	1	2.5	7.5	Fair
NC-3466	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5	Good
NC-3467	White mulberry	<i>Morus alba</i>	8, 6		2	4	12	Fair
NC-3468	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21	Fair
NC-3469	Sweet cherry	<i>Prunus avium</i>	5, 5, 4		3	2.5	7.5	Poor
NC-3470	Unknown			5	1	N/A	N/A	Standing Dead
NC-3471	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair
NC-3472	Southern red oak	<i>Quercus falcata</i>		7	1	3.5	10.5	Good
NC-3473	Willow oak	<i>Quercus phellos</i>		18	1	9	27	Good
NC-3474	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Good
NC-3475	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair
NC-3476	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair
NC-3477	Virginia pine	<i>Pinus virginiana</i>		19	1	9.5	28.5	Fair
NC-3478	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A	Standing Dead
NC-3479	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Poor
NC-3480	Red maple	<i>Acer rubrum</i>		14	1	7	21	Good
NC-3481	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair
NC-3482	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5	Fair
NC-3483	Black cherry	<i>Prunus serotina</i>		6	1	3	9	Fair
NC-3484	American beech	<i>Fagus grandifolia</i>		6	1	3	9	Good
NC-3485	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Good
NC-3486	Unknown			10	1	N/A	N/A	Standing Dead
NC-3487	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-3488	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-3489	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Good
NC-3490	Willow oak	<i>Quercus phellos</i>		19	1	9.5	28.5	Good
NC-3491	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21	Good
NC-3492	American holly	<i>Ilex opaca</i>		6	1	3	9	Good
NC-3493	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-3494	American elm	<i>Ulmus americana</i>		15	1	7.5	22.5	Fair
NC-3495	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Good
NC-3496	American elm	<i>Ulmus americana</i>		5	1	2.5	7.5	Fair
NC-3497	Willow oak	<i>Quercus phellos</i>		7	1	3.5	10.5	Fair
NC-3498	Black cherry	<i>Prunus serotina</i>		8	1	4	12	Fair
NC-3499	Red maple	<i>Acer rubrum</i>		17	1	8.5	25.5	Fair
NC-3500	Virginia pine	<i>Pinus virginiana</i>		11	1	N/A	N/A	Standing Dead
NC-3501	Unknown			5	1	N/A	N/A	Standing Dead
NC-3502	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good
NC-3503	Red maple	<i>Acer rubrum</i>	12, 9		2	6	18	Fair
NC-3504	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair
NC-3505	American elm	<i>Ulmus americana</i>		9	1	4.5	13.5	Fair
NC-3506	Red maple	<i>Acer rubrum</i>		10	1	5	15	Fair
NC-3507	Southern red oak	<i>Quercus falcata</i>		16	1	8	24	Fair

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3508	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good
NC-3509	Black cherry	<i>Prunus serotina</i>		6	1	3	9	Fair
NC-3510	Red maple	<i>Acer rubrum</i>		16	1	8	24	Fair
NC-3511	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24	Fair
NC-3512	Scarlet oak	<i>Quercus coccinea</i>		5	1	2.5	7.5	Fair
NC-3513	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-3514	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21	Good
NC-3515	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Fair
NC-3516	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Good
NC-3517	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair
NC-3518	Pin oak	<i>Quercus palustris</i>		5	1	2.5	7.5	Good
NC-3519	Red maple	<i>Acer rubrum</i>	17, 15, 14		3	8.5	25.5	Fair
NC-3520	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-3521	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Good
NC-3522	White oak	<i>Quercus alba</i>		9	1	4.5	13.5	Good
NC-3523	Red maple	<i>Acer rubrum</i>		14	1	7	21	Fair
NC-3524	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12	Good
NC-3525	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	N/A	N/A	Standing Dead
NC-3526	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Good
NC-3527	Red maple	<i>Acer rubrum</i>		14	1	7	21	Fair
NC-3528	Willow oak	<i>Quercus phellos</i>		8	1	4	12	Good
NC-3529	Red maple	<i>Acer rubrum</i>		16	1	8	24	Good
NC-3530	Black cherry	<i>Prunus serotina</i>	14, 8		2	7	21	Fair
NC-3531	Virginia pine	<i>Pinus virginiana</i>	11, 4, 3		3	N/A	N/A	Standing Dead
NC-3532	American holly	<i>Ilex opaca</i>		10	1	5	15	Good
NC-3533	American beech	<i>Fagus grandifolia</i>		5	1	2.5	7.5	Fair
NC-3534	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Poor
NC-3535	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Poor
NC-3536	Black cherry	<i>Prunus serotina</i>		11	1	5.5	16.5	Poor
NC-3537	American holly	<i>Ilex opaca</i>	5, 5		2	2.5	7.5	Good
NC-3538	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good
NC-3539	Red maple	<i>Acer rubrum</i>		14	1	7	21	Good
NC-3540	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5	Fair
NC-3541	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Good
NC-3542	Pin oak	<i>Quercus palustris</i>		16	1	8	24	Fair
NC-3543	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18	Good
NC-3544	Virginia pine	<i>Pinus virginiana</i>		12	1	N/A	N/A	Standing Dead
NC-3545	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-3546	Virginia pine	<i>Pinus virginiana</i>		5	1	N/A	N/A	Standing Dead
NC-3547	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Good
NC-3548	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5	Fair
NC-3549	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Good
NC-3550	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Fair
NC-3551	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Good
NC-3552	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Fair
NC-3553	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good
NC-3554	Red maple	<i>Acer rubrum</i>		15	1	7.5	22.5	Good
NC-3555	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair
NC-3556	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Poor
NC-3557	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-3558	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24	Good
NC-3559	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair
NC-3560	Red maple	<i>Acer rubrum</i>		12	1	6	18	Good
NC-3561	Willow oak	<i>Quercus phellos</i>		15	1	7.5	22.5	Good
NC-3562	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5	Good
NC-3563	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good
NC-3564	Willow oak	<i>Quercus phellos</i>		8	1	4	12	Good
NC-3565	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Poor
NC-3566	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Good
NC-3567	Virginia pine	<i>Pinus virginiana</i>		7	1	N/A	N/A	Standing Dead
NC-3568	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-3569	American holly	<i>Ilex opaca</i>		7	1	3.5	10.5	Good
NC-3570	Red maple	<i>Acer rubrum</i>		19	1	9.5	28.5	Good
NC-3571	Red maple	<i>Acer rubrum</i>		17	1	8.5	25.5	Fair

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3572	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines into crown. Dead wood in lower canopy
NC-3573	American holly	<i>Ilex opaca</i>	5, 3	2	2.5	7.5	Fair	Twin trunks 5 x 3. Irregular growth form, thin crown
NC-3574	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3575	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Heavy vines into crown. Slight lean
NC-3576	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Split above DBH
NC-3577	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Unbalanced crown
NC-3578	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Significant lean, debris leaning on trunk
NC-3579	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3580	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	Small vine on trunk
NC-3581	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-3582	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Significant lean, dead and decaying branches
NC-3583	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-3584	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular crown, dead branches
NC-3585	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-3586	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Irregular growth form
NC-3587	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-3588	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-3589	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One leader broken, other leader growing well
NC-3590	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Trunk wound with some decay
NC-3591	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Bend in trunk. One sided. Tree leaning on trunk
NC-3592	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines into crown, minor branch dieback in lower canopy
NC-3593	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-3594	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Reduced canopy
NC-3595	Black cherry	<i>Prunus serotina</i>	9	1	N/A	N/A	Standing Dead	
NC-3596	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Split leader. Irregular growth form. Dead lower branches
NC-3597	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Bend in leader
NC-3598	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-3599	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, growing into base of adjacent tree
NC-3600	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branch with decay on trunk
NC-3601	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Heavy branch dieback in crown. Minor vines at base
NC-3602	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	
NC-3603	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Lean
NC-3604	Unknown		9	1	N/A	N/A	Standing Dead	
NC-3605	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Slight lean
NC-3606	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Broken leader, vines into crown, branch dieback and dead wood in crown
NC-3607	Red maple	<i>Acer rubrum</i>	10, 10, 8	3	5	15	Good	Multistem 10 x 10 x 8. Included bark, vine on trunk
NC-3608	Green ash	<i>Fraxinus pennsylvanica</i>	8	1	N/A	N/A	Standing Dead	
NC-3609	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Heavy vines into taking over crown, dead and broken branches in lower canopy
NC-3610	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-3611	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines in crown. Dead wood in lower canopy. Rotting wood at base of trunk
NC-3612	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form. Bend in trunk
NC-3613	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Lean
NC-3614	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-3615	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-3616	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Irregular growth form
NC-3617	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Irregular growth form, water sprouts
NC-3618	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-3619	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3620	American elm	<i>Ulmus americana</i>	10	1	5	15	Poor	Trunk leaning nearly horizontal, dead tree on trunk
NC-3621	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Poor	Bend in trunk, many sprouts
NC-3622	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-3623	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-3624	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor	Very heavy vines and dead branches
NC-3625	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3626	White oak	<i>Quercus alba</i>	11, 10	2	5.5	16.5	Fair	Twin trunks 11 x 10. Vines on trunk
NC-3627	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Very heavy vines and dead branches
NC-3628	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-3629	Eastern white pine	<i>Pinus strobus</i>	10	1	5	15	Good	
NC-3630	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Vines in crown
NC-3631	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean. Irregular growth form. Dead lower branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3632	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Twin trunks above DBH, included bark, minor vines into crown, galls on large branch in crown
NC-3633	American chestnut	<i>Castanea dentata</i>	6	1	3	9	Fair	Large poison ivy vines, some branch dieback
NC-3634	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Leaning
NC-3635	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Split leader. Vines in crown
NC-3636	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Irregular crown/growth form
NC-3637	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Most of bark missing/dead. Dead leader. Only secondary leader alive
NC-3638	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-3639	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Branch dieback and rotting branches in lower canopy.
NC-3640	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3641	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy,leaning
NC-3642	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Two interfering leaders. Irregular growth form
NC-3643	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Poor branching structure. Leaning. Exposed roots
NC-3644	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-3645	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches. Thin crown
NC-3646	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form
NC-3647	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Leaning. Vines in crown. Branch dieback in crown
NC-3648	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	
NC-3649	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	One sided
NC-3650	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Slightly unbalanced crown
NC-3651	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-3652	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-3653	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Dead tree leaning on trunk
NC-3654	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-3655	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Good	
NC-3656	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-3657	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Dead/broken branches. Minor buttressed roots
NC-3658	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-3659	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form
NC-3660	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Unbalanced crown. Bend in trunk
NC-3661	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Large vines on trunk, significant lean
NC-3662	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Leaning
NC-3663	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Unbalanced crown. Dead branches. Interfering branches
NC-3664	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-3665	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning
NC-3666	Red maple	<i>Acer rubrum</i>	25	1	12.5	37.5	Good	
NC-3667	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	Few vines in crown. Girdling roots
NC-3668	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead secondary leader. Vines in lower branches
NC-3669	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	
NC-3670	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Trunk slightly twisted. Few broken branches
NC-3671	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-3672	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Slightly unbalanced crown
NC-3673	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead secondary trunk, lean
NC-3674	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Fair	Large vine on trunk
NC-3675	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-3676	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-3677	Common pear	<i>Pyrus communis</i>	10, 8, 6, 6	4	5	15	Fair	Multistem 6 x 6 x 8 x 10. Dead branches, some peeling bark
NC-3678	Red maple	<i>Acer rubrum</i>	19, 2	2	9.5	28.5	Good	Twin trunks 19 x 2
NC-3679	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Some broken branches
NC-3680	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-3681	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	Thin crown
NC-3682	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular crown. Overtopped
NC-3683	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Large vine on trunk
NC-3684	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines in lower branches
NC-3685	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Heavy vines. Large broken branches
NC-3686	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Adjacent tree leaning on trunk. Minor vines at base.
NC-3687	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Slight lean. Interfering crown. Irregular growth form
NC-3688	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-3689	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Poor	Dying
NC-3690	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Few dead branches
NC-3691	White oak	<i>Quercus alba</i>	12	1	6	18	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3692	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-3693	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Decaying bark, water sprouts
NC-3694	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Another dead tree hanging in canopy. Dead woody debris surrounding trunk
NC-3695	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Slight lean. Bend in leader
NC-3696	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Lean, vines on trunk
NC-3697	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, vines on trunk
NC-3698	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-3699	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Twin trunks above DBH. Dead wood in crown
NC-3700	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Irregular growth form. Exposed roots in wetland
NC-3701	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One leader broken. Vines in lower branches. Dead branches
NC-3702	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-3703	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Branch dieback and dead wood in lower canopy
NC-3704	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback and dead wood in lower canopy. Exposed roots
NC-3705	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Split leader
NC-3706	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Slight lean
NC-3707	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Thin crown. Some dead branches
NC-3708	Red maple	<i>Acer rubrum</i>	9, 8, 6	3	4.5	13.5	Good	Multistem 9 x 8 x 6. Included bark, vine on trunk
NC-3709	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead branches. Thin crown
NC-3710	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-3711	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines in crown. Branch dieback in lower canopy
NC-3712	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Reduced canopy
NC-3713	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Fair	Heavy vines in crown.
NC-3714	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Poor branching structure in crown. Vines in crown
NC-3715	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-3716	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dieback
NC-3717	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	
NC-3718	Unknown		16	1	N/A	N/A	Standing Dead	Maybe a chestnut
NC-3719	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Dead wood in crown. Thin crown
NC-3720	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Reduced canopy, dead branches
NC-3721	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-3722	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean
NC-3723	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	One sided, lean
NC-3724	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3725	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-3726	Unknown		7	1	N/A	N/A	Standing Dead	
NC-3727	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-3728	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, lean, some bark growths
NC-3729	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-3730	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor vines at base. Minor dead wood in crown
NC-3731	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Minor vines at base. Slightly unbalanced crown. Girdling roots
NC-3732	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Heavy vines in crown. Thin crown
NC-3733	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean. Dead branches
NC-3734	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-3735	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-3736	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Irregular growth form
NC-3737	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, thin crown
NC-3738	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Few broken branches
NC-3739	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-3740	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided. Vines in crown. Dead branches
NC-3741	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Stressed
NC-3742	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Exposed roots. Branch dieback in lower canopy. Dead wood in crown
NC-3743	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, broken branches
NC-3744	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-3745	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-3746	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Vines taken over crown. Little crown remains
NC-3747	Northern red oak	<i>Quercus rubra</i>	24	1	12	36	Good	
NC-3748	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-3749	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Large trunk wound. Crown good
NC-3750	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Buttressed roots
NC-3751	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Slight lean
NC-3752	Red maple	<i>Acer rubrum</i>	13	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3753	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Trunk rot, vines
NC-3754	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken branches, large wound with decay on upper trunk
NC-3755	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken branches
NC-3756	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Fair	Irregular crown. Broken branches
NC-3757	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-3758	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-3759	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, dead branches
NC-3760	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Vines on lower trunk
NC-3761	Sweet cherry	<i>Prunus avium</i>	5	1	2.5	7.5	Good	
NC-3762	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Water sprouts, dead branches
NC-3763	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Exposed roots along wetland. Vines in crown
NC-3764	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-3765	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	dieback
NC-3766	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Irregular growth form. Dead/broken branches
NC-3767	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Good	Broken branches
NC-3768	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	branches
NC-3769	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3770	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Trunk damage
NC-3771	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches
NC-3772	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Significant lean. Horizontal growth
NC-3773	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-3774	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Poor branching structure. Vines at base
NC-3775	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Possibly dead
NC-3776	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Thin crown, dead branches
NC-3777	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines at base. Leaning. Thin crown
NC-3778	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Poor	Main trunk horizontal, has trunk sprouts
NC-3779	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-3780	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular crown. Dead branches
NC-3781	Black locust	<i>Robinia pseudoacacia</i>	12	1	N/A	N/A	Standing Dead	
NC-3782	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-3783	Virginia pine	<i>Pinus virginiana</i>	22	1	11	33	Good	
NC-3784	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-3785	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-3786	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6. One sided, water sprouts, lean
NC-3787	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches. Thin crown
NC-3788	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead secondary leader, dead branches
NC-3789	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	irregular growth form. Water sprouts. Vines at base
NC-3790	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Few broken branches
NC-3791	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in leader. Dead wood in crown
NC-3792	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Reduced crown
NC-3793	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-3794	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Heavy vines in crown. Heavy branch dieback in crown. Dead wood in crown
NC-3795	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3796	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, lean
NC-3797	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines in crown. Thin crown
NC-3798	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	Large trunk wound with decay and significant lean
NC-3799	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Large vine hanging off one side of crown. Irregular trunk
NC-3800	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Slightly one sided
NC-3801	Red maple	<i>Acer rubrum</i>	10, 9	2	5	15	Good	Included bark. Twin trunks 10 x 9
NC-3802	Red maple	<i>Acer rubrum</i>	14, 11	2	7	21	Good	Twin trunks 14 x 11. Included bark, some exposed roots on slope
NC-3803	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken leader. Large debris leaning on trunk
NC-3804	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-3805	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead leader, irregular crown
NC-3806	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-3807	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Lean
NC-3808	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Heavy vines into crown. Poor branching structure. Trunk wound at base
NC-3809	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines in crown. Slight lean. Thin crown
NC-3810	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Vines in crown. Large broken branches
NC-3811	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Dead wood in lower canopy. Thin crown
NC-3812	Southern red oak	<i>Quercus falcata</i>	27	1	13.5	40.5	Good	Branch dieback and dead wood in crown
NC-3813	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Few broken branches
NC-3814	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Dieback
NC-3815	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Significant lean. Broken branches
NC-3816	White oak	<i>Quercus alba</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3817	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Poor branching structure. Dead wood in crown. Thin crown
NC-3818	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	irregular growth form. Thin crown
NC-3819	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Leaning. Rotting trunk. Sapsucker holes. Very little crown remains
NC-3820	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	
NC-3821	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Fair	Reduced canopy, vines
NC-3822	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-3823	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided. Vines in lower branches
NC-3824	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-3825	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in crown. Broken branches
NC-3826	American holly	<i>Ilex opaca</i>	5, 4	2	2.5	7.5	Good	Twin trunks 5 x 4
NC-3827	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-3828	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form. Dead wood in lower canopy
NC-3829	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-3830	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-3831	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	Slightly irregular growth form
NC-3832	Red maple	<i>Acer rubrum</i>	14, 12	2	7	21	Fair	Twin trunk 14 x 12. Heavy vines into crown. Dead leader and rotting trunk wound in mainstem. Twin ok
NC-3833	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-3834	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	One side. Vines in lower branches
NC-3835	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Interfering crown. Broken/dead branches, irregular trunk
NC-3836	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Lean on slope, irregular crown
NC-3837	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Fair	Vines into crown. Large branch dieback and dead wood in crown
NC-3838	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines in crown. Thin crown
NC-3839	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-3840	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-3841	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines at base. Branch dieback in crown
NC-3842	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-3843	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-3844	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Lean. Branch dieback and dead wood in crown
NC-3845	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced crown
NC-3846	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Nearly dead, extensive decay and vines
NC-3847	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-3848	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3849	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Lean. Dead branches
NC-3850	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-3851	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dead / broken leader. Vines in crown
NC-3852	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Included bark
NC-3853	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-3854	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Significant lean. Vines in lower branches
NC-3855	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-3856	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Slightly unbalanced crown and bend in leader
NC-3857	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	vines in crown. Dead wood in canopy
NC-3858	Unknown		9	1	N/A	N/A	Standing Dead	
NC-3859	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-3860	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Fair	Significant lean
NC-3861	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form. Branch dieback and dead wood in crown
NC-3862	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches. Vine in lower branches. Thin crown
NC-3863	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-3864	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-3865	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Branch dieback in lower canopy. Slight lean. Minor vines at base
NC-3866	Black locust	<i>Robinia pseudoacacia</i>	14, 10	2	7	21	Fair	Twin trunk 14 x 10, dieback
NC-3867	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Poor	Possibly dead
NC-3868	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Reduced canopy
NC-3869	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Water sprouts, lean, dead branches
NC-3870	Red maple	<i>Acer rubrum</i>	12	1	N/A	N/A	Standing Dead	
NC-3871	Red maple	<i>Acer rubrum</i>	18	1	9	27	Poor	Significant trunk decay. Broken leaders. Trunk wounds. Dead branches
NC-3872	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Some water sprouts, healed trunk wound
NC-3873	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning. Vines in crown
NC-3874	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Thin crown. Large dead branches
NC-3875	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines in lower crown. Broken branches
NC-3876	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Poor	Both main and secondary leaders broken
NC-3877	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Unbalanced crown
NC-3878	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3879	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Heavy vines in crown. Slight lean
NC-3880	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-3881	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Broken leader. Lean
NC-3882	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-3883	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-3884	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-3885	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Unbalanced and thin crown
NC-3886	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-3887	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Leaning, reduced canopy
NC-3888	Red maple	<i>Acer rubrum</i>	19, 11	2	9.5	28.5	Fair	Twin trunks 19 x 11. Trunk wounds at base. Dieback in lower canopy
NC-3889	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Many vines
NC-3890	Red maple	<i>Acer rubrum</i>	8, 6, 6, 5	4	4	12	Fair	Multistem 8 x 6 x 6 x 5. Included bark, injury to one trunk with decay, lean
NC-3891	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Water sprouts, dead branches
NC-3892	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dead leader. Heavy vines
NC-3893	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Branch dieback and dead wood in crown. Vines into crown
NC-3894	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Reduced crown
NC-3895	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-3896	Red maple	<i>Acer rubrum</i>	9, 9, 7	3	4.5	13.5	Good	Multistem 9 x 9 x 7. Included bark
NC-3897	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-3898	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vine in crown. Dead branches
NC-3899	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Somewhat exposed roots
NC-3900	Red maple	<i>Acer rubrum</i>	12	1	N/A	N/A	Standing Dead	
NC-3901	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Trunk growth, water sprouts, thin crown
NC-3902	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Reduced canopy
NC-3903	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Irregular growth form. Dead twin stem cavity, rotting. Vines into crown
NC-3904	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-3905	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form. Dead branches
NC-3906	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken branches. Dead leader
NC-3907	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3908	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-3909	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying
NC-3910	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead main leader, secondary leader growing well
NC-3911	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Lean, trunk interfering with adjacent oak
NC-3912	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Possibly dead
NC-3913	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Heavy vines into crown. Slight lean. Unbalanced crown
NC-3914	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Some dead and broken branches
NC-3915	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3916	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Large poison ivy vines on trunk growing into crown
NC-3917	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Broken branches
NC-3918	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-3919	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-3920	Black locust	<i>Robinia pseudoacacia</i>	14	1	7	21	Fair	Reduced canopy
NC-3921	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-3922	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3923	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Dead leader
NC-3924	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-3925	Northern red oak	<i>Quercus rubra</i>	13, 12	2	6.5	19.5	Fair	Twin trunk 13 x 12, stressed, reduced canopy
NC-3926	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	
NC-3927	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines in lower branches. One sided
NC-3928	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in lower branches. Lean
NC-3929	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Branch dieback and broken branches in lower canopy. Vines at base
NC-3930	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, dead branches, water sprouts
NC-3931	Black locust	<i>Robinia pseudoacacia</i>	15	1	7.5	22.5	Fair	Many vines
NC-3932	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Reduced crown
NC-3933	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-3934	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3935	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-3936	Red maple	<i>Acer rubrum</i>	16	1	8	24	Poor	crown and lower canopy. Sapsucker holes
NC-3937	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-3938	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-3939	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-3940	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Heavy vines taking over crown. Little crown remains
NC-3941	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Fair	Large vines on trunk. Broken branches
NC-3942	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-3943	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in crown. Vines into crown
NC-3944	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-3945	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-3946	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-3947	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Broken/topped leader. Vines into crown. Remaining crown ok
NC-3948	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying
NC-3949	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	branches
NC-3950	Northern red oak	<i>Quercus rubra</i>	14	1	N/A	N/A	Standing Dead	
NC-3951	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Buttressed roots. Irregular growth form
NC-3952	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-3953	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Vines into crown. Dead wood in lower canopy. Irregular root collar
NC-3954	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Bark damage on secondary leader, slight lean, dead branches
NC-3955	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-3956	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean
NC-3957	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-3958	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean. Minor Vines into crown
NC-3959	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead leader. significant lean
NC-3960	Sweetgum	<i>Liquidambar styraciflua</i>	25	1	12.5	37.5	Fair	Many poison ivy vines on trunk into lower branches. Some dead branches
NC-3961	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Dead leader. Vines in crown
NC-3962	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Dying
NC-3963	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead leader. Irregular growth form
NC-3964	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-3965	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines in crown. Dead wood in lower canopy
NC-3966	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Leaning, reduced crown
NC-3967	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dying crown, decaying bark
NC-3968	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in canopy
NC-3969	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5. Lean, one sided
NC-3970	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Exposed roots on slope, healed trunk wound
NC-3971	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Few dead branches
NC-3972	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Leaning, reduced crown
NC-3973	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-3974	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-3975	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-3976	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Fair	Vines into crown. Some branch dieback and dead wood in crown
NC-3977	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-3978	Northern red oak	<i>Quercus rubra</i>	17	1	N/A	N/A	Standing Dead	
NC-3979	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-3980	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-3981	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-3982	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines into crown. Poor branching structure
NC-3983	Red maple	<i>Acer rubrum</i>	9, 9	2	4.5	13.5	Good	Twin trunks 9 x 9. Included bark
NC-3984	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Irregular growth form, very thin crown, dead branches
NC-3985	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Large vine on trunk
NC-3986	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Vines, stressed
NC-3987	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines into crown. Irregular growth form. Unbalanced crown
NC-3988	Red maple	<i>Acer rubrum</i>	10, 7	2	5	15	Fair	Twin trunks 10 x 7. Included bark, dead branches
NC-3989	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Decaying/dead leader
NC-3990	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-3991	Northern red oak	<i>Quercus rubra</i>	16	1	N/A	N/A	Standing Dead	
NC-3992	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-3993	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-3994	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning, vines
NC-3995	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Dead leader. Basal decay
NC-3996	Red maple	<i>Acer rubrum</i>	12, 8	2	6	18	Poor	Twin trunks 12 x 8. Both leaders broken. Included bark
NC-3997	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	
NC-3998	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-3999	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4000	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Trunk has right angle bend. Lean. On steep slope
NC-4001	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Branch dieback and dead wood in lower canopy
NC-4002	Red maple	<i>Acer rubrum</i>	24	1	12	36	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4003	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-4004	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-4005	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Split leader, included bark
NC-4006	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Irregular growth form. Dead branches. Lean
NC-4007	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	Thin crown, broken branches
NC-4008	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-4009	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular crown, dead branches
NC-4010	American elm	<i>Ulmus americana</i>	27, 11	2	13.5	40.5	Fair	Twin trunks 27 x 11. Vines into crown. Dead wood in canopy
NC-4011	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4012	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, reduced canopy
NC-4013	Red maple	<i>Acer rubrum</i>	5, 5, 2, 2	4	2.5	7.5	Good	Multistem 5 x 5 x 2 x 2. Included bark
NC-4014	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4015	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	Minor vines at base
NC-4016	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-4017	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Thin crown
NC-4018	Red maple	<i>Acer rubrum</i>	5, 5	2	2.5	7.5	Fair	Twin trunks 5 x 5, included bark, irregular growth form
NC-4019	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-4020	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-4021	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4022	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Good	
NC-4023	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-4024	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-4025	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines into crown. Leaning towards the road. Unbalanced crown
NC-4026	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4027	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Some dead branches
NC-4028	Slippery elm	<i>Ulmus rubra</i>	10	1	5	15	Fair	Poor branching structure. Dieback in crown. Vines in crown
NC-4029	American holly	<i>Ilex opaca</i>	22	1	11	33	Fair	Splits above DBH. Vines into crown. One twin has broken leader. Girdling roots
NC-4030	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4031	Red maple	<i>Acer rubrum</i>	13, 9	2	5	15	Fair	Twin trunks 13 x 9. Lean, one sided
NC-4032	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-4033	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-4034	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying
NC-4035	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Leaning towards the road. Exposed roots on slope. Unbalanced crown
NC-4036	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-4037	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-4038	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Poison ivy vine on trunk
NC-4039	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Vines at base. Slightly unbalanced crown
NC-4040	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Exposed roots. Bend in leader
NC-4041	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Vines into crown. Exposed roots on slope. Thin crown
NC-4042	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-4043	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4044	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, broken branches, vines
NC-4045	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Dead wood in crown. Thin crown. Vines into crown
NC-4046	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-4047	Willow oak	<i>Quercus phellos</i>	28, 27	2	14	42	Good	wound. Included bark. Minor dead wood in canopy
NC-4048	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader, right angle on trunk
NC-4049	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Included bark, few dead branches
NC-4050	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vine on trunk, thin crown
NC-4051	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Branch dieback in crown. Thin crown
NC-4052	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy, vines
NC-4053	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-4054	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Good	
NC-4055	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-4056	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4057	Northern red oak	<i>Quercus rubra</i>	14	1	N/A	N/A	Standing Dead	
NC-4058	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-4059	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Bend in leader. Slight lean. Vines entering crown
NC-4060	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	Minor dieback in crown
NC-4061	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, split leader
NC-4062	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Trunk and branch decay, cavity at base, lean, dead tree leaning on trunk
NC-4063	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular bark. Broken leader healed. Vines entering crown
NC-4064	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Small bend in lower trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4065	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-4066	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Good	Few broken branches
NC-4067	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Exposed roots. Poor branching structure
NC-4068	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-4069	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4070	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Unbalanced crown. Vines in crown
NC-4071	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Trunk rot, reduced crown
NC-4072	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Unbalanced crown
NC-4073	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-4074	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines on trunk, thin crown
NC-4075	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular crown, water sprouts
NC-4076	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-4077	American holly	<i>Ilex opaca</i>	5, 2	2	2.5	7.5	Good	Twin trunks 5 x 2
NC-4078	Tuliptree	<i>Liriodendron tulipifera</i>	22, 6	2	11	33	Good	Twin trunks 22 x 6, large broken branch
NC-4079	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, unbalanced crown
NC-4080	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Good	
NC-4081	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-4082	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Reduced canopy
NC-4083	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4084	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Slight lean
NC-4085	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Broken leader. Vines into crown
NC-4086	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines into crown, one sided
NC-4087	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-4088	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Irregular growth form
NC-4089	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning
NC-4090	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4091	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Leaning
NC-4092	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	dead wood in crown and lower canopy. Vines entering crown
NC-4093	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Water sprouts
NC-4094	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Poor branching structure. Unbalanced crown
NC-4095	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-4096	Unknown		10	1	N/A	N/A	Standing Dead	
NC-4097	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Large poison ivy on trunk growing into canopy. Broken branches
NC-4098	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Branch dieback and dead wood in crown. Vines into crown
NC-4099	Red maple	<i>Acer rubrum</i>	11, 6	2	5.5	16.5	Fair	Twin trunks 11 x 6. 6" trunk with some decay. Irregular growth form, included bark
NC-4100	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-4101	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-4102	Unknown		15	1	N/A	N/A	Standing Dead	
NC-4103	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-4104	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4105	American holly	<i>Ilex opaca</i>	7, 3	2	3.5	10.5	Good	Twin trunks 7 x 3
NC-4106	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken branches
NC-4107	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-4108	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines into crown
NC-4109	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	Bend in upper trunk
NC-4110	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Bend in trunk
NC-4111	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-4112	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-4113	Red maple	<i>Acer rubrum</i>	7, 5, 5, 3	4	3.5	10.5	Fair	Multistem 7 x 5 x 5 x 3. Included bark, one sided
NC-4114	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-4115	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Fair	Twin trunks 8 x 5. Included bark, water sprouts, small area of trunk decay
NC-4116	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown
NC-4117	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-4118	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-4119	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Split leader, one broken leader
NC-4120	Sweetgum	<i>Liquidambar styraciflua</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, dying leader
NC-4121	Red maple	<i>Acer rubrum</i>	12, 9	2	6	18	Fair	Twin trunk 12 x 9, trunk rot
NC-4122	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-4123	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-4124	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4125	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-4126	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-4127	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-4128	Red maple	<i>Acer rubrum</i>	8, 8, 6	3	4	12	Good	Multistem trunk 8 x 8 x 6
NC-4129	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-4130	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4131	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4132	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	
NC-4133	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4134	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Large broken secondary leader
NC-4135	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-4136	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twim trunks 8 x 6. One sided, slight lean
NC-4137	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	
NC-4138	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-4139	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, included bark
NC-4140	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4141	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Lean, trunk wounds, dead tree leaning on crown
NC-4142	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-4143	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines in lower crown, thin crown
NC-4144	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, split leader
NC-4145	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-4146	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-4147	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-4148	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Branch dieback in crown and lower canopy. Dead wood in lower canopy. Thin crown
NC-4149	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines in crown. Unbalanced crown. Large branch dieback in crown
NC-4150	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Splits above DBH. Included bark. Broken leaders vines entering crown. Remaining crown ok
NC-4151	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-4152	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-4153	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-4154	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Included bark, irregular growth form
NC-4155	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-4156	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-4157	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Good	
NC-4158	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Trunk wound with decay where leader splits, vines in crown
NC-4159	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4160	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Lean, split leader
NC-4161	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, vines into crown for smaller leader
NC-4162	Willow oak	<i>Quercus phellos</i>	14, 6, 6	3	7	21	Fair	Multistem 14 x 6 x 6. Irregular growth form, broken branches, included bark
NC-4163	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	
NC-4164	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	Few water sprouts
NC-4165	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	Broken branches
NC-4166	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	
NC-4167	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced crown
NC-4168	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Right angle bend in trunk old dead leader and secondary leader took over
NC-4169	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-4170	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-4171	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Broken leader. Vines entering crown
NC-4172	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, vines in lower branches
NC-4173	Unknown		6	1	N/A	N/A	Standing Dead	
NC-4174	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vine on trunk
NC-4175	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Bend in trunk, irregular growth form, broken branches
NC-4176	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-4177	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Large dead tree leaning on trunk
NC-4178	Red maple	<i>Acer rubrum</i>	9, 6	2	4.5	13.5	Fair	Twin trunks 9 x 6. Water sprouts, lean
NC-4179	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Heavy vines in crown. Thin crown
NC-4180	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-4181	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Bend in leader. Vines into crown
NC-4182	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Crown overtopped by vines
NC-4183	Unknown		18	1	N/A	N/A	Standing Dead	
NC-4184	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4185	Blackgum	<i>Nyssa sylvatica</i>	5, 1	2	2.5	7.5	Fair	Twin trunks 5 x 1. Irregular growth form. Leader broken. Dead trees leaning on trunk
NC-4186	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-4187	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Debris leaning on trunk, healed over trunk wound
NC-4188	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced crown
NC-4189	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Poor branching structure in crown. Included bark
NC-4190	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	One sided, healed trunk wounds
NC-4191	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Tree fall debris in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-4192	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Poor	Decaying bark, water sprouts
NC-4193	Blackgum	<i>Nyssa sylvatica</i>		6	1	3	9	Good	
NC-4194	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair	Reduced crown
NC-4195	Sweetgum	<i>Liquidambar styraciflua</i>		17	1	8.5	25.5	Fair	Trunk damage, sap discharge
NC-4196	Eastern redcedar	<i>Juniperus virginiana</i>		5	1	2.5	7.5	Fair	Vines
NC-4197	White oak	<i>Quercus alba</i>		13	1	6.5	19.5	Good	
NC-4198	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair	Large trunk wound. Leader dead.
NC-4199	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Good	Leaning. Unbalanced crown
NC-4200	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Good	Few dead branches
NC-4201	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good	Minor broken branches
NC-4202	Red maple	<i>Acer rubrum</i>		8	1	N/A	N/A	Standing Dead	
NC-4203	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Good	Unbalanced crown
NC-4204	Northern red oak	<i>Quercus rubra</i>		12	1	6	18	Good	
NC-4205	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24	Good	Minor dead wood in lower canopy
NC-4206	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5	Fair	Dieback
NC-4207	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good	Bend in upper trunk
NC-4208	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good	Split leader
NC-4209	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	Irregular growth form
NC-4210	White oak	<i>Quercus alba</i>		8	1	4	12	Good	
NC-4211	Red maple	<i>Acer rubrum</i>	5, 4, 3	3	2.5	7.5	Poor		Multistem 5 x 4 x 3. Decaying trunks, significant lean
NC-4212	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Good	
NC-4213	American beech	<i>Fagus grandifolia</i>		9	1	4.5	13.5	Fair	Irregular growth form
NC-4214	Southern red oak	<i>Quercus falcata</i>		11	1	5.5	16.5	Good	
NC-4215	Willow oak	<i>Quercus phellos</i>		14	1	7	21	Fair	Bend in upper trunk, broken branches
NC-4216	Slippery elm	<i>Ulmus rubra</i>		9	1	4.5	13.5	Fair	Poor branching structure in crown. Minor vines at base. Slight lean
NC-4217	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair	Reduced canopy
NC-4218	Blackjack oak	<i>Quercus marilandica</i>		7	1	3.5	10.5	Fair	Reduced canopy
NC-4219	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Fair	Unbalanced and thin crown
NC-4220	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12	Fair	Reduced canopy
NC-4221	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good	Included bark
NC-4222	Red maple	<i>Acer rubrum</i>		16	1	8	24	Good	
NC-4223	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Fair	One sided, thin crown
NC-4224	Red maple	<i>Acer rubrum</i>	20	1	10	30	Poor		Large branch dieback in crown. Dead wood in crown and lower canopy. Vines into crown. Leaning dead limbs from other trees
NC-4225	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair		Many water sprouts
NC-4226	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair		Leaning. Dead wood in crown and lower canopy
NC-4227	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	N/A	N/A	Standing Dead	
NC-4228	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Good	
NC-4229	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5	Fair	Leaning, vines
NC-4230	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good	
NC-4231	Willow oak	<i>Quercus phellos</i>		13	1	6.5	19.5	Good	Healed small wound at base
NC-4232	Common persimmon	<i>Diospyros virginiana</i>		14	1	7	21	Good	
NC-4233	Northern red oak	<i>Quercus rubra</i>		13	1	6.5	19.5	Good	
NC-4234	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18	Fair	Vines, reduced canopy
NC-4235	Willow oak	<i>Quercus phellos</i>	24	1	12	36	Fair		Some bark damage, vine on trunk, decaying limb
NC-4236	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair		Dieback
NC-4237	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair		Dead wood. Vines in crown. Heavy vines at base
NC-4238	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good		
NC-4239	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair		Heavy vines canopy. Thin crown
NC-4240	Red maple	<i>Acer rubrum</i>	16, 7	2	8	24	Fair		Twin trunks 16 x 7. Dead wood in canopy and crown. Dead tree fell between stems
NC-4241	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair		Reduced canopy
NC-4242	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good		Minor dead wood in lower canopy
NC-4243	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair		Poor branching structure. Large branch dieback in crown. Thin crown
NC-4244	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead		
NC-4245	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair		Vines in crown
NC-4246	White oak	<i>Quercus alba</i>	6	1	3	9	Good		
NC-4247	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair		One sided, dead 3" stump sprout, dead branches
NC-4248	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair		Heavy vines on trunk and in crown. Thin crown
NC-4249	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair		Vines in lower branches
NC-4250	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good		One sided
NC-4251	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead		
NC-4252	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor		Broken leader, multiple stems forming crown, cavity

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4253	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4254	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-4255	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Good	
NC-4256	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Broken branches
NC-4257	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead wood in lower canopy. Poor branching structure. Vines in crown
NC-4258	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	
NC-4259	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Lean, large poison ivy vine on trunk
NC-4260	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in crown. Vines at base
NC-4261	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4262	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Poor	Leaning, dieback
NC-4263	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Irregular growth form, water sprouts
NC-4264	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Split leader, irregular growth form
NC-4265	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying
NC-4266	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Leaning towards the road. Vines at base. Thin crown
NC-4267	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-4268	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-4269	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Broken branches, slight lean
NC-4270	Red maple	<i>Acer rubrum</i>	5, 1, 1	3	2.5	7.5	Fair	Multistem 5 x 1 x 1. Vines into crown of smaller stems. Dead wood in crown of mainstem
NC-4271	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-4272	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-4273	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Some bark decay, irregular crown
NC-4274	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Slight lean
NC-4275	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning
NC-4276	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Fair	Vines
NC-4277	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dying
NC-4278	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	
NC-4279	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Large trunk wound with decay
NC-4280	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor broken branches
NC-4281	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form. Rotting branches in lower canopy
NC-4282	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	
NC-4283	Northern red oak	<i>Quercus rubra</i>	27	1	13.5	40.5	Good	
NC-4284	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines, dead wood, broken branches in crown
NC-4285	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, irregular bark
NC-4286	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form. Branch dieback and dead wood in lower canopy. Large dead limb from other tree resting on trunk split. Slight lean
NC-4287	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Lean, broken branches
NC-4288	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Interfering crown, one sided
NC-4289	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Leaning
NC-4290	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Fair	Trunk rot
NC-4291	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4292	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Thin crown
NC-4293	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Vines in crown, broken branches
NC-4294	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Heavy vines in crown
NC-4295	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Lean, broken branches
NC-4296	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-4297	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4298	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Lean
NC-4299	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-4300	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Bend in upper trunk
NC-4301	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4302	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Dead branches, thin crown
NC-4303	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-4304	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Irregular growth form.
NC-4305	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Decay in branches, a lot of water sprouts
NC-4306	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4307	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying
NC-4308	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-4309	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-4310	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Fair	Leaning towards the road. Heavy vines in crown. Dead wood in lower canopy
NC-4311	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-4312	Northern red oak	<i>Quercus rubra</i>	10	1	N/A	N/A	Standing Dead	
NC-4313	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Fair	One sided, broken branches
NC-4314	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	Thin crown
NC-4315	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-4316	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Lean, vines in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
								Included bark. Irregular growth form.
NC-4317	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in lower canopy
NC-4318	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4319	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-4320	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Leaning
NC-4321	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-4322	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4323	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Growths on trunk
NC-4324	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-4325	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying
NC-4326	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-4327	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Interfering branches, large broken branch
NC-4328	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor Dead wood in lower canopy
NC-4329	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, thin crown
NC-4330	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-4331	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, broken branches
NC-4332	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Broken and decaying trunk
NC-4333	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4334	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, reduced crown
NC-4335	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Healed trunk wound, multiple leaders above DBH
NC-4336	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	
NC-4337	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4338	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4339	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4340	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Dead branches
NC-4341	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in canopy, leaning
NC-4342	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Large poison ivy vine on trunk
NC-4343	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-4344	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-4345	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Vines in crown. Thin crown
NC-4346	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines on trunk, broken branches
NC-4347	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4348	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, lean
NC-4349	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Leaning
NC-4350	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-4351	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-4352	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Fair	One sided, heavy greenbrier on lower branches
NC-4353	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Dead wood in lower canopy. Thin crown. Buttressed roots
NC-4354	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Unbalanced crown
NC-4355	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4356	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4357	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Slight lean
NC-4358	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in crown, dead branches
NC-4359	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Thin crown, slight lean
NC-4360	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	Slightly one sided
NC-4361	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-4362	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-4363	Red maple	<i>Acer rubrum</i>	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-4364	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-4365	Blackjack oak	<i>Quercus marilandica</i>	7	1	3.5	10.5	Fair	Reduced crown
NC-4366	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-4367	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning
NC-4368	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-4369	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Dieback
NC-4370	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-4371	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Fair	One sided, large broken branches
NC-4372	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Irregular and thin crown
NC-4373	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form, water sprouts
NC-4374	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	Few broken branches
NC-4375	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Dead wood in lower canopy. Thin crown.
NC-4376	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Reduced crown
NC-4377	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-4378	Unknown		5	1	N/A	N/A	Standing Dead	
NC-4379	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-4380	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-4381	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Irregular growth form
NC-4382	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Slight lean. Unbalanced crown. Dead wood in crown
NC-4383	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Large poison ivy vine on trunk
NC-4384	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4385	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4386	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, one sided
NC-4387	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	A lot of bark damage, bend in leader
NC-4388	American elm	<i>Ulmus americana</i>	17	1	8.5	25.5	Good	
NC-4389	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4390	Red maple	<i>Acer rubrum</i>	10, 6	2	5	15	Fair	Twin trunks 10 x 6. Lean, vines on lower branches, included bark
NC-4391	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Significant lean, trunk wound, dead main leader
NC-4392	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4393	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Slight lean
NC-4394	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Large grapevine on trunk, dead branches
NC-4395	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4396	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-4397	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines in canopy
NC-4398	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in leader, thin crown
NC-4399	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-4400	Sweetgum	<i>Liquidambar styraciflua</i>	11, 8	2	5.5	16.5	Good	Twin trunk 11 x 8
NC-4401	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, bark damage on secondary leader
NC-4402	Northern red oak	<i>Quercus rubra</i>	15	1	N/A	N/A	Standing Dead	
NC-4403	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-4404	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-4405	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Good	Vines
NC-4406	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Dead crown
NC-4407	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Good	
NC-4408	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-4409	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Lean, one sided
NC-4410	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-4411	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	2" dead stem on trunk. Dead wood in crown and lower canopy
NC-4412	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	Slight lean towards road
NC-4413	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Broken branches
NC-4414	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean towards road. Heavy vines into crown
NC-4415	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Growing into adjacent tree. Vines into crown
NC-4416	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-4417	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Reduced canopy
NC-4418	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Broken leader, dead branches
NC-4419	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Significant lean, tree laying on trunk, dead branches, heavy vines
NC-4420	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4421	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy. Vines at base. Entering crown
NC-4422	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Good	Broken branches
NC-4423	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-4424	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Dead branches
NC-4425	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on lower branches, dead branches
NC-4426	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4427	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Good	
NC-4428	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Few broken branches
NC-4429	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Water sprouts, broken main leader
NC-4430	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-4431	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, bend in upper trunk
NC-4432	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4433	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, broken branches
NC-4434	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-4435	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-4436	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-4437	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4438	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, thin crown
NC-4439	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Good	
NC-4440	Eastern white pine	<i>Pinus strobus</i>	20	1	10	30	Good	
NC-4441	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Bend in leader, dead branches
NC-4442	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Thin crown, few broken branches
NC-4443	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vine on lower branches, broken lower branches
NC-4444	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-4445	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, thin crown
NC-4446	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4447	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	decay
NC-4448	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	Few broken branches
NC-4449	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-4450	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, growing from secondary leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4451	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Thin crown
NC-4452	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4453	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Bend in lower trunk, debris leaning on trunk
NC-4454	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Few broken lower branches
NC-4455	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced canopy
NC-4456	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-4457	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4458	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-4459	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-4460	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4461	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4462	White oak	<i>Quercus alba</i>	8	1	N/A	N/A	Standing Dead	
NC-4463	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-4464	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-4465	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Few broken branches
NC-4466	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4467	Northern catalpa	<i>Catalpa speciosa</i>	15	1	7.5	22.5	Good	Minor exposed roots
NC-4468	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-4469	American holly	<i>Ilex opaca</i>	5, 4, 3	3	2.5	7.5	Good	Multistem 5 x 4 x 3
NC-4470	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-4471	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-4472	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-4473	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-4474	Virginia pine	<i>Pinus virginiana</i>	12, 12	2	N/A	N/A	Standing Dead	Twin trunks 12 x 12
NC-4475	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-4476	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-4477	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-4478	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Slightly one sided
NC-4479	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-4480	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines, reduced crown
NC-4481	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-4482	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	
NC-4483	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Good	Several broken branches
NC-4484	Pin oak	<i>Quercus palustris</i>	22	1	11	33	Fair	Vine on trunk
NC-4485	Willow oak	<i>Quercus phellos</i>	13, 6, 5	3	6.5	19.5	Fair	Multistem 13 x 6 x 5. One sided, several dead branches
NC-4486	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Fair	Vines, dieback
NC-4487	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Fair	Vines on lower branches
NC-4488	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-4489	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-4490	Eastern white pine	<i>Pinus strobus</i>	22	1	11	33	Good	
NC-4491	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in crown, broken lower branches
NC-4492	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	Minor dead wood in lower canopy
NC-4493	Blackjack oak	<i>Quercus marilandica</i>	10	1	5	15	Fair	Fungus, dead branches
NC-4494	Red maple	<i>Acer rubrum</i>	5, 5	2	N/A	N/A	Standing Dead	Twin trunks 5 x 5
NC-4495	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, thin crown
NC-4496	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-4497	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Broken branches
NC-4498	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-4499	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines in canopy
NC-4500	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken leader
NC-4501	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Slight bend in leader
NC-4502	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Poor	Significant lean, damaged leader
NC-4503	Red maple	<i>Acer rubrum</i>	9, 5	2	4.5	13.5	Fair	Twin trunks 9 x 5. Included bark, interfering trunks, dead branches
NC-4504	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	One sided, many broken branches
NC-4505	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Fair	Trunks fused at DBH, then twist on each other, broken branches
NC-4506	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-4507	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, broken branches, thin crown
NC-4508	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Dead limb
NC-4509	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Dead tree leaning on trunk, bend in leader, thin crown
NC-4510	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	
NC-4511	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Minor rotting branches in lower canopy
NC-4512	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Bark decay and wounds
NC-4513	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-4514	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Trunk rot
NC-4515	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-4516	Red maple	<i>Acer rubrum</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7. Many water sprouts, included bark, dead branches
NC-4517	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-4518	Unknown		7	1	N/A	N/A	Standing Dead	
NC-4519	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4520	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form, bend in upper trunk
NC-4521	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in lower crown, broken branches
NC-4522	American sycamore	<i>Platanus occidentalis</i>	8, 7, 2	3	4	12	Good	Multistem 8 x 7 x 2, included bark
NC-4523	Eastern white pine	<i>Pinus strobus</i>	7	1	3.5	10.5	Poor	Dying
NC-4524	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-4525	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	Thin crown
NC-4526	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Dead secondary leader, greenbrier on lower branches
NC-4527	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines in crown, broken branches
NC-4528	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4529	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4530	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	Irregular growth form, broken branches
NC-4531	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Broken branches, irregular crown
NC-4532	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-4533	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4534	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-4535	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-4536	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Lean, dead wood in lower canopy
NC-4537	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-4538	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Dying
NC-4539	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	Few broken branches
NC-4540	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-4541	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	One sided, broken branches
NC-4542	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Vines on trunk, lean
NC-4543	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Bend in trunk
NC-4544	Unknown		7	1	N/A	N/A	Standing Dead	
NC-4545	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Snapped leader, still producing buds, growing horizontally
NC-4546	American holly	<i>Ilex opaca</i>	8, 3	2	4	12	Good	Twin trunks 8 x 3
NC-4547	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Dying
NC-4548	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4549	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-4550	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Thin crown
NC-4551	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	One sided, bend in upper trunk
NC-4552	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Lean, one sided
NC-4553	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-4554	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-4555	Red maple	<i>Acer rubrum</i>	11, 7	2	5.5	16.5	Fair	Twin trunks 11 x 7. Included bark, broken branches
NC-4556	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	One sided, dead and broken branches
NC-4557	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	Some broken branches
NC-4558	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean in upper trunk, brown branches
NC-4559	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in canopy
NC-4560	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-4561	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken and rotting branches in crown
NC-4562	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4563	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Bend in upper trunk
NC-4564	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Broken and rotten leader, irregular growth form, water sprouts
NC-4565	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines in canopy
NC-4566	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Extensive vines
NC-4567	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Slightly one sided
NC-4568	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Bend in leader, unbalanced crown
NC-4569	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Split leader at top
NC-4570	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Vines in canopy
NC-4571	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-4572	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Dead wood in lower canopy, thin crown
NC-4573	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-4574	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines in upper trunk
NC-4575	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Bend in trunk
NC-4576	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Fair	Irregular growth form, lean
NC-4577	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Included bark, second leader above DBH
NC-4578	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Broken branches
NC-4579	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Irregular growth form, large dead branch, debris leaning on trunk
NC-4580	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4581	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4582	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-4583	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Very thin crown
NC-4584	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-4585	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-4586	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-4587	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Dead leader, lean
NC-4588	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Reduced canopy
NC-4589	Northern red oak	<i>Quercus rubra</i>	17, 13	2	8.5	25.5	Fair	Twin trunk 17 x 13, dieback

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4590	Northern red oak	<i>Quercus rubra</i>	16, 14	2	8	24	Fair	16 x 14, dead limbs
NC-4591	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4592	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning
NC-4593	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Good	
NC-4594	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	Dead wood in lower canopy
NC-4595	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-4596	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Stressed
NC-4597	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning
NC-4598	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Reduced canopy
NC-4599	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4600	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-4601	White oak	<i>Quercus alba</i>	8	1	N/A	N/A	Standing Dead	
NC-4602	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Significant lean
NC-4603	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Large standing dead leaning on this tree, water sprouts, rotting branches in canopy
NC-4604	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Significant lean
NC-4605	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6. Included bark, water sprouts, dead branches
NC-4606	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning
NC-4607	Red maple	<i>Acer rubrum</i>	10, 9	2	5	15	Fair	Twin trunks 10 x 9. Lean, one sided
NC-4608	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4609	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	dead wood in crown and lower canopy, slightly unbalanced crown
NC-4610	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-4611	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced canopy
NC-4612	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-4613	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4614	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Standing dead tree leaning at base, significant lean, irregular growth form
NC-4615	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-4616	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4617	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Significant lean
NC-4618	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4619	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Irregular growth form
NC-4620	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, one sided, greenbrier on lower branches
NC-4621	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Many vines
NC-4622	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Broken branches
NC-4623	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, irregular growth form
NC-4624	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-4625	Red maple	<i>Acer rubrum</i>	9, 8, 6	3	4.5	13.5	Good	Multistem 9 x 8 x 6. Included bark
NC-4626	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Broken trunk, thin crown
NC-4627	American holly	<i>Ilex opaca</i>	5, 4	2	2.5	7.5	Good	Twin trunks 5 x 4
NC-4628	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Dead branch from another tree leaning on this tree, broken branches in crown
NC-4629	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Dead wood in lower canopy
NC-4630	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-4631	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4632	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slightly unbalanced crown
NC-4633	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Significant lean
NC-4634	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-4635	Unknown		12	1	N/A	N/A	Standing Dead	
NC-4636	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-4637	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly unbalanced crown
NC-4638	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Lean, one sided
NC-4639	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4640	Red maple	<i>Acer rubrum</i>	20, 7	2	10	30	Good	Twin trunk 20 x 7
NC-4641	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4642	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-4643	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Good	Minor lower dead branches
NC-4644	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-4645	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Poor	Dying
NC-4646	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines in lower branches
NC-4647	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Large broken branches, unbalanced crown
NC-4648	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-4649	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Dead 2" stump sprout
NC-4650	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lots of dead wood in lower canopy, lean, thin crown
NC-4651	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4652	Red maple	<i>Acer rubrum</i>	9, 6, 3	3	3	9	Fair	Multistem 9 x 6 x 3. Dead branches, 6" trunk has lean, greenbrier on lower branches
NC-4653	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-4654	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4655	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4656	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6. Vines on trunk, one broken leader
NC-4657	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-4658	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Large poison ivy vine up into crown
NC-4659	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on trunk
NC-4660	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form, one sided
NC-4661	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor dead wood in crown
NC-4662	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-4663	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form
NC-4664	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-4665	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4666	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Dead wood in lower canopy, unbalanced crown
NC-4667	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-4668	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Trunk rot
NC-4669	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4670	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-4671	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Minor dead wood in crown
NC-4672	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Poor branching structure, dead wood in crown
NC-4673	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Dead wood in lower canopy
NC-4674	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4675	Sweetgum	<i>Liquidambar styraciflua</i>	7, 6	2	3.5	10.5	Fair	branches
NC-4676	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4677	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Large cavity at base rotting, unbalanced crown
NC-4678	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-4679	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4680	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Adjacent tree 2"
NC-4681	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4682	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	crown
NC-4683	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Good	Small bend in upper trunk
NC-4684	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Poor	Dying
NC-4685	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Unbalanced crown, moderate dead wood in crown
NC-4686	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean
NC-4687	Eastern white pine	<i>Pinus strobus</i>	21	1	10.5	31.5	Good	
NC-4688	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Minor broken branches in lower canopy
NC-4689	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Extensive vines
NC-4690	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-4691	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Broken leader, very few branches
NC-4692	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader, thin crown
NC-4693	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-4694	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4695	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dieback
NC-4696	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4697	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-4698	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-4699	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Moderate vines at base, dead wood in crown
NC-4700	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Dead wood in canopy, irregular trunk structure
NC-4701	Northern red oak	<i>Quercus rubra</i>	26	1	13	39	Good	
NC-4702	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-4703	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-4704	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in lower canopy, adjacent stand dead tree leaning on this tree
NC-4705	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight irregular trunk
NC-4706	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, dead tree leaning against lower trunk
NC-4707	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-4708	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Large broken branches, thin crown
NC-4709	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, dead wood in crown, thin crown
NC-4710	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Extensive vines
NC-4711	Red maple	<i>Acer rubrum</i>	17, 12	2	8.5	25.5	Good	Twin trunks 17 x 12, included bark
NC-4712	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4713	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-4714	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Suckering at base, slight lean
NC-4715	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-4716	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Poor	Vines
NC-4717	Red maple	<i>Acer rubrum</i>	11, 7	2	5.5	16.5	Good	Twin trunk 11 x 7
NC-4718	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-4719	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Unbalanced crown, dead wood in canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4720	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown, several broken branches
NC-4721	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Vines
NC-4722	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-4723	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	branches
NC-4724	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-4725	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4726	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	crown
NC-4727	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-4728	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4729	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Unbalanced crown, large broken branch
NC-4730	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-4731	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Bend in leader, slightly unbalanced crown
NC-4732	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4733	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Reduced canopy
NC-4734	Pine sp.	<i>Pinus sp.</i>	15	1	N/A	N/A	Standing Dead	
NC-4735	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-4736	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead leader
NC-4737	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Broken leader
NC-4738	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-4739	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-4740	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Significant lean, vines in lower branches
NC-4741	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Lots of water sprouts, thin crown
NC-4742	Red maple	<i>Acer rubrum</i>	13, 10	2	6.5	19.5	Fair	Twins 13 x 10. 10" twin has lean and
NC-4743	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Water sprouts, dead branches
NC-4744	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-4745	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	crown
NC-4746	Red maple	<i>Acer rubrum</i>	11, 10	2	5.5	16.5	Poor	Twin trunk 11 x 10, vines, dead leader
NC-4747	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	
NC-4748	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-4749	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Moderate dead wood in crown
NC-4750	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4751	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines on trunk, included bark
NC-4752	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-4753	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Vines
NC-4754	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-4755	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Thin crown, broken branches
NC-4756	Red maple	<i>Acer rubrum</i>	20, 13	2	10	30	Good	Twin trunk 20 x 13
NC-4757	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning
NC-4758	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-4759	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Moderate dead wood in canopy
NC-4760	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Slight lean, broken branches
NC-4761	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-4762	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4763	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Fair	Heavy vines in crown, unbalanced crown
NC-4764	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-4765	Black cherry	<i>Prunus serotina</i>	8	1	N/A	N/A	Standing Dead	
NC-4766	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Large bend in trunk
NC-4767	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Moderate dead wood in crown, sap ooze on trunk
NC-4768	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	
NC-4769	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Split leader above DBH
NC-4770	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4771	Red maple	<i>Acer rubrum</i>	11, 2	2	5.5	16.5	Poor	Multistem trunk 11 x 2, main trunk dead
NC-4772	American sycamore	<i>Platanus occidentalis</i>	13	1	6.5	19.5	Fair	Lean, debris leaning against trunk, irregular trunk
NC-4773	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, broken branches
NC-4774	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4775	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	
NC-4776	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Few broken branches, gnarled bark
NC-4777	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Leaning, dead branches
NC-4778	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Trunk rot
NC-4779	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-4780	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches, interfering crown, thin crown
NC-4781	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in canopy, thin crown
NC-4782	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-4783	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-4784	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Fair	Broken leader
NC-4785	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-4786	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Some broken lower branches
NC-4787	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-4788	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken primary leader, secondary leader growing
NC-4789	White oak	<i>Quercus alba</i>	10	1	5	15	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4790	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	Minor branch dieback in lower canopy, broken branches
NC-4791	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-4792	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4793	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-4794	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Significant lean, debris leaning on trunk
NC-4795	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-4796	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-4797	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Debris leaning against trunk, lean
NC-4798	Unknown		9	1	N/A	N/A	Standing Dead	
NC-4799	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-4800	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-4801	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-4802	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	One sided, slight lean
NC-4803	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4804	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-4805	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular trunk, thin crown
NC-4806	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Significant lean, a lot of debris leaning on trunk
NC-4807	Eastern white pine	<i>Pinus strobus</i>	26	1	13	39	Good	
NC-4808	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning towards road, thin crown
NC-4809	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Broken branches, irregular bark
NC-4810	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-4811	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-4812	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, leaning towards road
NC-4813	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Poor	Broken leader in a middle of tree fall, a lot of debris leaning against trunk
NC-4814	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-4815	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines into crown, thin crown
NC-4816	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, dead wood in crown and lower canopy
NC-4817	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4818	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Significant lean, roots coming out of ground, debris leaning on trunk
NC-4819	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	One sided, water sprouts
NC-4820	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4821	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-4822	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Significant lean, large tree leaning on trunk
NC-4823	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	branch
NC-4824	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, bend in leader
NC-4825	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-4826	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Significant lean
NC-4827	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Slight lean, dead wood in crown, thin crown
NC-4828	Eastern white pine	<i>Pinus strobus</i>	24	1	12	36	Good	
NC-4829	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Poor branching structure
NC-4830	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-4831	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4832	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	One sided, dead branches
NC-4833	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form, trunk wound rotting
NC-4834	White oak	<i>Quercus alba</i>	9, 7	2	4.5	13.5	Fair	Twin trunk 9 x 7, dead leader
NC-4835	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Poor	Trunk nearly horizontal, part of tree fall, roots coming out of ground
NC-4836	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in lower crown and canopy, thin crown
NC-4837	Red maple	<i>Acer rubrum</i>	12, 10, 10, 8, 8	5	6	18	Good	Multistem 12 x 10 x 10 x 8 x 8. Included bark
NC-4838	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Bend in leader, minor branch dieback in lower canopy
NC-4839	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-4840	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-4841	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Greenbrier on lower branches
NC-4842	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Broken leader and broken branches
NC-4843	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Fair	Moderate dead wood in crown, unbalanced crown
NC-4844	Southern red oak	<i>Quercus falcata</i>	24	1	12	36	Fair	Debris leaning on trunk
NC-4845	Blackgum	<i>Nyssa sylvatica</i>	7	1	N/A	N/A	Standing Dead	
NC-4846	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4847*	Willow oak	<i>Quercus phellos</i>	40	1	20	60	Good	Twin trunk above DBH, included bark, dead wood and broken branches in lower canopy
NC-4848	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4849	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-4850	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Fair	Irregular growth form, large dead branch

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4851	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-4852	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-4853	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Lean, many sprouts coming out of trunk, included bark
NC-4854	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Broken leader
NC-4855	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-4856	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, thin crown
NC-4857	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-4858	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-4859	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	
NC-4860	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader, thin crown, vines into leader
NC-4861	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Dead wood in crown and lower canopy, unbalanced crown
NC-4862	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Bend in its trunk
NC-4863	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4864	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided, bend in upper trunk
NC-4865	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	One sided, vines on lower branches
NC-4866	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	
NC-4867	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Branch dieback, dead wood in crown, thin crown
NC-4868	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Slight bend in trunk
NC-4869	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Significant lean, trunk decay
NC-4870	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-4871	Unknown		15	1	N/A	N/A	Standing Dead	
NC-4872	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Broken lower branches
NC-4873	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Reduced canopy
NC-4874	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-4875	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-4876	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-4877	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor branch dieback
NC-4878	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Poor	Trunk rot, dieback
NC-4879	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	A lot of dead wood in lower canopy
NC-4880	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	
NC-4881	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-4882	Red maple	<i>Acer rubrum</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4. Water sprouts, included bark
NC-4883	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-4884	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-4885	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader, dead wood in crown
NC-4886	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Bend in trunk, thin crown
NC-4887	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Broken leader
NC-4888	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	Broken lower branches
NC-4889	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Large standing dead leaning, irregular growth form
NC-4890	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-4891	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-4892	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular crown, debris leaning on trunk
NC-4893	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Trunk rot
NC-4894	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-4895	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-4896	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	One sided, lean, irregular growth form, dead branches
NC-4897	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-4898	Red maple	<i>Acer rubrum</i>	7, 7, 6, 6, 6	5	3.5	10.5	Fair	Multistem 7 x 7 x 6 x 6 x 6. Slight lean, many water sprouts, included bark
NC-4899	Red maple	<i>Acer rubrum</i>	8, 7	2	4	12	Good	Twin trunks 8 x 7. Bend in leader, included bark between stem
NC-4900	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Thin crown, slight lean
NC-4901	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Bend in trunk, interfering branches
NC-4902	American holly	<i>Ilex opaca</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, large dead tree laying in between the stem, rotting trunk wound
NC-4903	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-4904	Pine sp.	<i>Pinus sp.</i>	16	1	N/A	N/A	Standing Dead	
NC-4905	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-4906	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-4907	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, very thin crown
NC-4908	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4909	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead twin trunk, included bark
NC-4910	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Minor broken branches
NC-4911	Red maple	<i>Acer rubrum</i>	17, 10	2	8.5	25.5	Good	Twin trunk 17 x 10
NC-4912	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4913	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	Bend in leader, minor dead wood in lower canopy
NC-4914	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines growing into canopy, lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4915	Eastern white pine	<i>Pinus strobus</i>	21	1	10.5	31.5	Good	
NC-4916	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Significant lean, irregular growth form
NC-4917	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-4918	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown and lower canopy, thin crown
NC-4919	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Good	Twin trunks 6 x 3. Included bark
NC-4920	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-4921	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-4922	Northern red oak	<i>Quercus rubra</i>	17	1	N/A	N/A	Standing Dead	
NC-4923	Red maple	<i>Acer rubrum</i>	8, 7, 6	3	4	12	Good	Multistem 8 x 7 x 6. Included bark
NC-4924	Blackgum	<i>Nyssa sylvatica</i>	11, 10	2	5.5	16.5	Good	Twin trunk 11 x 10
NC-4925	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Broken leader, decaying branches
NC-4926	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-4927	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	Large dead branch in crown, dead wood in lower canopy
NC-4928	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Fair	Vines on lower branches, thin crown
NC-4929	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-4930	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-4931	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean
NC-4932	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-4933	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-4934	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Fair	Twin trunks 8 x 5. Thin crown, included bark, water sprouts
NC-4935	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Lots of dead wood in lower canopy, vines at base
NC-4936	Red maple	<i>Acer rubrum</i>	11, 7	2	5.5	16.5	Fair	Twin trunk 11 x 7, leaning
NC-4937	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-4938	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-4939	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader, unbalanced crown, dead wood in lower canopy
NC-4940	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Moderate dead wood in crown and lower canopy, thin crown
NC-4941	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor dead branches
NC-4942	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dieback
NC-4943	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Fair	Irregular growth form, dead branches
NC-4944	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Split leader, thin crown
NC-4945	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	Unbalanced crown
NC-4946	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean
NC-4947	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-4948	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown, dead lower branches
NC-4949	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4950	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Heavy dead wood in crown and lower canopy, thin crown
NC-4951	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-4952	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Dead wood in crown, broken branches
NC-4953	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-4954	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	
NC-4955	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Thin crown
NC-4956	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-4957	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	
NC-4958	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-4959	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Thin crown, some dead branches
NC-4960	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dieback
NC-4961	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-4962	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown, thin crown
NC-4963	Eastern white pine	<i>Pinus strobus</i>	7	1	3.5	10.5	Fair	Dieback
NC-4964	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Crown damage
NC-4965	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-4966	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-4967	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	A little one sided
NC-4968	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Many dead branches, thin crown
NC-4969	Red maple	<i>Acer rubrum</i>	5, 3	2	2.5	7.5	Fair	Twin trunks 5 x 3. Thin crown, interfering trunks
NC-4970	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-4971	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-4972	Eastern white pine	<i>Pinus strobus</i>	11	1	5.5	16.5	Good	
NC-4973	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Branch dieback and dead wood in lower canopy
NC-4974	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-4975	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-4976	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning
NC-4977	Red maple	<i>Acer rubrum</i>	12	1	N/A	N/A	Standing Dead	
NC-4978	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-4979	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Leaning
NC-4980	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Slight lean, minor dead wood in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-4981	Red maple	<i>Acer rubrum</i>	9, 9	2	4.5	13.5	Good	Twin trunk 9 x 9
NC-4982	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines
NC-4983	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-4984	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, interfering crown
NC-4985	Red maple	<i>Acer rubrum</i>	12, 9	2	6	18	Fair	Twin trunk 12 x 9, second trunk dead
NC-4986	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form, dead branches
NC-4987	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-4988	American holly	<i>Ilex opaca</i>	7, 3	2	3.5	10.5	Good	Twin trunks 7 x 3
NC-4989	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-4990	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-4991	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Irregular growth form, dead branches
NC-4992	Red maple	<i>Acer rubrum</i>	16, 12	2	8	24	Good	Twin trunk 16 x 12
NC-4993	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Lean, irregular growth form
NC-4994	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-4995	Red maple	<i>Acer rubrum</i>	15, 6	2	7.5	22.5	Fair	Twin trunk 15 x 6, second trunk rotten
NC-4996	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Thin crown, overtopped
NC-4997	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk rot
NC-4998	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-4999	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-5000	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning
NC-5001	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5002	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate bend in leader, thin crown, lean
NC-5003	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Minor dead broken branches
NC-5004	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-5005	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	One sided
NC-5006	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in upper trunk, thin crown
NC-5007	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Vines into crown, branch dieback in lower canopy, thin crown
NC-5008	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-5009	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Vines in canopy
NC-5010	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5011	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Unbalanced crown, dead branches
NC-5012	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-5013	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Irregular crown, interfering branches
NC-5014	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in lower canopy, thin crown
NC-5015	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-5016	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5017	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Large standing dead leaning on tree, thin crown
NC-5018	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-5019	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-5020	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Sprouts coming out of broken leader
NC-5021	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5022	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	branches
NC-5023	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean, unbalanced crown
NC-5024	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trees leaning on trunk
NC-5025	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, one sided
NC-5026	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-5027	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Dying
NC-5028	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-5029	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-5030	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Fair	Twin trunks 7 x 3. Bent leader, some water sprouts
NC-5031	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Thin crown, dead branches
NC-5032	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-5033	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Some rotting branches in lower canopy
NC-5034	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Severe lean, debris laying on trunk
NC-5035	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, broken branches in lower canopy
NC-5036	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5037	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-5038	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-5039	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches in lower canopy
NC-5040	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3. Thin crown, interfering
NC-5041	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, dieback in crown
NC-5042	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Fair	One sided, dead lower branches
NC-5043	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-5044	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-5045	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-5046	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Minor dead wood in lower canopy
NC-5047	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Dead wood in lower canopy, unbalanced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5048	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Crown damage
NC-5049	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5050	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5051	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, dead wood in crown and lower canopy, thin crown
NC-5052	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-5053	Red maple	<i>Acer rubrum</i>	6, 2	2	3	9	Good	Twin trunks 6 x 2. Slightly leaning towards road
NC-5054	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-5055	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Significant lean, broken branches
NC-5056	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-5057	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Twin leaders above DBH, lean
NC-5058	Virginia pine	<i>Pinus virginiana</i>	10, 9	2	N/A	N/A	Standing Dead	Twin trunks 10 x 9.
NC-5059	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in lower canopy, thin crown
NC-5060	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Extensive vines
NC-5061	Unknown		8	1	N/A	N/A	Standing Dead	
NC-5062	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5063	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-5064	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Trunk rot
NC-5065	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-5066	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-5067	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Slight lean
NC-5068	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5069	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Many water sprouts, large tree leaning on trunk
NC-5070	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, thin crown
NC-5071	Virginia pine	<i>Pinus virginiana</i>	16	1	N/A	N/A	Standing Dead	
NC-5072	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-5073	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slight bend in leader, dead wood in lower canopy
NC-5074	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	Large broken branches
NC-5075	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Few broken branches
NC-5076	Southern red oak	<i>Quercus falcata</i>	8, 8	2	4	12	Good	Twin trunks 8 x 8, dead Virginia pine branch on tree, healed over scar
NC-5077	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5078	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-5079	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Bend in leader, dead wood in crown and lower canopy, thin crown
NC-5080	White oak	<i>Quercus alba</i>	12, 9	2	6	18	Poor	12 x 9, possibly dead
NC-5081	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Slight lean
NC-5082	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-5083	Sweetgum	<i>Liquidambar styraciflua</i>	15, 14, 13	3	7.5	22.5	Good	Multistem trunk 15 x 14 x 13
NC-5084	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5085	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning
NC-5086	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Leaning
NC-5087	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-5088	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5089	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-5090	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, thin crown
NC-5091	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-5092	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Dead lower branches, irregular trunk
NC-5093	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5094	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5095	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5096	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Slightly unbalanced crown
NC-5097	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-5098	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Extensive vines
NC-5099	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Good	
NC-5100	Red maple	<i>Acer rubrum</i>	27	1	13.5	40.5	Good	Included bark, large broken branch
NC-5101	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Cut leader, vines
NC-5102	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-5103	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-5104	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Minor vines entering crown, thin crown
NC-5105	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Bent leader, one sided
NC-5106	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-5107	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Few dead branches
NC-5108	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dieback
NC-5109	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	Minor dead lower branches
NC-5110	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Broken branches
NC-5111	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-5112	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-5113	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-5114	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-5115	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Minor dead wood in lower canopy
NC-5116	Unknown		14	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5117	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-5118	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Vine on trunk
NC-5119	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-5120	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5121	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-5122	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-5123	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning towards road, some branch dieback in crown
NC-5124	Eastern white pine	<i>Pinus strobus</i>	12	1	6	18	Good	
NC-5125	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning, dead wood in crown, thin crown
NC-5126	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Dead wood in crown
NC-5127	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Irregular trunk
NC-5128	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5129	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, dead wood in crown, thin crown
NC-5130	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-5131	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-5132	Scarlet oak	<i>Quercus coccinea</i>	26	1	13	39	Good	Rotting branches in lower canopy
NC-5133	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-5134	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Lean
NC-5135	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5136	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Slight bend in trunk
NC-5137	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning towards road, dead wood in lower canopy
NC-5138	Red maple	<i>Acer rubrum</i>	8, 7	2	4	12	Good	Twins 8 x 7, minor branch dieback in lower canopy, included bark
NC-5139	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, water sprouts
NC-5140	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, dead wood in crown, thin crown
NC-5141	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Large dead branches, uneven crown
NC-5142	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Irregular growth form, dead branches
NC-5143	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-5144	American holly	<i>Ilex opaca</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4. Entwined trunks, dead tree leaning on trunk
NC-5145	Red maple	<i>Acer rubrum</i>	9, 6	2	4.5	13.5	Good	Twin trunk 9 x 6
NC-5146	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-5147	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	
NC-5148	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Broken leader
NC-5149	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-5150	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines at base, branch dieback in crown, thin crown
NC-5151	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning
NC-5152	Eastern white pine	<i>Pinus strobus</i>	26	1	13	39	Good	
NC-5153	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-5154	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, large broken limbs
NC-5155	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-5156	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-5157	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Broken branches in crown
NC-5158	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-5159	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Significant lean, interfering crown
NC-5160	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	dead wood in crown, thin crown
NC-5161	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-5162	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Leaning
NC-5163	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-5164	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-5165	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-5166	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Good	
NC-5167	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5168	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning towards road, unbalanced crown
NC-5169	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leader growing nearly horizontal, dead branches
NC-5170	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5171	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	Slight lean
NC-5172	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-5173	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Irregular growth form, tree leaning on trunk
NC-5174	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-5175	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-5176	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-5177	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-5178	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Slight lean
NC-5179	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean, minor branch dieback in crown
NC-5180	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	crown
NC-5181	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Slight lean
NC-5182	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Thin crown, broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5183	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-5184	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, included bark, dead wood in lower canopy, galls on main stem
NC-5185	Green ash	<i>Fraxinus pennsylvanica</i>	10	1	5	15	Good	
NC-5186	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-5187	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-5188	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	One sided, irregular growth form
NC-5189	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5190	Loblolly pine	<i>Pinus taeda</i>	17	1	8.5	25.5	Good	Slightly one sided, burl on trunk
NC-5191	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	Thin crown
NC-5192	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Poor	Broken leader, large dead tree on top
NC-5193	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Many water sprouts, thin crown
NC-5194	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5195	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, one sided
NC-5196	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-5197	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, unbalanced crown, dead wood in crown
NC-5198	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	
NC-5199	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in crown, unbalanced and thin crown
NC-5200	Eastern redcedar	<i>Juniperus virginiana</i>	5, 4	2	2.5	7.5	Poor	Twin trunk 5 x 4, possibly dead
NC-5201	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Many water sprouts, lean, dead branches
NC-5202	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5203	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-5204	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	dead wood in crown and lower canopy, thin crown, vines into crown
NC-5205	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5206	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5207	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, lean
NC-5208	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Fair	Lean, irregular growth form
NC-5209	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-5210	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Slightly unbalanced crown
NC-5211	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Good	
NC-5212	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	Minor broken branches
NC-5213	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-5214	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, dead branches in lower canopy
NC-5215	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	dead wood in the crown, slight lean
NC-5216	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5217	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5218	American beech	<i>Fagus grandifolia</i>	5, 3	2	2.5	7.5	Good	Twin trunks 5 x 3
NC-5219	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Thin crown
NC-5220	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5221	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader, dead wood in lower canopy, thin crown
NC-5222	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines
NC-5223	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Dieback
NC-5224	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced crown
NC-5225	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-5226	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5227	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Fair	Leaning
NC-5228	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Healed over trunk wound, irregular crown
NC-5229	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead, decaying leader
NC-5230	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-5231	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Dead branches
NC-5232	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning towards road, dead wood in crown and lower canopy, thin crown
NC-5233	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-5234	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor bend in leader
NC-5235	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5236	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5237	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Trunk rot
NC-5238	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-5239	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy, unbalanced crown
NC-5240	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	Leaning
NC-5241	Virginia pine	<i>Pinus virginiana</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4, thin crown, dead wood in lower canopy
NC-5242	White oak	<i>Quercus alba</i>	19, 16	2	9.5	28.5	Good	Twin trunk 16 x 19
NC-5243	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Unbalanced crown, leaning towards road
NC-5244	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-5245	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-5246	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Bend in leader, dead wood in lower canopy
NC-5247	White oak	<i>Quercus alba</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5248	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-5249	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5250	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	One sided, thin crown
NC-5251	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Slight lean, dead wood in crown
NC-5252	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Minor dead wood in crown
NC-5253	Unknown		12	1	N/A	N/A	Standing Dead	
NC-5254	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-5255	Virginia pine	<i>Pinus virginiana</i>	24	1	12	36	Good	
NC-5256	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-5257	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	Slightly unbalanced crown
NC-5258	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	dead wood in lower canopy, slightly unbalanced crown
NC-5259	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Vines on trunk
NC-5260	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Heavy vines into crown, dead wood in lower canopy
NC-5261	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-5262	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Broken branches
NC-5263	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, dead wood in crown, thin crown
NC-5264	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-5265	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Secondary leader broken
NC-5266	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	Slightly irregular trunk
NC-5267	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Irregular growth form
NC-5268	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dieback
NC-5269	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, dead in crown, thin crown
NC-5270	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	Minor dead wood in lower canopy
NC-5271	Northern red oak	<i>Quercus rubra</i>	16, 13	2	8	24	Fair	Twin trunk 16 x 13, stressed, dead leader
NC-5272	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Irregular crown, dead branches
NC-5273	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor bend in leader, branch dieback in lower canopy
NC-5274	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Many water sprouts, dead branches
NC-5275	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-5276	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Irregular branching
NC-5277	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Minor dead wood in crown and lower canopy, slight lean
NC-5278	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5279	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-5280	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	Dieback
NC-5281	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Slightly irregular crown
NC-5282	Northern red oak	<i>Quercus rubra</i>	17	1	N/A	N/A	Standing Dead	
NC-5283	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-5284	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, large tree leaning on trunk
NC-5285	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-5286	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Dieback
NC-5287	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5288	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-5289	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-5290	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5291	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-5292	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-5293	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-5294	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Broken branches in crown
NC-5295	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, dead wood in crown and lower canopy
NC-5296	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-5297	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-5298	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-5299	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5300	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-5301	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken lower branches
NC-5302	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-5303	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly unbalanced crown
NC-5304	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5305	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Dead branches, irregular trunk
NC-5306	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	Slight lean
NC-5307	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5308	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Poor	Leaning, possibly dead
NC-5309	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead branches
NC-5310	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	
NC-5311	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced crown, dead wood in crown, minor vines
NC-5312	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Fair	dieback
NC-5313	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead branches, irregular growth form
NC-5314	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6, dead tree leaning in between two stems, large broken branch, included bark

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5315	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Bend in leader, dead wood in crown
NC-5316	Black oak	<i>Quercus velutina</i>	17	1	8.5	25.5	Fair	Several broken branches, water sprouts coming out of trunk
NC-5317	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-5318	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Few dead branches
NC-5319	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-5320	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Moderate dead wood in crown and lower canopy, unbalanced crown
NC-5321	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-5322	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning towards road, vines into crown
NC-5323	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor dead wood in lower canopy
NC-5324	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	Bend in trunk
NC-5325	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-5326	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-5327	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor dead wood in crown, large vine at base
NC-5328	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean, bend in leader, thin crown
NC-5329	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Many water sprouts, lean
NC-5330	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines entering crown, leaning towards road
NC-5331	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	Irregular growth form
NC-5332	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, lots of broken branches
NC-5333	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Minor broken branches
NC-5334	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-5335	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-5336	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-5337	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-5338	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-5339	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-5340	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Unbalanced crown, broken and rotting branches in lower canopy
NC-5341	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	Minor dead wood in lower canopy
NC-5342	Willow oak	<i>Quercus phellos</i>	15, 6	2	7.5	22.5	Good	Twin trunk 15 x 6
NC-5343	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5344	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5345	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, lean
NC-5346	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-5347	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Good	Twin trunk 13 x 11
NC-5348	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Bend in leader, dead wood in lower canopy
NC-5349	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Sprouts, bent over leader
NC-5350	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning towards road, vines into crown, thin crown
NC-5351	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5352	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Dead, decaying leader
NC-5353	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5354	Red maple	<i>Acer rubrum</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6, thin crown, trunk damage on one, signs of decay, dead wood in decaying leader
NC-5355	Virginia pine	<i>Pinus virginiana</i>	18	1	N/A	N/A	Standing Dead	
NC-5356	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5357	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	
NC-5358	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-5359	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Greenbrier on lower branches
NC-5360	Northern red oak	<i>Quercus rubra</i>	23	1	11.5	34.5	Fair	Minor trunk rot
NC-5361	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-5362	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead branches
NC-5363	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	Slight lean, moderate dead wood in canopy
NC-5364	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Branch dieback and dead wood in crown
NC-5365	Oak sp.	<i>Quercus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-5366	Unknown		16	1	N/A	N/A	Standing Dead	
NC-5367	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning towards road, dead wood in crown
NC-5368	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-5369	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown, minor dead lower branches
NC-5370	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-5371	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-5372	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-5373	Tuliptree	<i>Liriodendron tulipifera</i>	20, 8	2	10	30	Good	Twin trunk 20 x 8
NC-5374	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-5375	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-5376	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Trunk rot
NC-5377	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Dead lower branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5378	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form, broken branches
NC-5379	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5380	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5381	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor dead branches
NC-5382	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-5383	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning
NC-5384	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5385	White oak	<i>Quercus alba</i>	16	1	N/A	N/A	Standing Dead	
NC-5386	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Unbalanced crown, broken branches
NC-5387	Northern red oak	<i>Quercus rubra</i>	20	1	N/A	N/A	Standing Dead	
NC-5388	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-5389	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, vines into crown, thin crown
NC-5390	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Slight lean
NC-5391	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Large standing dead leaning on trunk, unbalanced crown
NC-5392	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5393	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Good	
NC-5394	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Bend in trunk
NC-5395	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-5396	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5397	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-5398	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-5399	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, dead wood in crown and lower canopy, thin crown
NC-5400	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Dieback
NC-5401	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Broken branches
NC-5402	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Trunk wound healing, poor branching structure
NC-5403	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-5404	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Significant lean
NC-5405	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader, dead wood in crown and lower canopy, thin crown
NC-5406	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5407	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Fair	Greenbrier in crown
NC-5408	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular trunk, interfering branches
NC-5409	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5410	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-5411	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Good	
NC-5412	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Heavy vines entering crown, unbalanced crown
NC-5413	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Slight lean, bend in leader
NC-5414	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5415	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-5416	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5417	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-5418	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor broken branches
NC-5419	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Good	
NC-5420	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Fair	Slight lean, minor vines entering crown
NC-5421	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-5422	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-5423	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	On a slope over a stream, exposed roots
NC-5424	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Slight lean
NC-5425	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	dead wood in lower canopy
NC-5426	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown
NC-5427	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, heavy vines into crown
NC-5428	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Poor	Dead leader, growing horizontally over stream bank, exposed roots
NC-5429	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Poor	Dying
NC-5430	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5431	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5432	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Nearly horizontal, main leader broken, new sprouts coming out of trunk
NC-5433	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Poor branching structure, vines into crown, unbalanced crown
NC-5434	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5435	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken branches
NC-5436	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Unbalanced crown, vines entering crown
NC-5437	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5438	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-5439	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	Minor dead broken branches
NC-5440	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, dead wood in crown, thin crown
NC-5441	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Covered in greenbrier
NC-5442	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-5443	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5444	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Heavy branch dieback in crown and lower canopy, little crown remains
NC-5445	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-5446	White oak	<i>Quercus alba</i>	12, 7	2	6	18	Fair	Twin trunk 12 x 7, dead leader
NC-5447	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	dieback
NC-5448	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-5449	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	
NC-5450	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-5451	Black oak	<i>Quercus velutina</i>	12	1	6	18	Good	
NC-5452	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor dead wood in crown
NC-5453	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Undercut roots by stream
NC-5454	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Minor dead wood in crown and lower canopy
NC-5455	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-5456	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, irregular growth form
NC-5457	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Thin crown
NC-5458	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5459	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-5460	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Fair	Lean, one sided, broken branches
NC-5461	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Trunk decay, multiple sprouts coming out of broken leader
NC-5462	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Fair	Trunk rot
NC-5463	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5464	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Bend in upper trunk
NC-5465	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Few broken branches
NC-5466	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Slight lean, dead wood in crown
NC-5467	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	One sided
NC-5468	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Stressed
NC-5469	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Standing dead leaning on tree, dead wood and broken branches in crown
NC-5470	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-5471	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-5472	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5473	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-5474	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-5475	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Broken branches, lean, vines on lower trunk
NC-5476	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	dead wood in crown, unbalanced and thin crown
NC-5477	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Thin crown, irregular growth form
NC-5478	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, bend in leader, thin crown
NC-5479	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Poor	Dead limbs
NC-5480	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced crown
NC-5481	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5482	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-5483	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-5484	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Fair	Twin trunk 13 x 11, extensive vines
NC-5485	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Significant bend in trunk, some dead lower branches
NC-5486	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying
NC-5487	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-5488	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Fair	Broken branches
NC-5489	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form, large broken branches
NC-5490	Black oak	<i>Quercus velutina</i>	14	1	N/A	N/A	Standing Dead	
NC-5491	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	One sided, lean, broken branches
NC-5492	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Multiple leaders
NC-5493	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-5494	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Unbalanced crown
NC-5495	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-5496	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Bend in upper leader, dead lower branches
NC-5497	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5498	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-5499	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5500	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-5501	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-5502	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-5503	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Rotting branches in lower canopy, unbalanced crown
NC-5504	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-5505	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5506	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	Slight lean
NC-5507	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5508	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5509	Southern red oak	<i>Quercus falcata</i>	20	1	10	30	Fair	Bend in leader, lean
NC-5510	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Poor	Very large trunk cavity, water sprouts
NC-5511	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5512	Red maple	<i>Acer rubrum</i>	11, 10	2	5.5	16.5	Fair	intertwined and fused above DBH, included bark, dead wood in lower canopy
NC-5513	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Dead wood in crown, thin crown
NC-5514	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-5515	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Crown leaning, broken branches in lower canopy
NC-5516	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Dead leader
NC-5517	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Splits above DBH, included bark, irregular growth form
NC-5518	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Minor bend in leader
NC-5519	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Broken branches
NC-5520	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	N/A	N/A	Standing Dead	
NC-5521	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, branch dieback in crown, thin crown
NC-5522	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	Bark completely decaying, dead and broken crown, but still has some live sprouts
NC-5523	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5524	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-5525	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Minor dead wood in crown
NC-5526	Northern red oak	<i>Quercus rubra</i>	26	1	13	39	Good	
NC-5527	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	Broken lower branch
NC-5528	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Branches sheared off one side
NC-5529	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-5530	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Dead branches
NC-5531	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-5532	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-5533	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	dieback
NC-5534	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-5535	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-5536	American elm	<i>Ulmus americana</i>	13	1	6.5	19.5	Fair	Vines into crown, branch dieback in crown, thin crown
NC-5537	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-5538	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	N/A	N/A	Standing Dead	
NC-5539	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Fair	Leaning
NC-5540	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-5541	Red maple	<i>Acer rubrum</i>	6, 5, 2, 2, 2	5	3	9	Fair	Multistem 6 x 5 x 2 x 2 x 2. Dead branches, included bark
NC-5542	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Bend in leader, dead wood in crown
NC-5543	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Irregular trunk
NC-5544	Red maple	<i>Acer rubrum</i>	8, 7, 3	3	3	9	Fair	Multistem 8 x 7 x 3. Lean, one sided, included bark
NC-5545	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Some broken branches
NC-5546	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Few broken branches
NC-5547	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5548	Southern red oak	<i>Quercus falcata</i>	11, 2	2	5.5	16.5	Fair	Leaning towards road, irregular growth form, twin trunks 11 x 2
NC-5549	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dieback
NC-5550	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dieback
NC-5551	White oak	<i>Quercus alba</i>	21, 16	2	10.5	31.5	Good	Twin trunk 21 x 16
NC-5552	Red maple	<i>Acer rubrum</i>	26	1	13	39	Fair	Extensive vines
NC-5553	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown
NC-5554	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Good	Twin trunk 13 x 11
NC-5555	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-5556	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-5557	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Good	
NC-5558	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-5559	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Broken branches
NC-5560	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5561	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	dead wood and dieback in lower canopy, thin crown
NC-5562	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-5563	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Included bark, irregular crown
NC-5564	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Bent trunk, decaying leader
NC-5565	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken leader, secondary leader growing well
NC-5566	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	A lot of dead wood in crown and lower canopy, thin crown
NC-5567	White oak	<i>Quercus alba</i>	9	1	N/A	N/A	Standing Dead	
NC-5568	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Fair	Dieback
NC-5569	Post oak	<i>Quercus stellata</i>	10	1	5	15	Fair	Broken branches, bend in leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5570	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-5571	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dieback
NC-5572	Red maple	<i>Acer rubrum</i>	16, 7	2	8	24	Fair	Twin trunks 16 x 7. Water sprouts, lean
NC-5573	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Vines on lower branches
NC-5574	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Extensive vines
NC-5575	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Secondary leader broken
NC-5576	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-5577	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Bend in leader
NC-5578	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Good	
NC-5579	White oak	<i>Quercus alba</i>	11	1	N/A	N/A	Standing Dead	
NC-5580	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Interfering crown
NC-5581	Black oak	<i>Quercus velutina</i>	8	1	4	12	Poor	Trunk damage, dieback
NC-5582	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	Minor broken branches
NC-5583	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Irregular crown, broken branches
NC-5584	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-5585	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Bend in leader, thin crown, dead wood in crown
NC-5586	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, unbalanced crown, 2" dead stem at base
NC-5587	Oak sp.	<i>Quercus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-5588	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Reduced canopy, broken branches
NC-5589	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-5590	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5591	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Lean, broken branches
NC-5592	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-5593	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-5594	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-5595	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5596	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Irregular growth form, broken branches
NC-5597	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning
NC-5598	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form, lean, interfering branches
NC-5599	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, bend in upper trunk
NC-5600	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Dead wood in crown, thin crown
NC-5601	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, dead wood in lower canopy, thin crown
NC-5602	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken branches in lower canopy, unbalanced crown
NC-5603	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	One sided, broken branches
NC-5604	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5605	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5606	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-5607	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	Vines in lower branches, dead lower branches
NC-5608	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Dead branch
NC-5609	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Slightly one sided
NC-5610	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-5611	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	N/A	N/A	Standing Dead	
NC-5612	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-5613	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-5614	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	One sided, peeled over trunk wound
NC-5615	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Minor dead wood in lower canopy
NC-5616	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Reduced canopy
NC-5617	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dead and decaying branches
NC-5618	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, one sided
NC-5619	Scarlet oak	<i>Quercus coccinea</i>	12	1	6	18	Fair	Dead branches, thin crown
NC-5620	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Good	Twin trunks 7 x 4
NC-5621	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Slightly unbalanced crown
NC-5622	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5623	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying crown
NC-5624	Pin oak	<i>Quercus palustris</i>	19	1	9.5	28.5	Good	
NC-5625	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Main leader broken, dominant secondary leader, lean
NC-5626	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form, vines on lower branches
NC-5627	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Broken leader
NC-5628	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-5629	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-5630	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Significant lean
NC-5631	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Poor	Broken leader
NC-5632	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5633	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dieback
NC-5634	Northern red oak	<i>Quercus rubra</i>	27	1	13.5	40.5	Good	
NC-5635	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-5636	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5637	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-5638	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, thin crown
NC-5639	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Decaying bark, dead leader
NC-5640	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, dead wood in crown, thin crown
NC-5641	Unknown		13	1	N/A	N/A	Standing Dead	
NC-5642	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Sparse crown, minor broken branches
NC-5643	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	dead wood in crown and lower canopy, thin crown
NC-5644	White oak	<i>Quercus alba</i>	6	1	N/A	N/A	Standing Dead	
NC-5645	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Dead branches
NC-5646	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning
NC-5647	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, large dead branches
NC-5648	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches
NC-5649	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, water sprouts
NC-5650	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Vines on lower branches, broken branches, bend in leader
NC-5651	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor vines on lower half, minor broken branches
NC-5652	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-5653	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Dieback
NC-5654	Red maple	<i>Acer rubrum</i>	9, 8, 6	3	4.5	13.5	Fair	Multistem 9 x 8 x 6. Included bark, water sprouts
NC-5655	White mulberry	<i>Morus alba</i>	5, 4	2	2.5	7.5	Poor	Twin trunks 5 x 4, dead leader, vines into crown, extensive dead wood
NC-5656	Red maple	<i>Acer rubrum</i>	15, 12	2	7.5	22.5	Good	Twin trunks 15 x 12
NC-5657	Unknown		9	1	N/A	N/A	Standing Dead	
NC-5658	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Poor branching structure, leaning on adjacent tree
NC-5659	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-5660	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Good	Broken branches
NC-5661	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines on branches, thin crown
NC-5662	Virginia pine	<i>Pinus virginiana</i>	9, 6	2	4.5	13.5	Poor	Twin trunk 9 x 6, broken leader, second trunk dead
NC-5663	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5664	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	
NC-5665	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-5666	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Dieback lower canopy, minor dead wood
NC-5667	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5668	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Significant lean, trunk wound at base and rotting, irregular growth form
NC-5669	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-5670	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-5671	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5672	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5673	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-5674	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines, reduced canopy
NC-5675	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-5676	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5677	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-5678	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Leaning
NC-5679	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-5680	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-5681	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5682	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-5683	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Water sprouts, moderate dead wood
NC-5684	Unknown		9	1	N/A	N/A	Standing Dead	Unknown pine
NC-5685	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-5686	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, two trunks pruned to stump
NC-5687	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-5688	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
NC-5689	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Poor	Significant lean, large sections of decayed bark
NC-5690	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-5691	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-5692	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-5693	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-5694	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Irregular trunk
NC-5695	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-5696	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	Dead lower branches
NC-5697	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5698	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Leaning
NC-5699	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Main leader broken, secondary leader taking over
NC-5700	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Canopy leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5701	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-5702	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular trunk, water sprouts
NC-5703	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-5704	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	dieback
NC-5705	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dieback
NC-5706	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines on lower half, interfering branches, moderate dead wood
NC-5707	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-5708	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Dead wood in crown and lower canopy
NC-5709	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Dead branches
NC-5710	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-5711	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	Minor broken branches, dead wood in lower canopy
NC-5712	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-5713	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5714	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Exposed roots
NC-5715	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5716	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Main leader broken, secondary leader taking over
NC-5717	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Greenbrier on lower trunk
NC-5718	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Water sprouts, minor vines, minor dead wood
NC-5719	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Slight bend in trunk
NC-5720	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Trunk rot
NC-5721	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5722	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-5723	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5724	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	One leader dead, some bark decay
NC-5725	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean
NC-5726	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-5727	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-5728*	Willow oak	<i>Quercus phellos</i>	30	1	15	45	Good	
NC-5729	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-5730	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5731	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Large broken branch, interfering crown with holly
NC-5732	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in crown
NC-5733	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Dead branches
NC-5734	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Trunk rot, broken branches
NC-5735	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-5736	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-5737	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-5738	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Stressed
NC-5739	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-5740	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-5741	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Irregular growth form
NC-5742	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-5743	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	branches
NC-5744	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-5745	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-5746	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5747	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5748	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5749	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Few broken branches
NC-5750	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning
NC-5751	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-5752	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-5753	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-5754	Northern red oak	<i>Quercus rubra</i>	7	1	N/A	N/A	Standing Dead	
NC-5755	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5756	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5757	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Irregular trunk, lean
NC-5758	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Main leader horizontal, dead leader
NC-5759	American holly	<i>Ilex opaca</i>	9	1	4.5	13.5	Good	Vine going into crown, dead wood in lower canopy
NC-5760	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning
NC-5761	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Vines into crown, broken branches in lower canopy
NC-5762	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk wound
NC-5763	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Minor vines
NC-5764	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Fair	Vines
NC-5765	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Extensive vines
NC-5766	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Heavy lean, moderate broken branches
NC-5767	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Broken leader, one-sided branching
NC-5768	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-5769	Willow oak	Quercus phellos		7	1	3.5	10.5	Fair	Extensive vines
NC-5770	American holly	Ilex opaca		5	1	2.5	7.5	Good	Old vine damage to trunk
NC-5771	Virginia pine	Pinus virginiana		7	1	N/A	N/A	Standing Dead	
NC-5772	American holly	Ilex opaca		6	1	3	9	Good	
NC-5773	Blackgum	Nyssa sylvatica		5	1	2.5	7.5	Good	
NC-5774	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Dead second trunk
NC-5775	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	
NC-5776	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Fair	Extensive vines
NC-5777	American holly	Ilex opaca		8	1	4	12	Good	
NC-5778	Southern red oak	Quercus falcata		5	1	2.5	7.5	Fair	Irregular growth form, some vines in crown, rotting branches in lower canopy
NC-5779	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-5780	American beech	Fagus grandifolia		12	1	6	18	Good	
NC-5781	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Good	Broken branches
NC-5782	Red maple	Acer rubrum		8	1	4	12	Good	Irregular crown
NC-5783	Black cherry	Prunus serotina		11	1	5.5	16.5	Fair	Leaning, vines
NC-5784	Northern red oak	Quercus rubra		14	1	7	21	Fair	Dieback
NC-5785	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Dieback
NC-5786	Virginia pine	Pinus virginiana		6	1	3	9	Fair	Leaning, dead wood in crown and lower canopy, thin crown
NC-5787	Red maple	Acer rubrum		14	1	7	21	Fair	One sided, irregular growth form
NC-5788	American holly	Ilex opaca	7, 3	2	3.5	10.5	Good	Good	Twin trunks 7 x 3
NC-5789	Black cherry	Prunus serotina		15	1	7.5	22.5	Fair	Large tree leaning on trunk
NC-5790	Blackgum	Nyssa sylvatica		5	1	2.5	7.5	Good	
NC-5791	American holly	Ilex opaca		7	1	3.5	10.5	Good	Split below DBH, included bark
NC-5792	Virginia pine	Pinus virginiana		10	1	5	15	Fair	Thin crown, broken branches
NC-5793	White oak	Quercus alba		9	1	4.5	13.5	Good	Few dead branches
NC-5794	Northern red oak	Quercus rubra		16	1	8	24	Good	
NC-5795	White oak	Quercus alba	7, 4	2	3.5	10.5	Fair	Fair	Twin trunk 7 x 4, trunk damage
NC-5796	Red maple	Acer rubrum		7	1	3.5	10.5	Good	Interfering branches
NC-5797	Red maple	Acer rubrum		6	1	3	9	Fair	Irregular growth form, thin crown
NC-5798	Virginia pine	Pinus virginiana		5	1	N/A	N/A	Standing Dead	
NC-5799	Red maple	Acer rubrum		7	1	3.5	10.5	Fair	Dead leader
NC-5800	White oak	Quercus alba		9	1	4.5	13.5	Good	
NC-5801	Virginia pine	Pinus virginiana		10	1	N/A	N/A	Standing Dead	
NC-5802	Northern red oak	Quercus rubra		8	1	4	12	Fair	Dead branch in crown
NC-5803	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Moderate dead wood, water sprouts
NC-5804	Virginia pine	Pinus virginiana		12	1	6	18	Fair	Lean, dead branches
NC-5805	Sweetgum	Liquidambar styraciflua		14	1	7	21	Good	
NC-5806	Blackgum	Nyssa sylvatica		6	1	3	9	Good	
NC-5807	Virginia pine	Pinus virginiana		10	1	5	15	Fair	Leaning towards road, dead wood in lower canopy
NC-5808	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Lean, one sided
NC-5809	Virginia pine	Pinus virginiana		12	1	6	18	Fair	Many dead branches
NC-5810	American holly	Ilex opaca		7	1	3.5	10.5	Good	Split leader at top
NC-5811	Virginia pine	Pinus virginiana		10	1	5	15	Good	
NC-5812	Southern red oak	Quercus falcata		5	1	2.5	7.5	Fair	Broken leader, resprouted from break point
NC-5813	American holly	Ilex opaca		6	1	3	9	Good	
NC-5814	Virginia pine	Pinus virginiana		16	1	8	24	Good	
NC-5815	Virginia pine	Pinus virginiana		10	1	5	15	Good	Dead wood in crown and lower canopy
NC-5816	Tuliptree	Liriodendron tulipifera		17	1	8.5	25.5	Good	
NC-5817	Blackgum	Nyssa sylvatica	5, 4	2	2.5	7.5	Fair	Fair	Twin trunk 5 x 4, stressed growth, reduced canopy
NC-5818	Sweetgum	Liquidambar styraciflua		12	1	6	18	Good	
NC-5819	Northern red oak	Quercus rubra		15	1	N/A	N/A	Standing Dead	
NC-5820	American beech	Fagus grandifolia		7	1	3.5	10.5	Good	
NC-5821	Red maple	Acer rubrum		20	1	10	30	Fair	Dead secondary leader, moderate dead wood
NC-5822	Virginia pine	Pinus virginiana		10	1	5	15	Good	
NC-5823	Blackgum	Nyssa sylvatica		8	1	4	12	Good	
NC-5824	Virginia pine	Pinus virginiana		10	1	5	15	Fair	Significant lean, on slope
NC-5825	American beech	Fagus grandifolia		11	1	5.5	16.5	Good	
NC-5826	White oak	Quercus alba		7	1	N/A	N/A	Standing Dead	
NC-5827	American holly	Ilex opaca		5	1	2.5	7.5	Good	Minor vines
NC-5828	Virginia pine	Pinus virginiana		9	1	N/A	N/A	Standing Dead	
NC-5829	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	Thin crown
NC-5830	Northern red oak	Quercus rubra		13	1	N/A	N/A	Standing Dead	
NC-5831	Blackgum	Nyssa sylvatica		5	1	2.5	7.5	Fair	Broken leader, reduced canopy
NC-5832	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Good	
NC-5833	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Good	Dead wood in crown and lower canopy
NC-5834	Sweetgum	Liquidambar styraciflua		15	1	7.5	22.5	Good	
NC-5835	Pear sp.	Pyrus sp.		10	1	5	15	Fair	Leaning
NC-5836	American holly	Ilex opaca		6	1	3	9	Fair	Debris leaning on trunk
NC-5837	Northern red oak	Quercus rubra		19	1	9.5	28.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5838	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few dead branches
NC-5839	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Irregular growth form
NC-5840	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-5841	Unknown		13	1	N/A	N/A	Standing Dead	
NC-5842	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Moderate dead wood
NC-5843	Black oak	<i>Quercus velutina</i>	6	1	3	9	Fair	Significant lean, dead tree leaning on it
NC-5844	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Good	
NC-5845	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Girdling roots
NC-5846	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-5847	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Debris leaning on tree
NC-5848	Virginia pine	<i>Pinus virginiana</i>	22	1	11	33	Good	
NC-5849	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-5850	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-5851	Virginia pine	<i>Pinus virginiana</i>	24	1	12	36	Good	
NC-5852	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-5853	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Debris leaning on tree
NC-5854	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, extensive dead wood
NC-5855	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-5856	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-5857	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-5858	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-5859	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-5860	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-5861	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Poor	Significant lean, large dead tree on trunk
NC-5862	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning
NC-5863	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Vines few dead branches
NC-5864	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-5865	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Good	
NC-5866	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-5867	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Dead wood in crown and lower canopy, sap gummosis at base
NC-5868	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor dead lower branches
NC-5869	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5870	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Leaning
NC-5871	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-5872	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in lower canopy, galls on trunk
NC-5873	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-5874	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, dead branches
NC-5875	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-5876	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-5877	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-5878	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Minor vines on lower half
NC-5879	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-5880	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Reduced canopy
NC-5881	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-5882	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Few dead branches
NC-5883	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-5884	Black oak	<i>Quercus velutina</i>	9	1	4.5	13.5	Fair	Broken limb
NC-5885	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-5886	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	Leaning
NC-5887	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Broken branches and vines
NC-5888	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5889	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Leaning, pruned
NC-5890	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Heavy lean, sparse crown, moderate dead wood
NC-5891	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-5892	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-5893	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Heavy lean, extensive dead wood, water sprouts
NC-5894	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-5895	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-5896	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Water sprouts, minor broken branches, minor lean
NC-5897	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-5898	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-5899	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-5900	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-5901	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Extensive vines
NC-5902	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines, reduced canopy
NC-5903	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Slight lean
NC-5904	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Bent over trunk
NC-5905	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-5906	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Dieback
NC-5907	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5908	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Heavy lean, one-sided branching
NC-5909	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Mostly dead but new regrowth
NC-5910	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-5911	Blackgum	<i>Nyssa sylvatica</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-5912	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Fair	Dieback
NC-5913	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-5914	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-5915	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Broken lower branches
NC-5916	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5917	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Dead branches
NC-5918	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Thin crown
NC-5919	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Large trunk wound, irregular growth form
NC-5920	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, one sided
NC-5921	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-5922	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on lower half, moderate broken branches
NC-5923	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Vines entering crown, unbalanced crown
NC-5924	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-5925	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Good	Twin trunk 7 x 3
NC-5926	Blackgum	<i>Nyssa sylvatica</i>	6	1	N/A	N/A	Standing Dead	
NC-5927	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Good	
NC-5928	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-5929	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Very small crown
NC-5930	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Stressed
NC-5931	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-5932	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Minor lean, minor broken branches
NC-5933	White oak	<i>Quercus alba</i>	6	1	N/A	N/A	Standing Dead	
NC-5934	Red maple	<i>Acer rubrum</i>	7, 4, 3	3	3.5	10.5	Good	Multistem 7 x 4 x 3, peeled over prune scar, included bark
NC-5935	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy broken branches
NC-5936	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines on trunk
NC-5937	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Bend in leader, lean
NC-5938	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Leaning, dead branches
NC-5939	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-5940	White oak	<i>Quercus alba</i>	15	1	N/A	N/A	Standing Dead	
NC-5941	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Dead branches
NC-5942	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-5943	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-5944	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-5945	Northern red oak	<i>Quercus rubra</i>	16, 14	2	8	24	Fair	Twin trunk 16 x 14, trunk rot, dead leader
NC-5946	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy lean, moderate dead wood
NC-5947	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Leaning, pruned
NC-5948	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5949	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-5950	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Few dead lower branches
NC-5951	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Extensive vines into crown, water sprouts, lean
NC-5952	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Heavy lean, irregular growth form, one-sided branching
NC-5953	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Minor lean, minor broken branches
NC-5954	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Dieback
NC-5955	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor broken branches
NC-5956	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-5957	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-5958	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, irregular growth form, broken branches
NC-5959	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-5960	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead branches
NC-5961	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	One sided
NC-5962	Oak sp.	<i>Quercus sp.</i>	11	1	5.5	16.5	Fair	Unknown oak dead branches
NC-5963	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Trunk damage
NC-5964	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Poor	Hallow base, sparse canopy, dying branches
NC-5965	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Interfering branching
NC-5966	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Moderate dead wood
NC-5967	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	
NC-5968	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in upper leader
NC-5969	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, bend in upper trunk
NC-5970	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Sparse crown, extensive dead wood
NC-5971	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-5972	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-5973	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-5974	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-5975	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines on lower half, moderate dead wood
NC-5976	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-5977	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-5978	Hickory sp.	<i>Carya sp.</i>	7	1	3.5	10.5	Good	
NC-5979	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning
NC-5980	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Trunk wound at base, lean
NC-5981	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-5982	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-5983	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-5984	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on trunk, broken branches
NC-5985	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5986	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Heavy lean, moderate dead wood
NC-5987	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-5988	White oak	<i>Quercus alba</i>	8	1	4	12	Poor	Dying
NC-5989	Hickory sp.	<i>Carya sp.</i>	8	1	4	12	Good	
NC-5990	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, broken branches
NC-5991	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form, broken branches
NC-5992	Virginia pine	<i>Pinus virginiana</i>	21	1	10.5	31.5	Fair	Many dead branches, splits above DBH, included bark, dead leaning tree on it
NC-5993	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Moderate dead wood
NC-5994	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-5995	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	Pinus sp.
NC-5996	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Trunk rot
NC-5997	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-5998	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-5999	American holly	<i>Ilex opaca</i>	6, 6	2	3	9	Good	Twin trunks 6 x 6
NC-6000	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Vines on lower half, moderate dead wood
NC-6001	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Minor broken branches
NC-6002	Scarlet oak	<i>Quercus coccinea</i>	5	1	2.5	7.5	Fair	Irregular growth form, included bark
NC-6003	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-6004	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-6005	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6006	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Trunk damage
NC-6007	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead branches, thin crown
NC-6008	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Irregular trunk
NC-6009	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Trunk damage, broken leader
NC-6010	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-6011	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Lean, decaying branches
NC-6012	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6013	Red maple	<i>Acer rubrum</i>	9, 5	2	4.5	13.5	Fair	Twin trunks 9 x 5, multistem, included bark, trunk wound in upper trunk, dead sucker
NC-6014	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Dead leader, significant lean
NC-6015	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-6016	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular crown, slight lean
NC-6017	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Dead leaders, reduced canopy
NC-6018	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Interfering branching
NC-6019	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	
NC-6020	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-6021	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches
NC-6022	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Severe trunk damage
NC-6023	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-6024	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Few dead branches
NC-6025	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Poor	Broken trunk
NC-6026	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	Unknown pine
NC-6027	Northern red oak	<i>Quercus rubra</i>	17, 13	2	8.5	25.5	Fair	Twin trunk 17 x 13, dieback
NC-6028	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Significant lean, included bark, splits above DBH
NC-6029	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-6030	White mulberry	<i>Morus alba</i>	6	1	3	9	Fair	One sided, lean
NC-6031	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-6032	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Trunk damage
NC-6033	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	Leaning, dieback
NC-6034	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Trunk damage
NC-6035	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Good	
NC-6036	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-6037	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-6038	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning
NC-6039	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Dead branches from other trees leaning in crown. Irregular crown
NC-6040	Northern red oak	<i>Quercus rubra</i>	16	1	N/A	N/A	Standing Dead	
NC-6041	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Broken trunk
NC-6042	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-6043	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-6044	Virginia pine	<i>Pinus virginiana</i>	13, 7	2	6.5	19.5	Fair	Twin trunks 13 x 7, interfering trunks, broken leader, lean
NC-6045	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	Small vine on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6046	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Lean, dead lower branches
NC-6047	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Fair	Irregular growth form
NC-6048	Willow oak	<i>Quercus phellos</i>		7	1	3.5	10.5 Good	Minor broken branches
NC-6049	Black oak	<i>Quercus velutina</i>		9	1	4.5	13.5 Good	Few dead branches
NC-6050	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	Few broken branches
NC-6051	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24 Good	Irregular growth form
NC-6052	Willow oak	<i>Quercus phellos</i>		10	1	5	15 Good	
NC-6053	White oak	<i>Quercus alba</i>		11	1	5.5	16.5 Good	
NC-6054	Sassafras	<i>Sassafras albidum</i>		5	1	2.5	7.5 Fair	Irregular growth form, gall
NC-6055	Sassafras	<i>Sassafras albidum</i>		5	1	2.5	7.5 Poor	Horizontal growth form, significant lean
NC-6056	Virginia pine	<i>Pinus virginiana</i>		7	1	N/A	N/A Standing Dead	
NC-6057	White oak	<i>Quercus alba</i>		16	1	8	24 Good	
NC-6058	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Thin crown, dead branches
NC-6059	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A Standing Dead	
NC-6060	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Dead branches vines
NC-6061	White oak	<i>Quercus alba</i>		5	1	2.5	7.5 Fair	Leaning
NC-6062	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5 Good	
NC-6063	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Poor	Extensive vines
NC-6064	Sassafras	<i>Sassafras albidum</i>		6	1	N/A	N/A Standing Dead	
NC-6065	Scarlet oak	<i>Quercus coccinea</i>		23	1	11.5	34.5 Fair	Dead leader
NC-6066	Blackgum	<i>Nyssa sylvatica</i>		5, 4	2	2.5	7.5 Good	Twin trunk 5 x 4
NC-6067	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Lean, one sided
NC-6068	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Good	
NC-6069	White oak	<i>Quercus alba</i>		15	1	7.5	22.5 Fair	Extensive vines
NC-6070	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Good	Broken lower branches
NC-6071	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Fair	Adjacent dead tree leaning on trunk, lean, one-sided branching
NC-6072	Pine sp.	<i>Pinus sp.</i>		7	1	N/A	N/A Standing Dead	
NC-6073	Blackgum	<i>Nyssa sylvatica</i>		6	1	3	9 Good	
NC-6074	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Poor	Broken leader, trunk decay, extensive dead wood, vine on lower half
NC-6075	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Fair	Lean. One sided. Many dead branches
NC-6076	Red maple	<i>Acer rubrum</i>		12	1	6	18 Good	
NC-6077	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Extensive vines on lower half, minor lean
NC-6078	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Vines
NC-6079	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Good	Bend in upper trunk
NC-6080	Pin oak	<i>Quercus palustris</i>		9	1	4.5	13.5 Fair	Leaning, dead branches
NC-6081	Red maple	<i>Acer rubrum</i>		12	1	6	18 Fair	Leaning
NC-6082	Red maple	<i>Acer rubrum</i>		8, 3	2	4	12 Good	Twin trunk 8 x 3
NC-6083	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Leaning
NC-6084	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5 Fair	Thin crown, broken branches
NC-6085	American holly	<i>Ilex opaca</i>		5	1	2.5	7.5 Good	
NC-6086	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Leaning
NC-6087	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Good	One sided
NC-6088	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Poor	Severe trunk rot
NC-6089	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5 Fair	Lean, thin crown
NC-6090	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Good	
NC-6091	Willow oak	<i>Quercus phellos</i>		7	1	3.5	10.5 Fair	Vine on trunk, broken branches
NC-6092	Tuliptree	<i>Liriodendron tulipifera</i>		13	1	6.5	19.5 Poor	Many dead branches
NC-6093	White oak	<i>Quercus alba</i>		15	1	7.5	22.5 Good	
NC-6094	Scarlet oak	<i>Quercus coccinea</i>		11	1	5.5	16.5 Poor	Dying
NC-6095	Sassafras	<i>Sassafras albidum</i>		6	1	3	9 Fair	Significant lean
NC-6096	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Lean, one sided
NC-6097	White oak	<i>Quercus alba</i>		15	1	7.5	22.5 Good	
NC-6098	Willow oak	<i>Quercus phellos</i>		8	1	4	12 Good	One-sided branching
NC-6099	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Poor	Significant lean. Very thin crown. Dead branches. On slope
NC-6100	American beech	<i>Fagus grandifolia</i>		11	1	5.5	16.5 Good	
NC-6101	White oak	<i>Quercus alba</i>		9	1	4.5	13.5 Good	
NC-6102	Virginia pine	<i>Pinus virginiana</i>		17	1	8.5	25.5 Fair	Significant lean, sap coming from trunk
NC-6103	Scarlet oak	<i>Quercus coccinea</i>		13	1	6.5	19.5 Good	
NC-6104	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Few dead branches
NC-6105	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5 Good	Slight lean
NC-6106	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-6107	Black cherry	<i>Prunus serotina</i>		7	1	N/A	N/A Standing Dead	
NC-6108	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Good	One sided
NC-6109	Northern red oak	<i>Quercus rubra</i>		5	1	2.5	7.5 Fair	Irregular growth form, dead lower branches
NC-6110	Virginia pine	<i>Pinus virginiana</i>		11	1	N/A	N/A Standing Dead	
NC-6111	Southern red oak	<i>Quercus falcata</i>		8	1	4	12 Fair	Irregular trunk, lean, moderate broken branches
NC-6112	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-6113	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	N/A	N/A Standing Dead	
NC-6114	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	Minor dead branches
NC-6115	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	Slight lean, minor dead wood

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6116	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Good	
NC-6117	White oak	<i>Quercus alba</i>		14	1	7	21 Good	
NC-6118	American holly	<i>Ilex opaca</i>		10	1	5	15 Good	
NC-6119	Blackgum	<i>Nyssa sylvatica</i>		9	1	4.5	13.5 Poor	Trunk damage
NC-6120	White oak	<i>Quercus alba</i>		12	1	6	18 Good	
NC-6121	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Poor	Trunk damage
NC-6122	Willow oak	<i>Quercus phellos</i>		9	1	4.5	13.5 Fair	Vines on lower half, moderate dead wood
NC-6123	White oak	<i>Quercus alba</i>		21	1	10.5	31.5 Good	
NC-6124	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Good	Bend in trunk
NC-6125	Sassafras	<i>Sassafras albidum</i>		5	1	2.5	7.5 Poor	Horizontal growth form. Dead pine on top of trunk.
NC-6126	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Good	
NC-6127	Black cherry	<i>Prunus serotina</i>		6	1	3	9 Fair	Trunk growth, moderate dead wood
NC-6128	White oak	<i>Quercus alba</i>		23	1	11.5	34.5 Good	
NC-6129	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Good	
NC-6130	Black cherry	<i>Prunus serotina</i>		6	1	3	9 Fair	Leaning
NC-6131	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Poor	Many dead branches
NC-6132	Virginia pine	<i>Pinus virginiana</i>		17	1	N/A	N/A Standing Dead	
NC-6133	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Fair	Dieback
NC-6134	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Good	
NC-6135	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Good	Minor dead wood
NC-6136	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Good	
NC-6137	Unknown			7	1	N/A	N/A Standing Dead	
NC-6138	American beech	<i>Fagus grandifolia</i>		6, 6	2	3	9 Good	Twin trunk 6 x 6
NC-6139	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Good	
NC-6140	American beech	<i>Fagus grandifolia</i>		11	1	5.5	16.5 Good	
NC-6141	Northern red oak	<i>Quercus rubra</i>		14	1	7	21 Good	
NC-6142	White oak	<i>Quercus alba</i>		14	1	7	21 Good	
NC-6143	Virginia pine	<i>Pinus virginiana</i>		15	1	7.5	22.5 Good	Broken branches
NC-6144	Virginia pine	<i>Pinus virginiana</i>		12	1	6	18 Fair	Many dead branches
NC-6145	American beech	<i>Fagus grandifolia</i>		6	1	3	9 Fair	Thin crown
NC-6146	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	
NC-6147	Scarlet oak	<i>Quercus coccinea</i>		25	1	12.5	37.5 Good	
NC-6148	White oak	<i>Quercus alba</i>		9	1	4.5	13.5 Fair	Reduced canopy
NC-6149	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Fair	Irregular growth form, broken branches
NC-6150	Sweetgum	<i>Liquidambar styraciflua</i>		18	1	9	27 Fair	Heavy vines on trunk, thin crown
NC-6151	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Minor lean, moderate broken branches
NC-6152	Northern red oak	<i>Quercus rubra</i>		14	1	7	21 Fair	Dead limbs
NC-6153	Scarlet oak	<i>Quercus coccinea</i>		10	1	5	15 Fair	Spare canopy leaning
NC-6154	Northern red oak	<i>Quercus rubra</i>		11	1	5.5	16.5 Fair	Dieback
NC-6155	White oak	<i>Quercus alba</i>		7	1	3.5	10.5 Good	
NC-6156	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-6157	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Fair	Trunk rot, dead branches
NC-6158	Blackgum	<i>Nyssa sylvatica</i>		9	1	4.5	13.5 Good	
NC-6159	Mockernut hickory	<i>Carya tomentosa</i>		12	1	6	18 Fair	Broken branches
NC-6160	Red maple	<i>Acer rubrum</i>		12	1	6	18 Good	
NC-6161	Virginia pine	<i>Pinus virginiana</i>		17	1	8.5	25.5 Good	Moderate dead wood
NC-6162	Black locust	<i>Robinia pseudoacacia</i>		12, 7	2	6	18 Fair	Twin trunk 12 x 7, dead branches
NC-6163	Red maple	<i>Acer rubrum</i>		7	1	N/A	N/A Standing Dead	
NC-6164	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Good	
NC-6165	Pignut hickory	<i>Carya glabra</i>		20	1	10	30 Fair	Few dead branches
NC-6166	Sweetgum	<i>Liquidambar styraciflua</i>		18	1	9	27 Fair	Extensive vines on lower half, one-sided branching
NC-6167	Virginia pine	<i>Pinus virginiana</i>		10	1	N/A	N/A Standing Dead	
NC-6168	White oak	<i>Quercus alba</i>		10	1	5	15 Good	
NC-6169	Red maple	<i>Acer rubrum</i>		16	1	8	24 Good	
NC-6170	White oak	<i>Quercus alba</i>		20	1	10	30 Good	
NC-6171	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5 Fair	Thin crown. Broken branches
NC-6172	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Fair	Vines on lower trunk
NC-6173	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Minor lean, sparse crown
NC-6174	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5 Good	
NC-6175	White oak	<i>Quercus alba</i>		14	1	7	21 Good	
NC-6176	Blackgum	<i>Nyssa sylvatica</i>		13	1	6.5	19.5 Good	
NC-6177	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Moderate dead wood
NC-6178	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Fair	Dead leader
NC-6179	Willow oak	<i>Quercus phellos</i>		5	1	2.5	7.5 Good	
NC-6180	Northern red oak	<i>Quercus rubra</i>		9	1	4.5	13.5 Fair	Vine in crown
NC-6181	Red maple	<i>Acer rubrum</i>		7, 6	2	3.5	10.5 Good	Twin trunk 7 x 6
NC-6182	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Good	
NC-6183	Blackgum	<i>Nyssa sylvatica</i>		6	1	N/A	N/A Standing Dead	
NC-6184	Scarlet oak	<i>Quercus coccinea</i>		23, 21	2	11.5	34.5 Fair	leader
NC-6185	Red maple	<i>Acer rubrum</i>		15, 10	2	7.5	22.5 Good	Twin trunk 15 x 10
NC-6186	Blackgum	<i>Nyssa sylvatica</i>		6	1	3	9 Poor	Broken trunk
NC-6187	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5 Fair	Interfering branching, moderate dead wood, sparse crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6188	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-6189	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-6190	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6191	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Good	
NC-6192	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	One sided, few dead branches
NC-6193	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Extensive vines on lower half, minor lean
NC-6194	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, broken branches
NC-6195	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6196	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Broken leader
NC-6197	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Stressed
NC-6198	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown
NC-6199	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-6200	Mockernut hickory	<i>Carya tomentosa</i>	10	1	5	15	Good	
NC-6201	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Irregular trunk, vines into crown, minor lean
NC-6202	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Poor	Broken leader, dead tree leaning on tree
NC-6203	Black oak	<i>Quercus velutina</i>	14	1	7	21	Good	Possible hybrid
NC-6204	Black oak	<i>Quercus velutina</i>	20	1	10	30	Good	Possible hybrid
NC-6205	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	
NC-6206	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-6207	Red maple	<i>Acer rubrum</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-6208	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Poor	Broken leader, dead tree leaning on tree
NC-6209	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Bend in leader, thin crown
NC-6210	Scarlet oak	<i>Quercus coccinea</i>	14, 13, 11	3	7	21	Good	Multistem trunk 14 x 13 x 11
NC-6211	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-6212	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Few dead branches
NC-6213	Scarlet oak	<i>Quercus coccinea</i>	23	1	11.5	34.5	Good	
NC-6214	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-6215	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	
NC-6216	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Few dead branches
NC-6217	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6218	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Minor lean
NC-6219	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Major lean, water sprouts, irregular growth form
NC-6220	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6221	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Lean, sparse crown, minor vines
NC-6222	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Few dead branches
NC-6223	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Broken branches
NC-6224	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	Minor vines
NC-6225	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Few dead branches
NC-6226	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Lean
NC-6227	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken trunk
NC-6228	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	
NC-6229	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-6230	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6231	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-6232	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor broken branches
NC-6233	Red maple	<i>Acer rubrum</i>	9, 8, 5, 3	4	4.5	13.5	Good	Multistem trunk 9 x 8 x 5 x 3
NC-6234	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dieback
NC-6235	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Water sprouts, interfering branching, minor broken branches
NC-6236	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Vines on lower half, minor dead wood
NC-6237	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Thin crown. Several dead branches
NC-6238	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6239	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6240	Black cherry	<i>Prunus serotina</i>	12	1	6	18	Poor	Significant lean. Dead tree leaning on trunk. Crooked crown
NC-6241	Scarlet oak	<i>Quercus coccinea</i>	15	1	N/A	N/A	Standing Dead	
NC-6242	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Interfering crown. Lean
NC-6243	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Few dead branches
NC-6244	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6245	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-6246	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	One sided, thin crown
NC-6247	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-6248	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean. One sided. Many broken branches
NC-6249	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Rotting bark, vines on trunk
NC-6250	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6251	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Slight lean
NC-6252	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Fair	Twin trunk 8 x 5, dead branches
NC-6253	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-6254	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-6255	Oak sp.	<i>Quercus sp.</i>	14	1	N/A	N/A	Standing Dead	Unknown oak
NC-6256	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Broken leader
NC-6257	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6258	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines on lower half, water sprouts, one-sided branching
NC-6259	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-6260	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	N/A	N/A	Standing Dead	
NC-6261	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-6262	Black cherry	<i>Prunus serotina</i>	28	1	14	42	Fair	Vines on trunk, included bark
NC-6263	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	dieback
NC-6264	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Broken leader, split bark
NC-6265	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Dead branches
NC-6266	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Thin crown, dead branches
NC-6267	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Slightly one sided
NC-6268	Sassafras	<i>Sassafras albidum</i>	8	1	4	12	Poor	Large trunk wounds. Dead branches
NC-6269	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Many vines
NC-6270	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-6271	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-6272	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Fair	Vines into canopy
NC-6273	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-6274	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Broken leader, vines into crown, sparse crown
NC-6275	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6276	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Interfering crown. Broken/dead branches
NC-6277	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Sparse crown, moderate dead wood
NC-6278	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Minor vines on lower half
NC-6279	Black oak	<i>Quercus velutina</i>	20	1	10	30	Fair	Dead branches
NC-6280	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Leaning. Tree leaning on it. On slope
NC-6281	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Overtopped
NC-6282	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Many dead/interfering branches. Dead tree debris in canopy
NC-6283	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Extensive dead wood, dying crown
NC-6284	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form, vines on trunk
NC-6285	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-6286	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-6287	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Lean, sparse crown
NC-6288	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Water sprouts, vines on lower half, interfering branching
NC-6289	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Large dead branches
NC-6290	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-6291	Unknown		7	1	N/A	N/A	Standing Dead	
NC-6292	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Several dead branches
NC-6293	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6294	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6295	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-6296	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Fair	Dead leader
NC-6297	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-6298	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-6299	Red maple	<i>Acer rubrum</i>	18, 12, 8	3	9	27	Fair	Multistem 18 x 12 x 8. Lean, vines in crown, water sprouts, included bark
NC-6300	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Vines reduced canopy
NC-6301	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Reduced canopy leaning along bank
NC-6302	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Many dead branches
NC-6303	Scarlet oak	<i>Quercus coccinea</i>	17	1	8.5	25.5	Good	
NC-6304	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Leaning, dead branches
NC-6305	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Irregular growth. Dead branches
NC-6306	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean. Crown bent over
NC-6307	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Minor broken branches
NC-6308	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-6309	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead branches
NC-6310	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Minor vines on lower half, lean
NC-6311	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-6312	Unknown		6	1	N/A	N/A	Standing Dead	Unknown
NC-6313	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Minor trunk rot
NC-6314	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-6315	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-6316	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Few dead branches
NC-6317	Red maple	<i>Acer rubrum</i>	14, 11	2	7	21	Good	Twin trunk 14 x 11
NC-6318	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-6319	Red maple	<i>Acer rubrum</i>	11, 7, 5	3	5.5	16.5	Fair	Multistem 11 x 5 x 7, dead leader
NC-6320	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Fair	Reduced canopy
NC-6321	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Broken side leader. Dead branches.
NC-6322	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular crown
NC-6323	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Extensive vines
NC-6324	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Poor	One-sided branching, moderate broken branches
NC-6325	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Trunk rot

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6326	White oak	<i>Quercus alba</i>	8	1	N/A	N/A	Standing Dead	
NC-6327	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-6328	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-6329	White oak	<i>Quercus alba</i>	10, 6	2	5	15	Fair	Multitrunk 10 x 6 dead leader
NC-6330	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6331	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6332	Scarlet oak	<i>Quercus coccinea</i>	21	1	10.5	31.5	Good	
NC-6333	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Poor	Major lean, moderate broken branches
NC-6334	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Dieback
NC-6335	Black oak	<i>Quercus velutina</i>	6	1	3	9	Fair	Vines into crown, lean
NC-6336	Unknown		7	1	N/A	N/A	Standing Dead	
NC-6337	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Few broken branches
NC-6338	Sassafras	<i>Sassafras albidum</i>	9	1	4.5	13.5	Poor	Broken leader
NC-6339	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Heavy vines on trunk, significant lean
NC-6340	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-6341	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6342	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-6343	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6344	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor broken branches
NC-6345	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Good	
NC-6346	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor broken branches
NC-6347	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Few broken branches
NC-6348	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Lean, dead branches
NC-6349	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Leaning few dead branches
NC-6350	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Trunk wound and decay, extensive dead wood
NC-6351	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-6352	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-6353	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-6354	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Stressed
NC-6355	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Irregular crown. Some dead branches
NC-6356	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6357	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-6358	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-6359	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-6360	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Many vines
NC-6361	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6362	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Dead leader
NC-6363	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Dieback
NC-6364	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-6365	Willow oak	<i>Quercus phellos</i>	28	1	14	42	Good	
NC-6366	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Fair	Dead branches, vines in crown
NC-6367	Sassafras	<i>Sassafras albidum</i>	8	1	4	12	Poor	Falling over. Roots coming up
NC-6368	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Few broken branches
NC-6369	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Poor	Bent/broken crown, very thin crown
NC-6370	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Dieback
NC-6371	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-6372	Black oak	<i>Quercus velutina</i>	10	1	5	15	Fair	One sided. Interfering crown
NC-6373	Unknown		8	1	N/A	N/A	Standing Dead	
NC-6374	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6375	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-6376	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy, broken branches
NC-6377	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines on lower trunk, lean
NC-6378	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-6379	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	One sided. Lean. Dead tree leaning on trunk
NC-6380	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Fair	Dieback
NC-6381*	Black oak	<i>Quercus velutina</i>	39	1	19.5	58.5	Good	
NC-6382	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-6383	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Some dead branches
NC-6384	Red maple	<i>Acer rubrum</i>	9, 9	2	4.5	13.5	Good	Twin trunk 9 x 9
NC-6385	Unknown		7	1	N/A	N/A	Standing Dead	
NC-6386	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Good	
NC-6387	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	form
NC-6388	Northern red oak	<i>Quercus rubra</i>	20, 12	2	10	30	Good	Twin trunk 20 x 12
NC-6389	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Slight lean, interfering branching, water sprouts
NC-6390	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-6391	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	
NC-6392	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular growth form. Bark damage. One sided
NC-6393	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Reduced canopy
NC-6394	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Extensive vines in canopy
NC-6395	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form. Bark damage. One sided

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6396	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-6397	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-6398	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines on trunk
NC-6399	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Broken branches
NC-6400	Unknown		11	1	N/A	N/A	Standing Dead	
NC-6401	Scarlet oak	<i>Quercus coccinea</i>	11	1	N/A	N/A	Standing Dead	
NC-6402	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor broken branches
NC-6403	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Crown bent over/dying. Dead tree leaning on trunk
NC-6404	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-6405	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-6406	Scarlet oak	<i>Quercus coccinea</i>	6	1	3	9	Fair	Dieback
NC-6407	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-6408	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6409	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Fair	Few dead branches
NC-6410	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Trunk cavity, lean, dead branches
NC-6411	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-6412	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-6413	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Dead leader, rotting branches
NC-6414	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines on lower half, slight lean
NC-6415	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular trunk
NC-6416	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Very thin crown.
NC-6417	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Extensive lean, extensive vines on lower half, moderate dead wood
NC-6418	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-6419	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-6420	Pine sp.	<i>Pinus sp.</i>	15	1	N/A	N/A	Standing Dead	Unknown pine
NC-6421	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Extensive lean, extensive vines on lower half, moderate dead wood
NC-6422	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Heavy greenbrier on trunk
NC-6423	Blackgum	<i>Nyssa sylvatica</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, second trunk dead
NC-6424	Scarlet oak	<i>Quercus coccinea</i>	18	1	9	27	Fair	Dieback
NC-6425	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-6426	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Many vines
NC-6427	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on lower trunk, thin crown
NC-6428	Maple sp.	<i>Acer sp.</i>	7	1	N/A	N/A	Standing Dead	Unknown
NC-6429	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-6430	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Irregular growth form
NC-6431	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	
NC-6432	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor vines on lower half
NC-6433	Blackgum	<i>Nyssa sylvatica</i>	7	1	N/A	N/A	Standing Dead	
NC-6434	White oak	<i>Quercus alba</i>	14, 11	2	7	21	Good	Twin trunk 14 x 11
NC-6435	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Poor	Horizontal lean caused by several dead trees leaning on trunk
NC-6436	Sweetgum	<i>Liquidambar styraciflua</i>	5, 3	2	2.5	7.5	Poor	Twin trunk 5 x 3, extensive vines
NC-6437	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-6438	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-6439	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-6440	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-6441	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Fair	Many dead branches
NC-6442	Scarlet oak	<i>Quercus coccinea</i>	14, 11	2	7	21	Good	Twin trunk 14 x 11
NC-6443	White oak	<i>Quercus alba</i>	8	1	4	12	Poor	Dying
NC-6444	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Significant lean
NC-6445	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering crowns
NC-6446	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-6447	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-6448	Blackgum	<i>Nyssa sylvatica</i>	10, 5	2	5	15	Poor	Twin trunk 10 x 5, dead leader
NC-6449	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-6450	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-6451	American holly	<i>Ilex opaca</i>	5, 5, 5	3	2.5	7.5	Good	Multistem trunk 5 x 5 x 5
NC-6452	Unknown		9	1	N/A	N/A	Standing Dead	
NC-6453	Northern red oak	<i>Quercus rubra</i>	14, 13	2	7	21	Fair	Twin trunk 14 x 13, dead branches
NC-6454	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Good	
NC-6455	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Few dead limbs
NC-6456	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-6457	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Fair	Dieback
NC-6458	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines few dead branches
NC-6459	American beech	<i>Fagus grandifolia</i>	7, 5	2	3.5	10.5	Good	Twin trunk 7 x 5
NC-6460	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-6461	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6462	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular growth form. One sided
NC-6463	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-6464	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	Healed over trunk wounds
NC-6465	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor dead wood
NC-6466	Unknown		8	1	N/A	N/A	Standing Dead	Leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6467	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	
NC-6468	White oak	<i>Quercus alba</i>	9	1	N/A	N/A	Standing Dead	
NC-6469	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Dying
NC-6470	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6471	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Fair	Sap flowing from trunk. Thin crown
NC-6472	Red maple	<i>Acer rubrum</i>	13, 4	2	6.5	19.5	Poor	Twin trunks 13 x 4. VA pine leaning on trunk, pulling up roots. Significant lean
NC-6473	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken leader
NC-6474	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dead branches reduced canopy
NC-6475	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Irregular growth form
NC-6476	Unknown		7	1	N/A	N/A	Standing Dead	
NC-6477	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Dead branches
NC-6478	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6479	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-6480	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6481	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-6482	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor broken branches
NC-6483	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-6484	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Minor lean, moderate broken branches
NC-6485	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6486	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6487	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Dead branches, thin crown
NC-6488	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6489	White oak	<i>Quercus alba</i>	7	1	N/A	N/A	Standing Dead	
NC-6490	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-6491	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Mostly dead crown
NC-6492	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-6493	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-6494	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-6495	Sassafras	<i>Sassafras albidum</i>	6	1	3	9	Fair	Irregular growth form. Dead branches
NC-6496	Red maple	<i>Acer rubrum</i>	16, 13, 10	3	8	24	Fair	Multistem 16 x 13 x 10, included bark, interfering branching
NC-6497	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Significant lean. Interfering crown
NC-6498	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6499	American beech	<i>Fagus grandifolia</i>	13, 10	2	6.5	19.5	Good	Twin trunks 13 x 10. Included bark
NC-6500	Pine sp.	<i>Pinus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-6501	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-6502	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-6503	Unknown		28	1	N/A	N/A	Standing Dead	
NC-6504	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-6505	Scarlet oak	<i>Quercus coccinea</i>	22	1	11	33	Good	
NC-6506	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6507	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Leaning few dead branches
NC-6508	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor dead wood
NC-6509	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on lower branches
NC-6510	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-6511	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean. Interfering crown. Almost dead crown
NC-6512	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vine on trunk
NC-6513	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Undermined
NC-6514	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Lean, sparse canopy
NC-6515	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-6516	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-6517	Blackgum	<i>Nyssa sylvatica</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8
NC-6518	Scarlet oak	<i>Quercus coccinea</i>	18	1	9	27	Fair	Trunk rot
NC-6519	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-6520	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-6521	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Vines on lower half, minor dead wood
NC-6522	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-6523	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Interfering crown. Lean
NC-6524	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-6525	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6526	American beech	<i>Fagus grandifolia</i>	13, 10	2	6.5	19.5	Good	Twin trunk 13 x 10
NC-6527	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-6528	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6529	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Undermined
NC-6530	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided. Irregular crown. Dead branches
NC-6531	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6532	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-6533	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-6534	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	One sided. Dead lower branches. Lean. Broken leader
NC-6535	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6536	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines into canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6537	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Dead lower branches. Lean
NC-6538	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dieback
NC-6539	American beech	<i>Fagus grandifolia</i>	18	1	9	27	Good	
NC-6540	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Few broken branches
NC-6541	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Few dead branches
NC-6542	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Fair	Dead branches leaning
NC-6543	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown
NC-6544	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular growth form. Lean
NC-6545	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Interfering branching, moderate dead wood
NC-6546	Unknown		22	1	N/A	N/A	Standing Dead	
NC-6547	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6548	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6549	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form, moderate broken branches
NC-6550	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-6551	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Dead branches
NC-6552	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-6553	American elm	<i>Ulmus americana</i>	9, 8	2	4.5	13.5	Poor	Twin trunks 9 x 8, included bark, heavy lean, water sprouts, moderate dead wood
NC-6554	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-6555	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-6556	White oak	<i>Quercus alba</i>	18, 9	2	9	27	Fair	Twin trunk 18 x 9, second trunk dead
NC-6557	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Few dead branches
NC-6558	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-6559	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Poor	Dying trunk rot
NC-6560	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dieback
NC-6561	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Leaning
NC-6562	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-6563	Unknown		8	1	N/A	N/A	Standing Dead	
NC-6564	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	Few dead branches
NC-6565	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6566	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6567	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6568	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Undermined
NC-6569	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-6570	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6571	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Dead side leader
NC-6572	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-6573	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6574	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6575	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Mostly dead
NC-6576	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Slight lean, moderate dead wood
NC-6577	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches, trunk cavity
NC-6578	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-6579	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-6580	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-6581	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-6582	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6583	White oak	<i>Quercus alba</i>	7	1	N/A	N/A	Standing Dead	
NC-6584	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-6585	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced crown
NC-6586	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-6587	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken leader
NC-6588	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Interfering branching, minor vines on lower half
NC-6589	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-6590	White oak	<i>Quercus alba</i>	6	1	N/A	N/A	Standing Dead	
NC-6591	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6592	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-6593	Scarlet oak	<i>Quercus coccinea</i>	13, 8	2	6.5	19.5	Poor	Twin trunk 13 x 8, dead leader, reduced canopy
NC-6594	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-6595	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-6596	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-6597	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-6598	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One-sided branching, moderate broken branches
NC-6599	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Extensive vines, trunk rot
NC-6600	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-6601	Red maple	<i>Acer rubrum</i>	19, 8	2	9.5	28.5	Fair	Twin trunk 19 x 8 broken dead leader
NC-6602	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Broken leader, vines on lower trunk
NC-6603	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6604	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Uprooted leaning
NC-6605	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Dieback

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6606	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-6607	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-6608	Northern red oak	<i>Quercus rubra</i>	12	1	N/A	N/A	Standing Dead	
NC-6609	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	Unknown pine
NC-6610	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-6611	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Reduced canopy
NC-6612	White oak	<i>Quercus alba</i>	11	1	N/A	N/A	Standing Dead	
NC-6613	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	Unknown pine
NC-6614	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor vines
NC-6615	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-6616	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Several dead branches
NC-6617	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6618	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6619	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6620	Northern red oak	<i>Quercus rubra</i>	11	1	N/A	N/A	Standing Dead	
NC-6621	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	One dead branch
NC-6622	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-6623	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-6624	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6625	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	One sided
NC-6626	American beech	<i>Fagus grandifolia</i>	6, 5, 3	3	3	9	Good	Multistem trunk 6 x 5 x 3
NC-6627	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-6628	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6629	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Dead branches
NC-6630	American holly	<i>Ilex opaca</i>	8	1	4	12	Good	Slight lean
NC-6631	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Fair	Dieback, leaning
NC-6632	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Dying
NC-6633	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-6634	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6635	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-6636	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6637	Red maple	<i>Acer rubrum</i>	11, 7, 4, 3	4	5.5	16.5	Fair	Multistem 11 x 7 x 4 x 3. Vine on 11" trunk, water sprouts
NC-6638	Scarlet oak	<i>Quercus coccinea</i>	19, 11	2	9.5	28.5	Fair	Twin trunk 19 x 11, dead leader
NC-6639	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Dying
NC-6640	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-6641	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Significant lean. Barely any crown
NC-6642	White oak	<i>Quercus alba</i>	12, 11	2	6	18	Fair	Twin trunk 12 x 11, stressed
NC-6643	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-6644	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-6645	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	
NC-6646	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Good	
NC-6647	Unknown		5	1	N/A	N/A	Standing Dead	
NC-6648	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-6649	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-6650	Unknown		7	1	N/A	N/A	Standing Dead	Unknown
NC-6651	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Leaning
NC-6652	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-6653	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6654	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Undermined
NC-6655	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Good	Minor broken branches and dead wood
NC-6656	White oak	<i>Quercus alba</i>	10	1	5	15	Poor	Dying
NC-6657	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-6658	Virginia pine	<i>Pinus virginiana</i>	18	1	N/A	N/A	Standing Dead	
NC-6659	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dieback
NC-6660	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Vines
NC-6661	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Leaning
NC-6662	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-6663	Sweetgum	<i>Liquidambar styraciflua</i>	10, 2	2	N/A	N/A	Standing Dead	Twin trunk 10 x 2
NC-6664	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-6665	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-6666	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-6667	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-6668	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided. Irregular crown. Dead branches
NC-6669	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-6670	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-6671	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-6672	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-6673	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Dead branches
NC-6674	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-6675	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, few dead branches
NC-6676	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branches
NC-6677	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Moderate broken branches and dead wood

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6678	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-6679	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	One sided. Dead tree fell on it
NC-6680	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-6681	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-6682	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines on lower trunk
NC-6683	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-6684	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-6685	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Dead branches. Thin crown
NC-6686	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Poor	Twin trunks 6 x 3. Dead side leader. Included bark. Thin crown. Dead branches
NC-6687	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-6688	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	One sided
NC-6689	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Poor	Dying
NC-6690	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Poor	Dying
NC-6691	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-6692	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-6693	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-6694	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-6695	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-6696	Red maple	<i>Acer rubrum</i>	11, 10, 8, 4	4	5.5	16.5	Good	Multistem trunk 11 x 10 x 8 x 4
NC-6697	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Broken trunk
NC-6698	Unknown		6	1	N/A	N/A	Standing Dead	
NC-6699	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Trunk rot
NC-6700	Red maple	<i>Acer rubrum</i>	10, 7	2	5	15	Good	Twin trunk 10 x 7
NC-6701	Black oak	<i>Quercus velutina</i>	20	1	10	30	Poor	Dying crown
NC-6702	White oak	<i>Quercus alba</i>	18	1	N/A	N/A	Standing Dead	
NC-6703	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	One sided. Dead branches. Overtopped
NC-6704	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Heavy vines on trunk
NC-6705	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6706	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6707	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Dieback
NC-6708	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Leaning
NC-6709	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Water sprouts, moderate dead wood
NC-6710	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	Interfering branching
NC-6711	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Dying
NC-6712	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken branches
NC-6713	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Broken branches
NC-6714	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-6715	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6716	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6717	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning
NC-6718	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6719	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6720	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-6721	Unknown		5	1	N/A	N/A	Standing Dead	
NC-6722	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6723	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Many dead branches. Lean
NC-6724	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-6725	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Thin crown. Many dead branches
NC-6726	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-6727	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6728	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Stressed
NC-6729	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Many dead branches
NC-6730	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-6731	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Possibly dying
NC-6732	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken leader
NC-6733	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-6734	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-6735	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6736	Blackgum	<i>Nyssa sylvatica</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6. Few dead branches
NC-6737	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Good	
NC-6738	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-6739	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Extensive vines, reduced canopy
NC-6740	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-6741	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-6742	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6743	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-6744	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twin trunk 8 x 6, leaning
NC-6745	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-6746	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches, reduced canopy
NC-6747	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-6748	Red maple	<i>Acer rubrum</i>	5, 3, 3, 3, 1	5	2.5	7.5	Fair	Multistem 5 x 3 x 3 x 3 x 1, slight lean, one-sided branching
NC-6749	Loblolly pine	<i>Pinus taeda</i>	8	1	4	12	Fair	Reduced canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-6750	Sweetgum	Liquidambar styraciflua		6	1	3	9	Poor	Possibly dead
NC-6751	Loblolly pine	Pinus taeda		10	1	5	15	Good	
NC-6752	Red maple	Acer rubrum		7	1	3.5	10.5	Good	
NC-6753	Sweetgum	Liquidambar styraciflua		6	1	3	9	Good	
NC-6754	Scarlet oak	Quercus coccinea		11	1	N/A	N/A	Standing Dead	
NC-6755	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Fair	Leaning
NC-6756	Virginia pine	Pinus virginiana		6	1	3	9	Fair	Reduced canopy
NC-6757	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Reduced canopy
NC-6758	Virginia pine	Pinus virginiana		7	1	3.5	10.5	Fair	Many vines
NC-6759	White oak	Quercus alba		13	1	6.5	19.5	Good	Dead lower branch
NC-6760	Sweetgum	Liquidambar styraciflua		10	1	5	15	Good	
NC-6761	Sweetgum	Liquidambar styraciflua		6	1	3	9	Poor	Extensive vines, possibly dead
NC-6762	Sweetgum	Liquidambar styraciflua		11	1	5.5	16.5	Fair	Vines
NC-6763	Sweetgum	Liquidambar styraciflua		15	1	7.5	22.5	Good	
NC-6764	Sweetgum	Liquidambar styraciflua		6	1	3	9	Poor	Dying
NC-6765	Virginia pine	Pinus virginiana		10	1	5	15	Poor	Fallen
NC-6766	Red maple	Acer rubrum		6	1	3	9	Good	
NC-6767	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-6768	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Poor	Dying
NC-6769	Virginia pine	Pinus virginiana		8	1	4	12	Good	
NC-6770	Red maple	Acer rubrum		14	1	7	21	Good	One sided
									Included bark, broken branches, minor vines
NC-6771	Red maple	Acer rubrum		13	1	6.5	19.5	Fair	
NC-6772	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Bent over leader
NC-6773	Blackgum	Nyssa sylvatica		6	1	3	9	Good	
NC-6774	Sweetgum	Liquidambar styraciflua		13	1	6.5	19.5	Good	
NC-6775	Virginia pine	Pinus virginiana		10	1	5	15	Poor	Extensive vines, reduced canopy
NC-6776	Blackgum	Nyssa sylvatica		6	1	3	9	Good	Unbalanced crown
NC-6777	Blackgum	Nyssa sylvatica		6	1	3	9	Good	
NC-6778	Red maple	Acer rubrum		24	1	12	36	Good	Included bark, minor branch dieback
NC-6779	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Good	
NC-6780	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Leaning
NC-6781	Willow oak	Quercus phellos		6	1	3	9	Good	
NC-6782	Virginia pine	Pinus virginiana		6	1	N/A	N/A	Standing Dead	
NC-6783	Eastern redcedar	Juniperus virginiana		5	1	2.5	7.5	Good	
									Trunk basal cavity with decay. Lean. Dead/broken branches
NC-6784	Northern red oak	Quercus rubra		13	1	6.5	19.5	Fair	
NC-6785	Red maple	Acer rubrum		19	1	9.5	28.5	Good	Slight lean, one sided
NC-6786	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Reduced canopy
NC-6787	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Reduced canopy
NC-6788	Blackgum	Nyssa sylvatica		6	1	3	9	Good	Irregular growth form
NC-6789	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Poor	Dying
NC-6790	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Trunk rot
NC-6791	White oak	Quercus alba		12	1	6	18	Good	Few broken branches
NC-6792	White oak	Quercus alba		6	1	3	9	Poor	Growing through fence, stressed
NC-6793	Sweetgum	Liquidambar styraciflua		12	1	6	18	Fair	One sided. Irregular trunk
NC-6794	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Broken leader
									Twin trunk 7 x 7, second trunk dead, trunk rot
NC-6795	Red maple	Acer rubrum	7, 7	2	3.5	10.5	Poor		
NC-6796	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-6797	Blackgum	Nyssa sylvatica		7	1	3.5	10.5	Good	
NC-6798	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Reduced canopy
									One-sided branching, slight lean, minor broken branches
NC-6799	Red maple	Acer rubrum		14	1	7	21	Fair	
NC-6800	Red maple	Acer rubrum		5	1	2.5	7.5	Poor	Broken leader
NC-6801	Virginia pine	Pinus virginiana		10	1	5	15	Good	
NC-6802	Eastern redcedar	Juniperus virginiana		6	1	3	9	Fair	Extensive vines
NC-6803	Loblolly pine	Pinus taeda		12	1	N/A	N/A	Standing Dead	
									One-sided branching, water sprouts, sparse crown
NC-6804	Red maple	Acer rubrum		9	1	4.5	13.5	Good	
NC-6805	Eastern redcedar	Juniperus virginiana		7	1	3.5	10.5	Fair	Extensive vines
NC-6806	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Broken branches. reduced canopy
NC-6807	Red maple	Acer rubrum		10	1	5	15	Fair	Vines on trunk, dead branches
NC-6808	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-6809	Virginia pine	Pinus virginiana		6	1	N/A	N/A	Standing Dead	
NC-6810	Blackgum	Nyssa sylvatica		7	1	3.5	10.5	Good	
NC-6811	Red maple	Acer rubrum		7	1	3.5	10.5	Good	
NC-6812	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Dead branches
NC-6813	Sweetgum	Liquidambar styraciflua		10	1	5	15	Fair	Broken branches
NC-6814	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Vines
NC-6815	Red maple	Acer rubrum		15	1	7.5	22.5	Fair	Trunk wound and decay
NC-6816	Common persimmon	Diospyros virginiana		7	1	3.5	10.5	Good	
NC-6817	Virginia pine	Pinus virginiana		10	1	5	15	Fair	Extensive vines
NC-6818	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Good	
NC-6819	Virginia pine	Pinus virginiana	7, 4	2	N/A	N/A	Standing Dead		Twin trunk 7 x 4

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6820	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-6821	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-6822	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Sparse crown
NC-6823	Sweetgum	<i>Liquidambar styraciflua</i>	9, 5	2	4.5	13.5	Fair	Twin trunk 9 x 5, stressed
NC-6824	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6825	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-6826	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Broken branches
NC-6827	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Stressed
NC-6828	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Extensive vines
NC-6829	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-6830	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Dead/broken branches. Unbalanced crown
NC-6831	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines
NC-6832	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, vines into canopy
NC-6833	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Lean. Crown nearly dead
NC-6834	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	One sided. Thin crown
NC-6835	Red maple	<i>Acer rubrum</i>	17, 13	2	8.5	25.5	Good	Twin trunks 17 x 13. Included bark
NC-6836	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, broken leader
NC-6837	Unknown		5	1	N/A	N/A	Standing Dead	
NC-6838	Black oak	<i>Quercus velutina</i>	22	1	11	33	Poor	Dying crown. Large broken branches
NC-6839	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-6840	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-6841	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Leaning
NC-6842	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-6843	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-6844	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-6845	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-6846	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-6847	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6848	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6849	Red maple	<i>Acer rubrum</i>	16, 12, 11	3	8	24	Fair	Multistem 16 x 12 x 11. Included bark, water sprouts
NC-6850	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Stressed
NC-6851	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6852	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-6853	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-6854	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-6855	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form, vines on trunk
NC-6856	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Poor	Twin trunk 6 x 6, extensive vines
NC-6857	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6858	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-6859	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	One sided, lean, overtopped
NC-6860	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-6861	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Good	
NC-6862	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6863	Red maple	<i>Acer rubrum</i>	16	1	8	24	Poor	Included bark, extensive vines into crown, lean
NC-6864	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-6865	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-6866	Sweetgum	<i>Liquidambar styraciflua</i>	7, 6	2	3.5	10.5	Fair	Twin trunk 7 x 6, many broken branches, reduced canopy
NC-6867	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-6868	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, broken leader
NC-6869	Sweetgum	<i>Liquidambar styraciflua</i>	13, 6	2	6.5	19.5	Good	Twin trunks 13 x 6
NC-6870	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-6871	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-6872	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-6873	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-6874	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Vines at base
NC-6875	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6876	Eastern white pine	<i>Pinus strobus</i>	5	1	2.5	7.5	Good	
NC-6877	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6878	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-6879	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6880	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-6881	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6882	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying
NC-6883	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Stressed
NC-6884	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-6885	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-6886	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-6887	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Few broken branches
NC-6888	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-6889	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-6890	Virginia pine	<i>Pinus virginiana</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6891	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Irregular growth form. One sided
NC-6892	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-6893	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-6894	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Broken branches
NC-6895	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Good	
NC-6896	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-6897	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-6898	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken leader
NC-6899	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-6900	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6901	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6902	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6903	White oak	<i>Quercus alba</i>	18	1	9	27	Fair	Trunk wound. Some dead branches
NC-6904	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-6905	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-6906	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Good	
NC-6907	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning
NC-6908	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-6909	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning, trunk rot
NC-6910	Eastern redcedar	<i>Juniperus virginiana</i>	15	1	7.5	22.5	Good	
NC-6911	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-6912	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-6913	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Bark decay
NC-6914	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6915	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6916	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-6917	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Fair	Dead branches
NC-6918	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6919	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-6920	Eastern redcedar	<i>Juniperus virginiana</i>	8, 7, 6, 6, 4, 3	6	4	12	Good	Multistem trunk 8 x 7 x 6 x 6 x 4 x 3
NC-6921	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-6922	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-6923	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Trunk rot
NC-6924	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-6925	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-6926	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches
NC-6927	Virginia pine	<i>Pinus virginiana</i>	9, 5	2	4.5	13.5	Fair	Twin trunk 9 x 5, second trunk dead
NC-6928	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Water sprouts, dead branches
NC-6929	River birch	<i>Betula nigra</i>	11	1	5.5	16.5	Poor	Vines into crown, extensive dead wood
NC-6930	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-6931	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor vines
NC-6932	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Stressed, dead/broken branches
NC-6933	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-6934	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-6935	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6936	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-6937	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-6938	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6939	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-6940	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-6941	Loblolly pine	<i>Pinus taeda</i>	8	1	4	12	Good	
NC-6942	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-6943	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6944	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-6945	Eastern redcedar	<i>Juniperus virginiana</i>	9, 9, 5	3	4.5	13.5	Good	Multistem trunk 9 x 9 x 5
NC-6946	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Dead lower branches
NC-6947	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Good	Slight lean
NC-6948	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	trunk
NC-6949	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-6950	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-6951	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-6952	Sweetgum	<i>Liquidambar styraciflua</i>	12, 10	2	6	18	Good	Twin trunks 12 x 10. 10" one sided
NC-6953	Red maple	<i>Acer rubrum</i>	14, 7	2	7	21	Fair	Twin trunks 14 x 7, included bark, dying leader, minor vines
NC-6954	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	N/A	N/A	Standing Dead	
NC-6955	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Stressed, reduced canopy
NC-6956	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-6957	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6958	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-6959	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Lean. Unbalanced crown
NC-6960	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-6961	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Few broken branches
NC-6962	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-6963	Common persimmon	<i>Diospyros virginiana</i>	6, 5, 3	3	3	9	Good	Multistem trunk 6 x 5 x 3
NC-6964	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Fair	Dead large branches in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-6965	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-6966	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6967	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-6968	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-6969	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches
NC-6970	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-6971	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	
NC-6972	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Extensive vines, broken leader
NC-6973	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-6974	Eastern redcedar	<i>Juniperus virginiana</i>	17	1	8.5	25.5	Good	
NC-6975	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Extensive vines, broken leader
NC-6976	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-6977	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6978	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-6979	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-6980	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6981	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Slight lean
NC-6982	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken leader
NC-6983	Red maple	<i>Acer rubrum</i>	8, 4	2	4	12	Poor	Twin trunk 8 x 4, main trunk dead
NC-6984	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6985	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken leader, reduced canopy
NC-6986	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Stressed
NC-6987	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-6988	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dead top/leader. Lower branches alive
NC-6989	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Climbing vines, reduced canopy
NC-6990	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-6991	Red maple	<i>Acer rubrum</i>	10, 9, 6	3	5	15	Fair	Multistem 10 x 9 x 6, minor broken branches, included bark
NC-6992	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Broken leader, vines on lower half
NC-6993	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-6994	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-6995	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Heavy vines on trunk
NC-6996	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-6997	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-6998	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-6999	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Broken leaders
NC-7000	Eastern redcedar	<i>Juniperus virginiana</i>	8, 8, 6	3	4	12	Good	Multistem trunk 8 x 8 x 6
NC-7001	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, broken branches
NC-7002	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches, reduced canopy
NC-7003	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-7004	River birch	<i>Betula nigra</i>	10, 9	2	5	15	Poor	Twin trunks 10 x 9. 10" twin dead, one sided
NC-7005	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Reduced canopy
NC-7006	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Leaning, branch dieback
NC-7007	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-7008	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk, broken branches
NC-7009	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Vines on lower branches
NC-7010	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	
NC-7011	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-7012	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dead leader
NC-7013	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7014	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-7015	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	One sided
NC-7016	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-7017	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Heavy lean, extensive vines into crown, sparse crown
NC-7018	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Fair	Vines in canopy
NC-7019	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	One sided. Slight lean. Dead lower branches
NC-7020	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Broken branches. Thin crown
NC-7021	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7022	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	Lean. Few dead branches
NC-7023	Scarlet oak	<i>Quercus coccinea</i>	18	1	9	27	Good	Lean
NC-7024	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-7025	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Minor broken branches, water sprouts
NC-7026	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-7027	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-7028	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	One sided. Dead tree leaning on trunk
NC-7029	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader, reduced canopy
NC-7030	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7031	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	One sided
NC-7032	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Broken leader
NC-7033	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7034	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	Few broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7035	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Irregular crown. One sided. Dead lower branches
NC-7036	Red maple	<i>Acer rubrum</i>	8, 3	2	4	12	Good	Twin trunk 8 x 3
NC-7037	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Fair	Twin trunk 6 x 6, extensive vines
NC-7038	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Significant lean. Dead branches. Small trunk cavity
NC-7039	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Water sprouts
NC-7040	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Fair	Dead limbs
NC-7041	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Water sprouts, irregular growth form, moderate broken branches
NC-7042	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Good	
NC-7043	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Vines
NC-7044	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-7045	Scarlet oak	<i>Quercus coccinea</i>	26	1	13	39	Fair	Irregular growth form, one sided
NC-7046	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-7047	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7048	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-7049	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean. Broken branches
NC-7050	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-7051	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean. Very thin crown
NC-7052	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-7053	Blackgum	<i>Nyssa sylvatica</i>	16	1	8	24	Fair	Interfering branching, water sprouts, broken branches
NC-7054	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Slightly one sided
NC-7055	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Leaning, reduced canopy
NC-7056	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Trunk rot, reduced canopy
NC-7057	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Leaning, trunk damage
NC-7058	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-7059	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying crown. Lean
NC-7060	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-7061	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, irregular crown
NC-7062	Black cherry	<i>Prunus serotina</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-7063	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7064	American elm	<i>Ulmus americana</i>	14	1	7	21	Fair	Trunk rot
NC-7065	White oak	<i>Quercus alba</i>	16	1	8	24	Good	Healed over dead twin
NC-7066	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Irregular trunk
NC-7067	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Slight lean
NC-7068	Common persimmon	<i>Diospyros virginiana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-7069	Pin oak	<i>Quercus palustris</i>	17	1	8.5	25.5	Good	
NC-7070	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-7071	Unknown		16	1	N/A	N/A	Standing Dead	
NC-7072	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7073	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Extensive vines into crown
NC-7074	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-7075	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Reduced canopy
NC-7076	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Thin crown. Dead branches
NC-7077	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-7078	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-7079	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Irregular trunk
NC-7080	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Moderate dead wood, broken secondary leader
NC-7081	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7082	White oak	<i>Quercus alba</i>	8	1	4	12	Good	Slight lean
NC-7083	White oak	<i>Quercus alba</i>	14, 8	2	7	21	Fair	Twin trunk 14 x 8, dead leader
NC-7084	Black oak	<i>Quercus velutina</i>	26, 16	2	13	39	Fair	Twin trunks 26 x 16, missing secondary leader
NC-7085	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7086	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Dead secondary leader
NC-7087	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	One sided, broken branches
NC-7088	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-7089	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-7090	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Water sprouts, broken branches, sparse crown
NC-7091	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Significant lean. Evidence of decay - bark sloughing off
NC-7092	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Vines on lower branches
NC-7093	Pignut hickory	<i>Carya glabra</i>	7	1	3.5	10.5	Fair	Vines
NC-7094	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7095	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Interweaves with holly
NC-7096	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7097	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Water sprouts, irregular growth form
NC-7098	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slightly one sided
NC-7099	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning
NC-7100*	Red maple	<i>Acer rubrum</i>	32	1	16	48	Good	Multistem above DBH
NC-7101	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7102	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-7103	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Dying, trunk rot
NC-7104	White mulberry	<i>Morus alba</i>	5, 4, 3	3	2.5	7.5	Good	Twin trunk 5 x 4 x 3
NC-7105	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Fair	Vines
NC-7106	Pignut hickory	<i>Carya glabra</i>	9	1	4.5	13.5	Good	
NC-7107	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7108	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-7109	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-7110	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Undermined
NC-7111	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Bent leader
NC-7112	American beech	<i>Fagus grandifolia</i>	14, 11	2	7	21	Fair	Twin trunk 14 x 11, dead leader
NC-7113	White oak	<i>Quercus alba</i>	10, 8	2	5	15	Fair	Twin trunk 10 x 8, reduced canopy
NC-7114	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Poor	Dying
NC-7115	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Fair	Dieback
NC-7116	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7117	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7118	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Sparse crown, extensive broken branches, water sprouts
NC-7119	White oak	<i>Quercus alba</i>	14, 7	2	7	21	Fair	Twin trunk 14 x 7, dead leader
NC-7120	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7121	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-7122	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-7123	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Vines on lower half
NC-7124	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Slightly one sided
NC-7125	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	dieback
NC-7126	Unknown		12	1	N/A	N/A	Standing Dead	
NC-7127	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-7128	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Dead secondary leader
NC-7129	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Trunk rot
NC-7130	American sycamore	<i>Platanus occidentalis</i>	11	1	5.5	16.5	Fair	Vines in canopy
NC-7131	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-7132	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	
NC-7133	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	Somewhat unbalanced trunk
NC-7134	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Thin crown, water sprouts
NC-7135	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Severe lean, one sided, leader bent over
NC-7136	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Broken leader, water sprouts
NC-7137	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Minor broken branches
NC-7138	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-7139	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Slight lean, one-sided growth, minor broken branches
NC-7140	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7141	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Broken branches
NC-7142	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	One sided
NC-7143	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-7144	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines on trunk
NC-7145	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form. Dead/broken branches
NC-7146	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Healed over twin scar
NC-7147	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-7148	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Poor dying
NC-7149	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7150	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-7151	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Slight lean, minor water sprouts
NC-7152	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-7153	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-7154	Pignut hickory	<i>Carya glabra</i>	7	1	3.5	10.5	Good	
NC-7155	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7156	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-7157	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-7158	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Fair	Stressed
NC-7159	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Reduced canopy
NC-7160	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-7161	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular growth form
NC-7162	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-7163	American beech	<i>Fagus grandifolia</i>	7, 4	2	3.5	10.5	Good	Twin trunks 7 x 4. Some included bark
NC-7164	White oak	<i>Quercus alba</i>	16	1	8	24	Fair	Slight lean, thin crown
NC-7165	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-7166	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7167	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Good	Twin trunk 7 x 3
NC-7168	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Moderate dead wood
NC-7169	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7170	Mockernut hickory	<i>Carya tomentosa</i>	13	1	6.5	19.5	Good	
NC-7171	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-7172	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-7173	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7174	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7175	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-7176	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-7177	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Lean. Very thin crown
NC-7178	Northern red oak	<i>Quercus rubra</i>	8, 8	2	4	12	Fair	Twin trunks 8 x 8. One sided. Dead branches. Overtopped
NC-7179	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-7180	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7181	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning
NC-7182	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7183	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Water sprouts, broken branches
NC-7184	Red maple	<i>Acer rubrum</i>	9, 5	2	4.5	13.5	Good	Twin trunk 9 x 5
NC-7185	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	One sided, thin crown
NC-7186	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-7187	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Lean. Dead branches. One sided
NC-7188	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-7189	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-7190	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-7191	American beech	<i>Fagus grandifolia</i>	8, 5, 4	3	4	12	Poor	Multistem trunk 8 x 5 x 4, dead leader
NC-7192	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-7193	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-7194	White oak	<i>Quercus alba</i>	21, 14	2	10.5	31.5	Good	Twin trunk 21 x 14
NC-7195	Red maple	<i>Acer rubrum</i>	6, 4	2	3	9	Fair	Twin trunk 6 x 4, trunk rot
NC-7196	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Slight lean
NC-7197	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Dieback
NC-7198	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7199	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-7200	Unknown		7	1	N/A	N/A	Standing Dead	
NC-7201	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7202	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-7203	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Slight lean
NC-7204	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	One sided, lean
NC-7205	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Vines, dieback
NC-7206	Sweetgum	<i>Liquidambar styraciflua</i>	23	1	11.5	34.5	Fair	Vines
NC-7207	Red maple	<i>Acer rubrum</i>	7, 6, 5	3	3.5	10.5	Fair	Multistem trunk 7 x 6 x 5, trunk rot
NC-7208	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Trunk rot
NC-7209	Scarlet oak	<i>Quercus coccinea</i>	17	1	8.5	25.5	Fair	Lean, moderate dead wood
NC-7210	Unknown		12	1	N/A	N/A	Standing Dead	
NC-7211	Red maple	<i>Acer rubrum</i>	22	1	11	33	Good	
NC-7212	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-7213	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	Somewhat thin crown and some dead branches
NC-7214	White oak	<i>Quercus alba</i>	6	1	N/A	N/A	Standing Dead	
NC-7215	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-7216	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7217	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	
NC-7218	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines
NC-7219	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Heavy vines on trunk
NC-7220	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-7221	Red maple	<i>Acer rubrum</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, dieback
NC-7222	Black oak	<i>Quercus velutina</i>	14	1	7	21	Good	Somewhat thin crown
NC-7223	Callery pear	<i>Pyrus calleryana</i>	8, 5, 5, 5	4	4	12	Good	Multistem trunk 8 x 5 x 5 x 5
NC-7224	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Stressed
NC-7225	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	One sided, lean
NC-7226	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Irregular growth form, one-sided branching
NC-7227	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-7228	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7229	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-7230	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Possibly dead
NC-7231	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Reduced crown
NC-7232	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Many vines
NC-7233	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines on lower half
NC-7234	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7235	White oak	<i>Quercus alba</i>	15, 9	2	7.5	22.5	Good	Twin trunk 15 x 9
NC-7236	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7237	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7238	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7239	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Significant lean. Bent crown
NC-7240	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Reduced crown
NC-7241	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7242	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-7243	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-7244	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-7245	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Irregular growth form, dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7246	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Lean, water sprouts
NC-7247	White oak	<i>Quercus alba</i>	16	1	8	24	Good	Healed over trunk cavity
NC-7248	White oak	<i>Quercus alba</i>	7	1	N/A	N/A	Standing Dead	
NC-7249	Red maple	<i>Acer rubrum</i>	9, 7, 4	3	N/A	N/A	Standing Dead	Multistem trunk 9 x 7 x 4
NC-7250	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7251	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-7252	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form. Thin crown. Trunk cavity
NC-7253	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7254	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7255	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7256	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Trunk damage
NC-7257	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-7258	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-7259	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Leaning
NC-7260	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7261	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular crown. One sided
NC-7262	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Some vines
NC-7263	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Lean, water sprouts
NC-7264	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Water sprouts, broken branches
NC-7265	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines leaning
NC-7266	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Decaying leader, thin crown
NC-7267	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	One sided. Vines in lower branches
NC-7268	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7269	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on lower trunk, water sprouts, irregular growth form
NC-7270	Black oak	<i>Quercus velutina</i>	22	1	11	33	Fair	Moderate dead wood and broken branches
NC-7271	Red maple	<i>Acer rubrum</i>	7, 6, 5	3	3.5	10.5	Fair	Multistem 7 x 6 x 5. Dead tree leaning on trunk. Overtopped. Included bark
NC-7272	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-7273	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7274	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-7275	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7276	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7277	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-7278	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Significant lean. Nearly dead crown
NC-7279	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-7280	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-7281	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Stressed, reduced canopy
NC-7282	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-7283	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Overtopped. Damaged leader
NC-7284	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches in crown
NC-7285	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-7286	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7287	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Fair	Broken branches
NC-7288	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean. Almost absent crown
NC-7289	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Good	Minor dead wood
NC-7290	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-7291	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-7292	American beech	<i>Fagus grandifolia</i>	15	1	7.5	22.5	Good	
NC-7293	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Vines on trunk, lean, one sided
NC-7294	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Fair	Undermined
NC-7295	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, dead branches
NC-7296	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-7297	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying
NC-7298	Red maple	<i>Acer rubrum</i>	9, 5	2	4.5	13.5	Good	Twin trunks 9 x 5. Slight lean
NC-7299	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Lean, extensive vines into crown
NC-7300	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-7301	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Water sprouts, broken branches
NC-7302	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Slight lean, one-sided branching
NC-7303	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7304	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7305	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7306	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-7307	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Very thin crown. Very little foliage
NC-7308	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, dead branches, irregular growth form
NC-7309	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-7310	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-7311	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-7312	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Many vines
NC-7313	Sassafras	<i>Sassafras albidum</i>	9	1	4.5	13.5	Good	Somewhat irregular trunk
NC-7314	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dieback
NC-7315	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Sparse crown, moderate dead wood

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7316	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-7317	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Some vines
NC-7318	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning vines
NC-7319	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-7320	Red maple	<i>Acer rubrum</i>	9, 7, 7, 6, 5, 4	6	4.5	13.5	Good	Multistem 5 x 4 x 6 x 7 x 9 x 7. Some included bark
NC-7321	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	One sided
NC-7322	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7323	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7324	Red maple	<i>Acer rubrum</i>	9, 8, 7	3	4.5	13.5	Fair	Multistem trunk 9 x 8 x 7, trunk rot
NC-7325	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Lean, one-sided branching, water sprouts
NC-7326	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-7327	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Dead/broken branches
NC-7328	American beech	<i>Fagus grandifolia</i>	29, 14	2	14.5	43.5	Good	Twin trunks 29 x 14. Few broken branches
NC-7329	White oak	<i>Quercus alba</i>	19, 8	2	9.5	28.5	Good	Twin trunk 19 x 8
NC-7330	Scarlet oak	<i>Quercus coccinea</i>	22	1	11	33	Good	Lean, one sided
NC-7331	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7332	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Trunk rot reduced canopy
NC-7333	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	One sided. Overtopped
NC-7334	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches, dieback
NC-7335	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-7336	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Irregular growth form. Lean. Thin crown
NC-7337	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-7338	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	
NC-7339	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Somewhat thin crown
NC-7340	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-7341	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-7342	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Irregular crown, lean
NC-7343	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Fair	Twin trunk 5 x 3, vines
NC-7344	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Leaning, dieback
NC-7345	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Thin crown. Vines in lower trunk.
NC-7346	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular growth form. Broken branches
NC-7347	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-7348	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular crown, water sprouts
NC-7349	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form. Broken branches
NC-7350	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Fair	Some large dead branches. Thin crown
NC-7351	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, one sided, vines in lower branches
NC-7352	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular crown. Dead lower branches
NC-7353	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying
NC-7354	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Fair	Twin trunk 7 x 3, dieback
NC-7355	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean. Two dead trees leaning on trunk. Thin crown
NC-7356	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7357	Red maple	<i>Acer rubrum</i>	8, 8	2	N/A	N/A	Standing Dead	Twin trunk 8 x 8
NC-7358	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines
NC-7359	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-7360	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean. split leader
NC-7361	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7362	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-7363	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-7364	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Good	Multistem trunk 5 x 4 x 3
NC-7365	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7366	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Somewhat thin crown
NC-7367	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-7368	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-7369	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Minor broken branches
NC-7370	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, one sided
NC-7371	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Reduced crown
NC-7372	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7373	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-7374	Loblolly pine	<i>Pinus taeda</i>	10	1	5	15	Fair	Thin crown. Dead branches
NC-7375	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-7376	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Somewhat thin crown
NC-7377	Unknown		6	1	N/A	N/A	Standing Dead	
NC-7378	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7379	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Reduced crown
NC-7380	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7381	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7382	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Heavy lean, one-sided branching, extensive vines into crown
NC-7383	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3, 1	3	2.5	7.5	Good	Multistem trunk 5 x 3 x 1
NC-7384	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-7385	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Dead side branch. One sided
NC-7386	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Stressed, vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7387	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Fair	Many vines, trunk damage
NC-7388	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-7389	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Good	Twin trunk 7 x 3
NC-7390	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-7391	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7392	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Fair	Water sprouts, irregular growth form
NC-7393	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Thin crown. Broken branches
NC-7394	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7395	Black oak	<i>Quercus velutina</i>	20	1	10	30	Good	
NC-7396	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-7397	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-7398	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Poor	Very large trunk cavity
NC-7399	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7400	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-7401	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean. Dead secondary leader
NC-7402	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-7403	Red maple	<i>Acer rubrum</i>	12, 8	2	6	18	Good	Twin trunk 12 x 8
NC-7404	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7405	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines
NC-7406	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-7407	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Vines
NC-7408	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dieback
NC-7409	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7410	White oak	<i>Quercus alba</i>	16	1	8	24	Fair	Lean, moderate dead wood
NC-7411	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Thin crown
NC-7412	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Fair	Stressed
NC-7413	White oak	<i>Quercus alba</i>	16, 16	2	8	24	Good	Twin trunks 16 x 16. Some dead branches. Included bark
NC-7414	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7415	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Many water sprouts
NC-7416	Callery pear	<i>Pyrus calleryana</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8
NC-7417	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided. Broken/dead branches
NC-7418	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7419	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided. Broken/dead branches
NC-7420	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Water sprouts, broken branches
NC-7421	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-7422	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7423	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7424	American beech	<i>Fagus grandifolia</i>	9, 5	2	4.5	13.5	Fair	Twin trunks 9 x 5, interfering branching, moderate dead wood
NC-7425	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7426	Unknown		6	1	N/A	N/A	Standing Dead	
NC-7427	Callery pear	<i>Pyrus calleryana</i>	8, 3	2	4	12	Good	Twin trunk 8 x 3
NC-7428	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7429	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7430	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-7431	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines
NC-7432	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7433	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-7434	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7435	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Possibly dead
NC-7436	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines
NC-7437	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Reduced canopy, vines
NC-7438	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	Minor dead wood
NC-7439	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	One sided. Overtopped
NC-7440	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7441	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular growth form. Dead branches. Thin crown
NC-7442	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7443	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying crown
NC-7444	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Vines, reduced canopy
NC-7445	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Water sprouts, moderate dead wood
NC-7446	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7447	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-7448	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Trunk damage
NC-7449	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7450	Red maple	<i>Acer rubrum</i>	5, 3	2	2.5	7.5	Fair	Twin trunk 5 x 3, leaning
NC-7451	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular crown. One sided
NC-7452	American elm	<i>Ulmus americana</i>	12	1	6	18	Good	Some vines
NC-7453	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7454	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-7455	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-7456	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7457	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided. Overtopped
NC-7458	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lean, one-sided branching

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7459	Black oak	<i>Quercus velutina</i>	19	1	9.5	28.5	Fair	Lean, one-sided branching, broken branches
NC-7460	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-7461	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7462	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Fair	Thin crown. Several dead branches
NC-7463	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	
NC-7464	Unknown		7	1	N/A	N/A	Standing Dead	
NC-7465	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	One-sided branching
NC-7466	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Broken/dead branches
NC-7467	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Fungus on trunk. Dying crown. Lean
NC-7468	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Many water sprouts
NC-7469	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Irregular crown. Disfigured base
NC-7470	Sweetgum	<i>Liquidambar styraciflua</i>	9, 7	2	4.5	13.5	Good	Twin trunk 9 x 7
NC-7471	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Stressed, vines
NC-7472	Red maple	<i>Acer rubrum</i>	7, 6, 3	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 3
NC-7473	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Good	Multistem trunk 5 x 4 x 3
NC-7474	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-7475	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7476	Red maple	<i>Acer rubrum</i>	11, 10	2	5.5	16.5	Good	Twin trunk 11 x 10
NC-7477	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-7478	Sweetgum	<i>Liquidambar styraciflua</i>	7, 7	2	3.5	10.5	Good	Twin trunk 7 x 7
NC-7479	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	One sided. Lean. Broken/dead branches
NC-7480	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Fair	branches
NC-7481	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7482	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines
NC-7483	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-7484	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-7485	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	Lean. Large dead branches. Thin crown
NC-7486	Callery pear	<i>Pyrus calleryana</i>	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-7487	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Fair dieback
NC-7488	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Dead lower branches
NC-7489	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-7490	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-7491	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Broken/dead branches. Vines on lower branches
NC-7492	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7493	Callery pear	<i>Pyrus calleryana</i>	6, 4	2	3	9	Fair	Twin trunk 6 x 4, vines
NC-7494	White oak	<i>Quercus alba</i>	16	1	8	24	Good	Twin trunks 16 x 8. Minor included bark
NC-7495	Black cherry	<i>Prunus serotina</i>	10, 9, 9, 8, 5	5	5	15	Fair	Multistem trunk 10 x 9 x 9 x 8 x 5, vines and dead leaders
NC-7496	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-7497	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-7498	American elm	<i>Ulmus americana</i>	13	1	6.5	19.5	Fair	Lean, vines on lower branches
NC-7499	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Leaning and dieback
NC-7500	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided. Broken/dead branches
NC-7501	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7502	Red maple	<i>Acer rubrum</i>	8, 8, 7, 7	4	4	12	Good	Multistem trunk 8 x 8 x 7 x 7
NC-7503	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-7504	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	One-sided branching, sparse crown
NC-7505	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	N/A	N/A	Standing Dead	
NC-7506	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7507	Mockernut hickory	<i>Carya tomentosa</i>	10	1	5	15	Fair	form
NC-7508	Sweetgum	<i>Liquidambar styraciflua</i>	25	1	12.5	37.5	Fair	Trunk rot
NC-7509	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	One sided, bend in upper trunk
NC-7510	Red maple	<i>Acer rubrum</i>	7, 5, 4	3	3.5	10.5	Good	Multistem trunk 7 x 5 x 4
NC-7511	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown
NC-7512	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-7513	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead leader vines
NC-7514	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7515	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-7516	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7517	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Lean, water sprouts, sparse crown
NC-7518	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-7519	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dieback
NC-7520	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7521	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Fair vines
NC-7522	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying crown. Lean. Irregular growth form
NC-7523	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-7524	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Dieback and vines
NC-7525	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form. Thin crown
NC-7526	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-7527	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Water sprouts, heavy lean
NC-7528	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-7529	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7530	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Fair leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7531	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Somewhat thin crown
NC-7532	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	One sided. Vines in lower trunk
NC-7533	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-7534	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Poor	Broken leader, water sprouts, broken branches
NC-7535	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean. One sided
NC-7536	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-7537	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-7538	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-7539	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7540	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Poor	Overtopped, one sided, broken branches
NC-7541	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-7542	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	One sided
NC-7543	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-7544	Callery pear	<i>Pyrus calleryana</i>	5, 2	2	2.5	7.5	Good	Twin trunk 5 x 2
NC-7545	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Good	Thin crown
NC-7546	Green ash	<i>Fraxinus pennsylvanica</i>	10, 8	2	5	15	Poor	Twin trunk 10 x 8, dieback
NC-7547	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-7548	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Fair reduced canopy
NC-7549	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Somewhat thin crown
NC-7550	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Fair	One sided, large broken branches
NC-7551	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Water sprouts
NC-7552	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	Some dead branches
NC-7553	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-7554	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Moderate dead wood and broken branches
NC-7555	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7556	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-7557	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-7558	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7559	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-7560	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Dead branches
NC-7561	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-7562	White oak	<i>Quercus alba</i>	16, 16	2	8	24	Good	Twin trunk 16 x 16
NC-7563	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Small healed over trunk wound
NC-7564	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Irregular growth form
NC-7565	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, vines
NC-7566	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Broken off secondary leader. Broken branches
NC-7567	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	Thin crown
NC-7568	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided. Lean. Irregular crown. Broken branches
NC-7569	Sweetgum	<i>Liquidambar styraciflua</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-7570	Red maple	<i>Acer rubrum</i>	7, 7	2	3.5	10.5	Good	Twin trunk 7 x 7
NC-7571	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-7572	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-7573	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	Some lower broken branches
NC-7574	Callery pear	<i>Pyrus calleryana</i>	5, 4, 4	3	2.5	7.5	Good	Multistem trunk 5 x 4 x 4
NC-7575	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-7576	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-7577	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-7578	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Minor vines
NC-7579	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Nearly dead crown
NC-7580	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular crown. Lean. Broken branches
NC-7581	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided. Lean
NC-7582	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Lean, moderate dead wood
NC-7583	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7584	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-7585	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	One-sided branching
NC-7586	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines
NC-7587	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7588	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7589	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7590	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Vines in lower canopy. One sided. Broken branches
NC-7591	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Good	
NC-7592	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Broken leader, thin crown
NC-7593	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Slightly one sided
NC-7594	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-7595	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-7596	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-7597	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7598	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, leaking sap, lean
NC-7599	Mockernut hickory	<i>Carya tomentosa</i>	11	1	5.5	16.5	Good	
NC-7600	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Water sprouts

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7601	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-7602	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7603	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk damage
NC-7604	Red maple	<i>Acer rubrum</i>	5, 2	2	2.5	7.5	Good	Twin trunk 5 x 2
NC-7605	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-7606	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Significant lean, decaying lower branches
NC-7607	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Good	Multistem trunk 6 x 5 x 4
NC-7608	Tuliptree	<i>Liriodendron tulipifera</i>	12, 9	2	6	18	Good	Twin trunk 12 x 9
NC-7609	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-7610	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	One sided
NC-7611	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-7612	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7613	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Water sprouts, one-sided branching
NC-7614	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7615	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Fair	Broken branches. Dead vines in lower canopy
NC-7616	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Crown dieback
NC-7617	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Water sprouts
NC-7618	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7619	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-7620	Scarlet oak	<i>Quercus coccinea</i>	24	1	12	36	Good	Few dead branches
NC-7621	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-7622	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Vines in crown, irregular growth form
NC-7623	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, dead branches, one sided
NC-7624	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-7625	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7626	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7627	Callery pear	<i>Pyrus calleryana</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-7628	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-7629	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-7630	Willow oak	<i>Quercus phellos</i>	10, 9	2	5	15	Good	Twin trunk 10 x 9
NC-7631	White oak	<i>Quercus alba</i>	12, 8	2	6	18	Good	Twin trunks 12 x 8. Slightly one sided
NC-7632	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	N/A	N/A	Standing Dead	
NC-7633	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	Minor broken branches
NC-7634	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Dead leader, extensive vines
NC-7635	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-7636	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-7637	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown. Dead secondary leader
NC-7638	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7639	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7640	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown, broken branches
NC-7641	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-7642	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7643	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7644	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Poor	One sided. Dying canopy
NC-7645	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-7646	Red maple	<i>Acer rubrum</i>	7, 5, 1	3	3.5	10.5	Good	Multistem trunk 7 x 5 x 1
NC-7647	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Fair	Vines
NC-7648	Red maple	<i>Acer rubrum</i>	27	1	13.5	40.5	Fair	Sapsucker holes, many water sprouts, splits above DBH
NC-7649	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Healed over trunk wound
NC-7650	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-7651	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular growth form, sparse crown
NC-7652	Red maple	<i>Acer rubrum</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-7653	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-7654	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-7655	Red maple	<i>Acer rubrum</i>	7, 7	2	3.5	10.5	Good	Twin trunk 7 x 7
NC-7656	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Irregular growth form
NC-7657	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, vines on lower half
NC-7658	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Thin crown, interfering branches
NC-7659	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7660	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	One sided. Lean
NC-7661	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Significant lean, one sided
NC-7662	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dead leader, thin crown
NC-7663	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Fair	Significant lean. Dead secondary leader
NC-7664	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-7665	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Leader dieback
NC-7666	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7667	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7668	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Dead/broken branches. Lean. Thin crown
NC-7669	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-7670	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown, dead/broken branches
NC-7671	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7672	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Lean, one-sided branching, minor dead wood

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7673	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-7674	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-7675	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Vines
NC-7676	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Fair	Included bark, dead vines in crown, broken branches
NC-7677	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Vines, water sprouts, moderate dead wood
NC-7678	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-7679	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7680	Red maple	<i>Acer rubrum</i>	10, 10, 7	3	5	15	Poor	Multistem 10 x 10 x 7, trunk cavity and decay, included bark, dead leader
NC-7681	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Good	Multistem trunk 6 x 5 x 4
NC-7682	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7683	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Fair	Vines
NC-7684	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Slight lean, minor broken branches
NC-7685	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Fair	Dead branches. Thin crown
NC-7686	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-7687	White mulberry	<i>Morus alba</i>	8	1	4	12	Fair	Dead branches
NC-7688	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-7689	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines into crown, lean
NC-7690	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-7691	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-7692	Red maple	<i>Acer rubrum</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, canopy reduced, vines
NC-7693	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Vines
NC-7694	Pignut hickory	<i>Carya glabra</i>	5	1	2.5	7.5	Good	
NC-7695	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken leader, dead wood
NC-7696	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean, one sided
NC-7697	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown. Dead branch
NC-7698	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-7699	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-7700	Sweetgum	<i>Liquidambar styraciflua</i>	10, 8	2	5	15	Fair	Twin trunk 10 x 8, vines
NC-7701	Pignut hickory	<i>Carya glabra</i>	6	1	3	9	Fair	Vines
NC-7702	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	N/A	N/A	Standing Dead	
NC-7703	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Interfering branches in crown, lean
NC-7704	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken leader, vines
NC-7705	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Heavy lean, dead wood
NC-7706	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-7707	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7708	Bigtooth aspen	<i>Populus grandidentata</i>	8	1	4	12	Poor	Significant lean, dying crown
NC-7709	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	One sided. Broken branches. Overtopped, possibly dead leader
NC-7710	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-7711	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying
NC-7712	Red maple	<i>Acer rubrum</i>	7, 7, 7, 5, 5, 5, 3	7	3.5	10.5	Good	Multistem trunk 7 x 7 x 7 x 5 x 5 x 5 x 3
NC-7713	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-7714	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Broken large secondary trunk, wound healing
NC-7715	Red maple	<i>Acer rubrum</i>	6, 5, 4, 4	4	3	9	Good	Multistem trunk 6 x 5 x 4 x 4
NC-7716	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Good	Twin trunk 7 x 6
NC-7717	Callery pear	<i>Pyrus calleryana</i>	9, 5	2	4.5	13.5	Good	Twin trunk 9 x 5
NC-7718	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided, lean
NC-7719	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7720	Unknown		6	1	N/A	N/A	Standing Dead	
NC-7721	Red maple	<i>Acer rubrum</i>	8, 5, 4	3	4	12	Good	Multistem trunk 8 x 5 x 4
NC-7722	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-7723	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided. Broken branches
NC-7724	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Vines
NC-7725	Unknown		5	1	N/A	N/A	Standing Dead	
NC-7726	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-7727	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Poor	Evidence of internal decay. Large dead branches
NC-7728	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-7729	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Slight lean
NC-7730	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-7731	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7732	Red maple	<i>Acer rubrum</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8
NC-7733	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-7734	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines in crown
NC-7735	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-7736	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken branches
NC-7737	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dieback
NC-7738	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	One sided, lean
NC-7739	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-7740	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-7741	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7742	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Vines
NC-7743	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, broken branches
NC-7744	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on trunk
NC-7745	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-7746	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7747	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-7748	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-7749	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Old healed over trunk wound
NC-7750	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Poor	Twin trunks 7 x 6. Leaders on both trunks decaying, dead branches
NC-7751	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	Some broken branches
NC-7752	Unknown		22	1	N/A	N/A	Standing Dead	
NC-7753	Sweetgum	<i>Liquidambar styraciflua</i>	8, 7, 4, 3	4	4	12	Fair	Multistem trunk 8 x 7 x 4 x 3, sparse canopy
NC-7754	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7755	Bigtooth aspen	<i>Populus grandidentata</i>	7	1	3.5	10.5	Fair	One sided
NC-7756	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-7757	Northern red oak	<i>Quercus rubra</i>	26	1	13	39	Fair	Several large dead branches
NC-7758	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-7759	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Poor	Vines
NC-7760	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-7761	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Dead branch
NC-7762	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-7763	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular crown, dead branches
NC-7764	Red maple	<i>Acer rubrum</i>	10, 4, 3	3	5	15	Fair	Multistem 10 x 4 x 3. Minor trunk wounds in other stems
NC-7765	Callery pear	<i>Pyrus calleryana</i>	7, 6, 5	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 5
NC-7766	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Somewhat thin crown
NC-7767	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-7768	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Many dead branches. Nearly dead crown
NC-7769	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-7770	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Poor	Heavy vines
NC-7771	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Thin crown, irregular growth form
NC-7772	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-7773	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Broken branches
NC-7774	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Lean, vines on trunk
NC-7775	Pignut hickory	<i>Carya glabra</i>	7	1	3.5	10.5	Fair	Vines
NC-7776	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Irregular growth form
NC-7777	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Heavy vines
NC-7778	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean. Many dead branches
NC-7779	Red maple	<i>Acer rubrum</i>	16	1	8	24	Poor	Large trunk cavity with decay
NC-7780	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular crown. Thin crown
NC-7781	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7782	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Extensive vines
NC-7783*	White oak	<i>Quercus alba</i>	30	1	15	45	Good	Minor dead wood
NC-7784	Callery pear	<i>Pyrus calleryana</i>	8, 4	2	4	12	Good	Twin trunk 8 x 4
NC-7785	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-7786	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7787	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-7788	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on lower half, slight lean
NC-7789	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-7790	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Heavy vines on trunk, decaying branches
NC-7791	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-7792	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-7793	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-7794	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-7795	Sweetgum	<i>Liquidambar styraciflua</i>	9, 7, 5, 5	4	4.5	13.5	Good	Multistem trunk 9 x 7 x 5 x 5
NC-7796	Mockernut hickory	<i>Carya tomentosa</i>	7	1	3.5	10.5	Fair	Heavy vines into crown
NC-7797	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-7798	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7799	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-7800	Sweetgum	<i>Liquidambar styraciflua</i>	12, 8	2	6	18	Fair	Multistem trunk 12 x 8, vines
NC-7801	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-7802	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-7803	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-7804	Eastern redcedar	<i>Juniperus virginiana</i>	6, 5, 4	3	3	9	Fair	Multistem trunk 6 x 5 x 4, vines
NC-7805	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7806	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Irregular growth form, bent one sided crown
NC-7807	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-7808	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Vines
NC-7809	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines on lower trunk, broken secondary leader
NC-7810	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7811	Red maple	<i>Acer rubrum</i>	13, 12	2	6.5	19.5	Fair	Twin trunks 13 x 12, interference from adjacent tree, broken branches
NC-7812	Sweetgum	<i>Liquidambar styraciflua</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, second trunk dead, extensive vines
NC-7813	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Heavy vines
NC-7814	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Good	
NC-7815	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Lean, dying crown, overtopped
NC-7816	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-7817	Callery pear	<i>Pyrus calleryana</i>	6, 5, 3	3	3	9	Good	Multistem trunk 6 x 5 x 3
NC-7818	Sweetgum	<i>Liquidambar styraciflua</i>	5, 5	2	2.5	7.5	Fair	Twin trunk 5 x 5, extensive vines
NC-7819	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Vines into crown, one-sided branching, lean
NC-7820	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Irregular crown
NC-7821*	Northern red oak	<i>Quercus rubra</i>	32	1	16	48	Fair	Lean, several lower dead branches
NC-7822	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Some dead branches
NC-7823	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor dead wood
NC-7824	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-7825	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-7826	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-7827	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Some dead branches
NC-7828	Northern red oak	<i>Quercus rubra</i>	25	1	12.5	37.5	Good	Some broken branches
NC-7829	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7830	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-7831	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Heavy lean, water sprouts, irregular growth form, dead wood
NC-7832	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7833	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	One sided, dead secondary trunk
NC-7834	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7835	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Exposed roots, minor vines
NC-7836	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7837	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-7838	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-7839	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7840	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, dying crown
NC-7841	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-7842	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Vines into crown, lean
NC-7843	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	One sided
NC-7844	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	One sided, lichen growth, dead branches
NC-7845	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7846	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Small trunk cavities, water sprouts, lean
NC-7847	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	One-sided branching, vines into crown
NC-7848	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-7849	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5. Few broken branches
NC-7850	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Vines into crown, minor broken branches
NC-7851	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines into crown, one-sided branching, slight lean
NC-7852	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, thin crown
NC-7853	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Twin trunks 11 x 11, included bark
NC-7854	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Very thin crown
NC-7855	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Irregular growth form, dead branches
NC-7856	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bent leader
NC-7857	Callery pear	<i>Pyrus calleryana</i>	9, 7, 4, 4	4	4.5	13.5	Good	Multistem trunk 9 x 7 x 4 x 4
NC-7858	Red maple	<i>Acer rubrum</i>	15, 7	2	7.5	22.5	Good	Twin trunks 15 x 7. Included bark, bend in trunk
NC-7859	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-7860	Callery pear	<i>Pyrus calleryana</i>	5, 5, 4	3	2.5	7.5	Good	Multistem trunk 5 x 5 x 4
NC-7861	Callery pear	<i>Pyrus calleryana</i>	5, 4, 4, 4	4	2.5	7.5	Good	Multistem trunk 5 x 4 x 4 x 4
NC-7862	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-7863	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Significant lean
NC-7864	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Thin crown
NC-7865	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7866	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-7867	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Lower broken branches
NC-7868	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-7869	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Heavy vines on trunk, lean
NC-7870	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Lean, extensive vines into crown, dead wood
NC-7871	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Dying crown, lean
NC-7872	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-7873	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7874	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, one sided
NC-7875	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7876	Red maple	<i>Acer rubrum</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-7877	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-7878	Callery pear	<i>Pyrus calleryana</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7879	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Minor lean
NC-7880	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Heavy vines, lean, overtopped
NC-7881	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Irregular crown
NC-7882	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Lean, extensive vines into crown, water sprouts
NC-7883	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-7884	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines, large broken branches
NC-7885	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Multistem above DBH, thin crown, vines on trunk
NC-7886	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7887	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7888	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Minor lean, water sprouts, broken branches
NC-7889	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Good	
NC-7890	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7891	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-7892	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-7893	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Vines
NC-7894	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-7895	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Lean, decay on trunk
NC-7896	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Vines on trunk, broken leader, significant lean
NC-7897	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-7898	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy, broken branches
NC-7899	Callery pear	<i>Pyrus calleryana</i>	7, 6, 5	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 5
NC-7900	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7901	Black oak	<i>Quercus velutina</i>	14	1	7	21	Fair	Thin crown, large broken branch
NC-7902	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Heavy vines
NC-7903	Red maple	<i>Acer rubrum</i>	16, 16	2	8	24	Good	Twin trunks 16 x 16, slight lean, included bark
NC-7904	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-7905	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-7906	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, reduced canopy
NC-7907	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on trunk
NC-7908	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leaning, trunk rot
NC-7909	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-7910	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7911	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7912	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-7913	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken lower branches
NC-7914	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7915	Eastern redcedar	<i>Juniperus virginiana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-7916	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Lean, vines on trunk, included bark
NC-7917	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-7918	Callery pear	<i>Pyrus calleryana</i>	6, 5, 5	3	3	9	Good	Multistem trunk 6 x 5 x 5
NC-7919	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-7920	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7921	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-7922	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown, sparse crown
NC-7923	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Irregular growth form, minor lean, minor vines
NC-7924	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken leader
NC-7925	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form. Thin crown. Broken branches
NC-7926	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken branches
NC-7927	Pine sp.	<i>Pinus sp.</i>	14, 11	2	N/A	N/A	Standing Dead	Multistem trunk 14 x 11
NC-7928	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Thin crown, vines on trunk
NC-7929	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Fair	Leaning, vines, broken branches
NC-7930	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Competition from adjacent tree, lean
NC-7931	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-7932	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-7933	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7934	River birch	<i>Betula nigra</i>	6, 5	2	N/A	N/A	Standing Dead	Twin trunk 6 x 5
NC-7935	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Large tree leaning on trunk, broken branches, vines into crown
NC-7936	Callery pear	<i>Pyrus calleryana</i>	8, 8, 6	3	4	12	Good	Multistem trunk 8 x 8 x 6
NC-7937	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy, trunk damage
NC-7938	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-7939	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines, dead wood
NC-7940	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Trunk damage
NC-7941	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-7942	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning
NC-7943	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, reduced canopy
NC-7944	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-7945	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-7946	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	One sided. Broken/dead branches
NC-7947	Red maple	<i>Acer rubrum</i>	7, 6, 5	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 5
NC-7948	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines in canopy
NC-7949	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-7950	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-7951	Unknown		7	1	N/A	N/A	Standing Dead	
NC-7952	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on trunk
NC-7953	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-7954	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-7955	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-7956	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, irregular growth form, one sided, dead branches
NC-7957	Eastern redcedar	<i>Juniperus virginiana</i>	9, 5	2	4.5	13.5	Good	Twin trunk 9 x 5
NC-7958	Callery pear	<i>Pyrus calleryana</i>	8, 6, 4	3	4	12	Good	Multistem trunk 8 x 6 x 4
NC-7959	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-7960	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-7961	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Lean, vines on trunk
NC-7962	White oak	<i>Quercus alba</i>	12	1	6	18	Poor	Heavy lean, extensive dead wood
NC-7963	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Lean, irregular growth form
NC-7964	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-7965	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Irregular growth form, minor vines, moderate dead wood
NC-7966	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-7967	River birch	<i>Betula nigra</i>	6	1	3	9	Poor	Reduced canopy
NC-7968	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-7969	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-7970	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-7971	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-7972	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-7973	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Significant lean, vines on trunk
NC-7974	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-7975	Sweetgum	<i>Liquidambar styraciflua</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-7976	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-7977	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	growth
NC-7978	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-7979	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Significant lean
NC-7980	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Included bark, splits above DBH
NC-7981	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Bend in trunk
NC-7982	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-7983	Northern red oak	<i>Quercus rubra</i>	27	1	13.5	40.5	Good	Dead branches
NC-7984	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Dead leader, trunk rot
NC-7985	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	N/A	N/A	Standing Dead	
NC-7986	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Slight lean
NC-7987	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-7988	Callery pear	<i>Pyrus calleryana</i>	7, 6, 5	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 5
NC-7989	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines on trunk into crown
NC-7990	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning
NC-7991	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Irregular growth form, tree leaning on trunk
NC-7992	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Interfering branches, broken branches
NC-7993	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Many dead branches, thin crown
NC-7994	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Climbing vines
NC-7995	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Large tree leaning on trunk, thin crown
NC-7996	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-7997	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, lean
NC-7998	Eastern redcedar	<i>Juniperus virginiana</i>	5, 5, 4	3	2.5	7.5	Good	Multistem trunk 5 x 5 x 4
NC-7999	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Lean, adjacent tree laying on trunk, vines
NC-8000	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-8001	River birch	<i>Betula nigra</i>	6	1	3	9	Good	
NC-8002	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	One sided
NC-8003	Sweetgum	<i>Liquidambar styraciflua</i>	14, 11	2	7	21	Poor	Twins 14 x 11. Heavy vines on trunks into crown, decaying bark
NC-8004	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	
NC-8005	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-8006	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-8007	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-8008	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-8009	River birch	<i>Betula nigra</i>	6	1	3	9	Good	
NC-8010	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-8011	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-8012	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-8013	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-8014	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-8015	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-8016	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Leaning, vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8017	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-8018	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Heavy vines on trunk into crown
NC-8019	River birch	<i>Betula nigra</i>	8, 7	2	4	12	Fair	Twin trunk 8 x 7, broken branches
NC-8020	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Irregular growth form
NC-8021	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-8022	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines on trunk
NC-8023	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-8024	Northern red oak	<i>Quercus rubra</i>	22	1	11	33	Fair	Large dead branch
NC-8025	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-8026	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-8027	Callery pear	<i>Pyrus calleryana</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-8028	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Fair	Vines on trunk and lower branches
NC-8029	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8030	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Extensive trunk decay, broken leader, lean, vines
NC-8031	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-8032	Eastern redcedar	<i>Juniperus virginiana</i>	7, 6	2	3.5	10.5	Poor	Twin trunk 7 x 6, second leader broken
NC-8033	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Some dead branches
NC-8034	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines into crown
NC-8035	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8036	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-8037	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Minor lean, irregular growth form, one-sided branching
NC-8038	Eastern redcedar	<i>Juniperus virginiana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8039	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-8040	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-8041	Eastern redcedar	<i>Juniperus virginiana</i>	9, 5, 2	3	4.5	13.5	Good	Multistem trunk 9 x 5 x 2
NC-8042	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-8043	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Broken branches
NC-8044	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	One sided. Many broken branches. Significant lean. Crown is dying
NC-8045	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-8046	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-8047	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	
NC-8048	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	wood
NC-8049	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Heavy lean, vines
NC-8050	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8051	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-8052	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines into crown
NC-8053	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-8054	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8055	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Extensive vines
NC-8056	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-8057	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8058	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Heavy vines, broken crown, dying leader
NC-8059	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-8060	Eastern redcedar	<i>Juniperus virginiana</i>	5, 2	2	2.5	7.5	Poor	Twin trunk 5 x 2, leaning, second trunk dead
NC-8061	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8062	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Irregular crown, lean
NC-8063	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8064	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-8065	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-8066	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-8067	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-8068	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, small trunk cavity, vines into crown
NC-8069	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided. Many broken branches
NC-8070	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8071	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-8072	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines
NC-8073	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-8074	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-8075	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Heavy vines, broken crown
NC-8076	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Significant lean over road
NC-8077	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Competition from adjacent tree
NC-8078	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Horizontal growth form, water sprouts, dead wood
NC-8079	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	Splits above DBH
NC-8080	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Nearly horizontal growth form, vines in crown
NC-8081	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-8082	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Fair	Vines on lower half, interference from adjacent tree

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8083	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Minor vines, moderate dead wood and broken branches
NC-8084	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-8085	Red maple	<i>Acer rubrum</i>	15, 15, 4	3	N/A	N/A	Standing Dead	Multistem 15 x 15 x 4. Two larger stems fused together below DBH, third stem 4"
NC-8086	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dead branches
NC-8087	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Heavy lean, vines into crown, water sprouts
NC-8088	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form
NC-8089	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Stressed, canopy reduced
NC-8090	Callery pear	<i>Pyrus calleryana</i>	9, 8, 6, 5	4	4.5	13.5	Good	Multistem trunk 9 x 8 x 6 x 5
NC-8091	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead secondary leader, vines on trunk
NC-8092	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying
NC-8093	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-8094	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-8095	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines
NC-8096	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying
NC-8097	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-8098	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dead branches, very thin crown
NC-8099	Willow oak	<i>Quercus phellos</i>	10, 6, 4	3	5	15	Good	Multistem trunk 10 x 6 x 4
NC-8100	Callery pear	<i>Pyrus calleryana</i>	9, 7, 5	3	4.5	13.5	Good	Multistem trunk 9 x 7 x 5
NC-8101	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-8102	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Broken leader, overtopped by vines
NC-8103	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Water sprouts, interfering branches
NC-8104	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-8105	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	Slight lean
NC-8106	Willow oak	<i>Quercus phellos</i>	15, 14, 9	3	7.5	22.5	Good	Multistem trunk 15 x 14 x 9
NC-8107	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, many broken branches
NC-8108	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Fair	Twin trunk 7 x 5, broken branches
NC-8109	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Broken branches. One sided
NC-8110	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, many broken branches
NC-8111	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	Slight lean
NC-8112	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Significant lean over road
NC-8113	Eastern redcedar	<i>Juniperus virginiana</i>	6, 2	2	3	9	Good	Twin trunks 6 x 2, 2" stem is dead, minor vines into crown
NC-8114	Callery pear	<i>Pyrus calleryana</i>	8, 7, 6, 5	4	4	12	Good	Multistem trunk 8 x 7 x 6 x 5
NC-8115	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-8116	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Stressed, canopy reduced
NC-8117	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Poor	Twin trunk 5 x 4, extensive vines in canopy
NC-8118	American elm	<i>Ulmus americana</i>	13	1	6.5	19.5	Fair	Vines on trunk, one sided
NC-8119	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-8120	White mulberry	<i>Morus alba</i>	10, 9	2	5	15	Poor	Twin trunks 10 x 9, included bark, interfering branching, heavy lean, extensive dead wood
NC-8121	Red maple	<i>Acer rubrum</i>	14, 7	2	7	21	Fair	dead, mainstem has branch dieback in lower canopy and dead wood in the crown
NC-8122	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Stressed
NC-8123	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-8124	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken branches, thin crown
NC-8125	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, bend in leader, vines into crown, broken and dead branches in lower canopy
NC-8126	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-8127	Callery pear	<i>Pyrus calleryana</i>	7, 6, 3	3	3.5	10.5	Fair	Multistem trunk 7 x 6 x 3, extensive vines
NC-8128	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Fair	Extensive vines into crown, bent trunk
NC-8129	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Fair	Lean, irregular growth form
NC-8130	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, minor vines into crown
NC-8131	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, vines into crown, unbalanced crown
NC-8132	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-8133	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-8134	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-8135	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Broken leader
NC-8136	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8137	Unknown		13	1	N/A	N/A	Standing Dead	
NC-8138	Red maple	<i>Acer rubrum</i>	8, 6, 5	3	4	12	Fair	Multistem 8 x 6 x 5, rotting bark and branches on mainstem, trunk wound at base healing, broken and dead branches on smaller stems
NC-8139	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8140	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	
NC-8141	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Irregular growth form and broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8142	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8143	Sweetgum	<i>Liquidambar styraciflua</i>	8, 4	2	4	12	Good	Twin trunk 8 x 4
NC-8144	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-8145	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8146	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Unbalanced crown, slight lean
NC-8147	Eastern redcedar	<i>Juniperus virginiana</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-8148	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8149	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Significant lean, unbalanced crown, lots of dead wood in lower canopy
NC-8150	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	One sided
NC-8151	Sweetgum	<i>Liquidambar styraciflua</i>	9, 7, 5	3	4.5	13.5	Fair	Twin trunk 9 x 7 x 5, vines
NC-8152	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-8153	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-8154	Eastern redcedar	<i>Juniperus virginiana</i>	5, 2	2	2.5	7.5	Good	Twin trunk 5 x 2
NC-8155	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, reduced canopy
NC-8156	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-8157	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-8158	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Slight bend in leader, irregular growth form in crown, sapsucker holes observed on trunk
NC-8159	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-8160	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-8161	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, vines at base, thin crown
NC-8162	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Vines
NC-8163	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-8164	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Leaning
NC-8165	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-8166	Red maple	<i>Acer rubrum</i>	14, 9	2	7	21	Fair	irregular growth form, interfering branches
NC-8167	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines dead branches
NC-8168	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-8169	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Significant lean, dead wood in lower canopy, thin crown
NC-8170	Callery pear	<i>Pyrus calleryana</i>	14	1	7	21	Good	Minor vines
NC-8171	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Slight lean, dead wood in lower canopy
NC-8172	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, unbalanced crown, dead wood in lower canopy
NC-8173	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Slight lean
NC-8174	Eastern redcedar	<i>Juniperus virginiana</i>	6, 4	2	3	9	Fair	Twin trunk 6 x 4, leaning
NC-8175	Unknown		5	1	N/A	N/A	Standing Dead	
NC-8176	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, vines
NC-8177	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-8178	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8179	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, unbalanced crown, dead wood in lower canopy
NC-8180	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean, nearly horizontal, lots of dead wood in lower canopy, very thin crown
NC-8181	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Stressed, vines
NC-8182	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8183	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Slight lean, slight bend in leader, dead wood in lower canopy
NC-8184	Sweetgum	<i>Liquidambar styraciflua</i>	8, 4	2	4	12	Poor	Twin trunk 8 x 4, dead branches
NC-8185	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-8186	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-8187	Callery pear	<i>Pyrus calleryana</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-8188	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Moderate bend in leader at base, poor branching structure, rotting branches in crown, vines into crown
NC-8189	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-8190	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Fair	Multistem trunk 7 x 3, reduced canopy, stressed
NC-8191	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Twin trunk 5 x 4, vines
NC-8192	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	Minor vines into crown
NC-8193	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown, slightly unbalanced crown
NC-8194	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, dead wood in lower canopy, thin crown
NC-8195	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Moderate bend in leader at base, poor branching structure, rotting branches in crown
NC-8196	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Few broken branches
NC-8197	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-8198	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Branch dieback in crown, broken leader, vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8199	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-8200	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Fair	Multistem trunk 5 x 4 x 3, extensive vines
NC-8201	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8202	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Unbalanced and thin crown, dead wood in crown
NC-8203	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-8204	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-8205	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Few broken branches
NC-8206	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Trunk damage, dead branch
NC-8207	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-8208	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-8209	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular crown
NC-8210	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken leader
NC-8211	Northern red oak	<i>Quercus rubra</i>	25	1	12.5	37.5	Good	
NC-8212	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean, dead wood in crown and lower canopy
NC-8213	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-8214	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-8215	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Small trunk wound
NC-8216	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Water sprouts, suckering, interfering branches
NC-8217	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Poor branching structure, rotting and broken branches in lower canopy
NC-8218	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead lower branches
NC-8219	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in crown and lower canopy
NC-8220	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Broken branches
NC-8221	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Good	Twin trunk 7 x 6
NC-8222	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown, dead wood lower canopy, very thin crown
NC-8223	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Few broken branches
NC-8224	Callery pear	<i>Pyrus calleryana</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-8225	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Broken branches in crown and lower canopy, poor branching structure, thin crown
NC-8226	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-8227	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8228	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-8229	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form, dead lower branches, thin crown
NC-8230	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8231	Eastern redcedar	<i>Juniperus virginiana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8232	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Poor	Twin trunk 6 x 5, broken branches, reduced canopy
NC-8233	Callery pear	<i>Pyrus calleryana</i>	5, 5, 3	3	2.5	7.5	Good	Multistem trunk 5 x 5 x 3
NC-8234	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, very thin crown, dead wood in lower canopy
NC-8235	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Large branch dieback in crown
NC-8236	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-8237	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Few dead branches
NC-8238	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning, dead wood in lower canopy
NC-8239	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead lower branches
NC-8240	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken branches in crown and lower canopy
NC-8241	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-8242	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-8243	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Irregular trunk
NC-8244	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-8245	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8246	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-8247	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Good	Twin trunk 7 x 3
NC-8248	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-8249	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines, dead branches
NC-8250	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines in canopy
NC-8251	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8252	Northern red oak	<i>Quercus rubra</i>	27	1	13.5	40.5	Fair	Large dead branches, irregular growth form in crown
NC-8253	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-8254	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8255	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8256	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, branch dieback and dead wood in lower canopy, very thin crown
NC-8257	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Large dead branch, irregular growth form
NC-8258	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken leader
NC-8259	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Rotting branches in the crown, vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8260	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-8261	Pear sp.	<i>Pyrus sp.</i>	7, 6, 6	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 6
NC-8262	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in crown and lower canopy, thin crown
NC-8263	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown, very thin crown
NC-8264	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Vines
NC-8265	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown, dead lower branches
NC-8266	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-8267	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8268	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, dead wood in lower canopy, thin crown
NC-8269	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Few broken branches
NC-8270	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8271	Callery pear	<i>Pyrus calleryana</i>	8, 7, 6, 5, 4	5	4	12	Good	Multistem trunk 8 x 7 x 6 x 5 x 4
NC-8272	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, dead wood in crown and lower canopy, very thin crown
NC-8273	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-8274	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-8275	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, dead wood lower canopy, very thin crown
NC-8276	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Dead wood in lower canopy, minor vines into crown
NC-8277	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8278	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Poor	Dying
NC-8279	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead lower branches
NC-8280	Callery pear	<i>Pyrus calleryana</i>	8, 8, 7	3	4	12	Good	Multistem trunk 8 x 8 x 7
NC-8281	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor bend in leader, thin crown
NC-8282	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in crown and lower canopy
NC-8283	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-8284	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor bend in leader, thin crown
NC-8285	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Stressed, broken branches
NC-8286	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, very thin crown, slight lean
NC-8287	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8288	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in crown and lower canopy
NC-8289	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, dead wood in lower canopy, unbalanced crown
NC-8290	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dead wood in lower canopy, unbalanced crown, canopy growing into adjacent tree canopy
NC-8291	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Minor vines
NC-8292	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Leaning, rotting branches in crown and lower canopy
NC-8293	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular trunk
NC-8294	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-8295	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, dead wood in lower canopy, unbalanced crown, canopy growing into adjacent tree canopy
NC-8296	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight bend in leader, slightly unbalanced crown
NC-8297	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-8298	Callery pear	<i>Pyrus calleryana</i>	8, 7, 6, 6	4	4	12	Good	Multistem trunk 8 x 7 x 6 x 6
NC-8299	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-8300	Callery pear	<i>Pyrus calleryana</i>	7, 2	2	3.5	10.5	Good	Twin trunk 7 x 2
NC-8301	Callery pear	<i>Pyrus calleryana</i>	13	1	6.5	19.5	Good	Slight lean, water sprouts at base
NC-8302	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-8303	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Fair	Leaning, unbalanced crown
NC-8304	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-8305	Eastern white pine	<i>Pinus strobus</i>	8	1	4	12	Fair	Large branches removed at base wound sites at starting to decay, leader has a slight lean
NC-8306	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown
NC-8307	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-8308	Unknown		17	1	N/A	N/A	Standing Dead	
NC-8309	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	3" persimmon growing adjacent to base of this tree
NC-8310	Unknown		6	1	N/A	N/A	Standing Dead	
NC-8311	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, lean
NC-8312	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-8313	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-8314	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, dead branches, thin crown
NC-8315	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Leaning, poor branching structure
NC-8316	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8317	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean, broken branches
NC-8318	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-8319	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3, dead branches
NC-8320	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-8321	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	One sided
NC-8322	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Broken leader
NC-8323	Blackgum	<i>Nyssa sylvatica</i>	7, 7	2	4	12	Fair	Twin trunks 7 x 7. One sided, dead branches
NC-8324	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, branch dieback in crown, dead wood in crown and lower canopy, very thin crown
NC-8325	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-8326	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	crown
NC-8327	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Significant lean, dead tree on trunk
NC-8328	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-8329	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-8330	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, dead wood in crown and lower canopy
NC-8331	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-8332	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Dead crown
NC-8333	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-8334	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8335	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, thin crown
NC-8336	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided, thin crown
NC-8337	Eastern white pine	<i>Pinus strobus</i>	11	1	5.5	16.5	Good	Large branch removed wound site is healing, mainstem is slightly leaning
NC-8338	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-8339	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Broken branches, thin crown
NC-8340	Unknown		5, 4	2	N/A	N/A	Standing Dead	Multistem trunk 5 x 4
NC-8341	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-8342	Bigtooth aspen	<i>Populus grandidentata</i>	8	1	4	12	Fair	Bend in trunk, lean
NC-8343	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, dead wood in lower canopy, thin crown, minor vines at base
NC-8344	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-8345	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8346	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-8347	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8348	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-8349	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Bend in trunk, one sided
NC-8350	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown, thin crown
NC-8351	Bigtooth aspen	<i>Populus grandidentata</i>	7	1	3.5	10.5	Fair	Significant lean
NC-8352	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-8353	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-8354	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy, thin crown
NC-8355	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader, branch dieback in crown, very thin crown
NC-8356	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in crown and lower canopy, thin crown
NC-8357	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, unbalanced crown, dead wood in lower canopy
NC-8358	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	
NC-8359	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Lean
NC-8360	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Poor	Broken leader, water sprouts, one-sided branching
NC-8361	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-8362	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown
NC-8363	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Heavy vines
NC-8364	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Rotting wood in crown, poor branching structure
NC-8365	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Broken leader
NC-8366	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-8367	Callery pear	<i>Pyrus calleryana</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-8368	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Minor vines
NC-8369	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean
NC-8370	Sweetgum	<i>Liquidambar styraciflua</i>	6, 3	2	3	9	Poor	rot
NC-8371	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-8372	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	wood in lower canopy, little crown remains
NC-8373	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Dying crown
NC-8374	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	One sided, dead branches
NC-8375	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Exposed roots, lean, water sprouts

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8376	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-8377	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Minor dead wood in crown
NC-8378	American sycamore	<i>Platanus occidentalis</i>	11	1	5.5	16.5	Fair	Heavy vines on trunk, slight lean
NC-8379	Red maple	<i>Acer rubrum</i>	11, 7	2	5.5	16.5	Fair	Twin trunks 11 x 7, lean, included bark
NC-8380	Blackgum	<i>Nyssa sylvatica</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4. Dead 4" twin, dead branches
NC-8381	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	Few irregular branches in crown
NC-8382	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-8383	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean and slightly unbalanced crown
NC-8384	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Fair	Twin trunks right above DBH, included bark, steams fuse above DBH, lots of dead wood in lower canopy
NC-8385	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-8386	Unknown		9	1	N/A	N/A	Standing Dead	
NC-8387	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in lower canopy, thin crown
NC-8388	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Broken branches
NC-8389	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-8390	Callery pear	<i>Pyrus calleryana</i>	6, 6, 5	3	3	9	Fair	Multistem trunk 6 x 6 x 5, dead branches
NC-8391	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Thin crown
NC-8392	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches, one sided
NC-8393	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-8394	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-8395	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Poor branching structure, dead wood in crown, thin crown
NC-8396	White mulberry	<i>Morus alba</i>	14	1	7	21	Fair	Lean, one sided
NC-8397	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, branch dieback in crown, dead wood in lower canopy
NC-8398	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, broken branches
NC-8399	Blackgum	<i>Nyssa sylvatica</i>	10, 5	2	5	15	Good	Twin trunks 10 x 5
NC-8400	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in crown and lower canopy
NC-8401	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular trunk, broken branches
NC-8402	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood and branch dieback in crown, vines into crown, thin crown
NC-8403	Black locust	<i>Robinia pseudoacacia</i>	12	1	N/A	N/A	Standing Dead	
NC-8404	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-8405	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8406	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-8407	Blackgum	<i>Nyssa sylvatica</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4. Thin crown
NC-8408	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, thin and unbalanced crown
NC-8409	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	One sided, dead branches
NC-8410	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-8411	Black cherry	<i>Prunus serotina</i>	16	1	8	24	Good	Splits above DBH
NC-8412	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-8413	Callery pear	<i>Pyrus calleryana</i>	9, 4, 3	3	4.5	13.5	Good	Multistem trunk 9 x 4 x 3
NC-8414	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-8415	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-8416	White mulberry	<i>Morus alba</i>	6	1	3	9	Good	Vines
NC-8417	Chestnut oak	<i>Quercus montana</i>	12	1	6	18	Good	
NC-8418	Northern red oak	<i>Quercus rubra</i>	22	1	11	33	Fair	Large dead branch. Fungi on trunk
NC-8419	Callery pear	<i>Pyrus calleryana</i>	10, 5, 5	3	5	15	Good	Multistem trunk 10 x 5 x 5
NC-8420	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form, vines into crown, bend in leader
NC-8421	Callery pear	<i>Pyrus calleryana</i>	8, 7, 6	3	4	12	Good	Multistem trunk 8 x 7 x 6
NC-8422	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, broken branches
NC-8423	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Minor dead wood in crown
NC-8424	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, thin and unbalanced crown
NC-8425	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-8426	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-8427	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines, reduced canopy
NC-8428	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-8429	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-8430	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-8431	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Broken leader
NC-8432	Virginia pine	<i>Pinus virginiana</i>	6, 6	2	N/A	N/A	Standing Dead	Twin trunks 6 x 6
NC-8433	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken leader, thin crown
NC-8434	Callery pear	<i>Pyrus calleryana</i>	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-8435	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	Dead twin (small)
NC-8436	Slippery elm	<i>Ulmus rubra</i>	10	1	5	15	Fair	Lean, dead lower branches
NC-8437	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, one sided
NC-8438	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, thin and unbalanced crown
NC-8439	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-8440	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-8441	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-8442	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	crown
NC-8443	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8444	Red maple	<i>Acer rubrum</i>	10, 9, 6, 4	4	5	15	Good	Multistem 10 x 9 x 6 x 4, included bark, broken branches
NC-8445	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-8446	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8447	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-8448	White mulberry	<i>Morus alba</i>	10	1	5	15	Poor	Significant lean, heavy vines, sapsucker holes
NC-8449	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy, thin crown
NC-8450	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-8451	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-8452	Sweetgum	<i>Liquidambar styraciflua</i>	7, 6	2	3	9	Fair	Twin trunks 7 x 6. Thin crowns, dead branches
NC-8453	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches, thin crown
NC-8454	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, irregular trunk, one sided
NC-8455	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-8456	Black locust	<i>Robinia pseudoacacia</i>	15, 6	2	7.5	22.5	Fair	Twin trunks 15 x 6, trunk decay, included bark
NC-8457	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	crown
NC-8458	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-8459	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-8460	Callery pear	<i>Pyrus calleryana</i>	6, 6, 4	3	3	9	Good	Multistem trunk 6 x 6 x 4
NC-8461	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean
NC-8462	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Fair	Stressed, broken branches
NC-8463	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, very thin crown
NC-8464	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-8465	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, slight bend in leader, very thin crown
NC-8466	Bigtooth aspen	<i>Populus grandidentata</i>	8	1	4	12	Fair	Twin trunks 8 x 7, irregular growth form, lean
NC-8467	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches, lean
NC-8468	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-8469	Bigtooth aspen	<i>Populus grandidentata</i>	5	1	2.5	7.5	Poor	Significant lean over road
NC-8470	Unknown		8	1	N/A	N/A	Standing Dead	
NC-8471	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-8472	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-8473	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-8474	Callery pear	<i>Pyrus calleryana</i>	8, 5, 3	3	4	12	Good	Multistem trunk 8 x 5 x 3
NC-8475	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Split leader
NC-8476	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-8477	Bigtooth aspen	<i>Populus grandidentata</i>	9	1	4.5	13.5	Fair	Lean
NC-8478	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Dead leader
NC-8479	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-8480	Sweetgum	<i>Liquidambar styraciflua</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-8481	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-8482	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in lower canopy, thin crown
NC-8483	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8484	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Rotting branches and dieback in crown, thin crown
NC-8485	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Irregular growth form, vines into crown
NC-8486	Virginia pine	<i>Pinus virginiana</i>	6, 5	2	N/A	N/A	Standing Dead	Twin trunks 6 x 5
NC-8487	Unknown		7	1	N/A	N/A	Standing Dead	
NC-8488	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown, dead branches
NC-8489	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-8490	Blackgum	<i>Nyssa sylvatica</i>	10, 6	2	5	15	Fair	Twin trunks 10 x 6, 6" stem is dead, dead wood and branch dieback in crown
NC-8491	Sweetgum	<i>Liquidambar styraciflua</i>	6, 4	2	3	9	Poor	Twin trunks 6 x 4. 4" trunk dead, thin crown, vines on trunk
NC-8492	White mulberry	<i>Morus alba</i>	10, 9	2	5	15	Poor	Twin trunks 10 x 9, heavy lean, included bark, dead wood, extensive vines into crown
NC-8493	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-8494	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean
NC-8495	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead wood and branch dieback in crown, vines into crown, thin crown
NC-8496	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Leaning, dead wood and branch dieback in crown
NC-8497	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, thin crown
NC-8498	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-8499	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8500	Bigtooth aspen	<i>Populus grandidentata</i>	12	1	6	18	Good	Bent trunk
NC-8501	Callery pear	<i>Pyrus calleryana</i>	7, 6, 6, 4	4	3.5	10.5	Good	Multistem trunk 7 x 6 x 6 x 4
NC-8502	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, thin crown, irregular trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8503	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean, dead wood in lower canopy
NC-8504	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-8505	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Severe lean, thin crown
NC-8506	Sweetgum	<i>Liquidambar styraciflua</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4. Thin crown, vines on trunk
NC-8507	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Dead leader, extensive vines
NC-8508	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Good	
NC-8509	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Some trunk wounds, thin crown
NC-8510	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines on trunk, dead branches
NC-8511	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-8512	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Fair	Twin trunk 7 x 5, second trunk dead
NC-8513	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches, irregular growth form
NC-8514	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Fair	Heavy vines trunk, dead lower branches
NC-8515	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8516	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-8517	Black cherry	<i>Prunus serotina</i>	11, 6	2	5.5	16.5	Fair	Twin trunks 11 x 6, included bark, poor branching structure, dead wood and broken branches in crown
NC-8518	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Thin crown
NC-8519	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-8520	Slippery elm	<i>Ulmus rubra</i>	6	1	3	9	Good	
NC-8521	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines into crown
NC-8522	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided, thin crown
NC-8523	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin and unbalanced crown
NC-8524	Black oak	<i>Quercus velutina</i>	16	1	8	24	Good	
NC-8525	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Leaning, dead wood and branch dieback in crown
NC-8526	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in crown and lower canopy
NC-8527	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-8528	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-8529	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8530	White oak	<i>Quercus alba</i>	18	1	9	27	Fair	Large dead branch in crown
NC-8531	Slippery elm	<i>Ulmus rubra</i>	7	1	3.5	10.5	Good	Few dead branches
NC-8532	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Slight lean, dead wood and branch dieback in crown, thin crown
NC-8533	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Broken leader, extensive vines in canopy
NC-8534	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Significant dead branches, thin crown
NC-8535	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-8536	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	Minor vines at base
NC-8537	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Slightly unbalanced crown
NC-8538	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-8539	Virginia pine	<i>Pinus virginiana</i>	11, 5	2	5.5	16.5	Fair	Twin trunks 11 x 5. 5" twin dead. Broken branches
NC-8540	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-8541	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead wood and branch dieback in crown, thin crown
NC-8542	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Good	
NC-8543	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean
NC-8544	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-8545	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-8546	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Lean, minor broken branches, included bark
NC-8547	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Twin trunk 5 x 4, extensive vines
NC-8548	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8549	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-8550	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular trunk, broken branches
NC-8551	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Heavy lean, minor vines on lower half
NC-8552	Black cherry	<i>Prunus serotina</i>	15	1	7.5	22.5	Good	Slight lean, some broken branches
NC-8553	Callery pear	<i>Pyrus calleryana</i>	10, 7, 5, 4	4	5	15	Good	Multistem trunk 10 x 7 x 5 x 4
NC-8554	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, very thin crown
NC-8555	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Vines into crown, dead wood and branch dieback in crown, thin crown
NC-8556	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, vines, one-sided branching
NC-8557	Callery pear	<i>Pyrus calleryana</i>	5, 4, 4, 3	4	2.5	7.5	Good	Multistem trunk 5 x 4 x 4 x 3
NC-8558	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dead wood in crown, broken leader, rest of canopy looks okay
NC-8559	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor dead wood in lower canopy
NC-8560	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Slight lean, dead wood and branch dieback in crown
NC-8561	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Split leader, broken branches
NC-8562	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy, thin crown
NC-8563	Blackgum	<i>Nyssa sylvatica</i>	6	1	N/A	N/A	Standing Dead	
NC-8564	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8565	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown
NC-8566	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, broken branches
NC-8567	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Thin crown
NC-8568	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Trunk damage, vines
NC-8569	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8570	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Bent trunk, dying crown
NC-8571	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, branch dieback in crown, very little crown remains
NC-8572	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form, vines on lower half, interfering branching
NC-8573	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, dead wood in lower canopy
NC-8574	White oak	<i>Quercus alba</i>	24	1	12	36	Fair	Splits above DBH. Twin leader has irregular growth and branch dieback
NC-8575	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Vines
NC-8576	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean
NC-8577	White mulberry	<i>Morus alba</i>	11	1	5.5	16.5	Fair	Lean, minor vines
NC-8578	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, one sided
NC-8579	Blackgum	<i>Nyssa sylvatica</i>	6, 4	2	3	9	Good	Twin trunks 6 x 4
NC-8580	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-8581	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-8582	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	One sided. Dead branches
NC-8583	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor branch dieback in crown
NC-8584	Red maple	<i>Acer rubrum</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4, stems intertwine in crown, poor branching structure
NC-8585	Slippery elm	<i>Ulmus rubra</i>	8	1	4	12	Good	
NC-8586	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, dead wood in crown and lower canopy, slightly unbalanced crown
NC-8587	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight bend in trunk
NC-8588	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, rotting branches in crown
NC-8589	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-8590	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-8591	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-8592	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8593	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-8594	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, unbalanced crown
NC-8595	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean, dead wood in crown and lower canopy
NC-8596	Blackgum	<i>Nyssa sylvatica</i>	6, 5	2	3	9	Fair	Twin trunks 6 x 5. Thin crown, broken branches
NC-8597	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-8598	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken branches, thin crown
NC-8599	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-8600	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-8601	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Broken leader, extensive dead wood
NC-8602	Red maple	<i>Acer rubrum</i>	19, 14, 6	3	9.5	28.5	Good	Multistem 19 x 14 x 6, large dead branch, included bark
NC-8603	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-8604	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-8605	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-8606	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, unbalanced crown
NC-8607	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-8608	Unknown		10	1	N/A	N/A	Standing Dead	
NC-8609	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided branching, sparse crown
NC-8610	Black locust	<i>Robinia pseudoacacia</i>	11	1	5.5	16.5	Poor	Broken leader, broken branches
NC-8611	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-8612	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-8613	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-8614	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight bend in leader, dead wood in lower canopy
NC-8615	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-8616	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8617	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-8618	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-8619	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Broken leader, overtopped by vines
NC-8620	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Irregular growth form
NC-8621	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, lean
NC-8622	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Reduced canopy
NC-8623	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8624	Blackgum	<i>Nyssa sylvatica</i>	8, 5	2	4	12	Fair	Twin trunks 8 x 5. Interfering crowns
NC-8625	Slippery elm	<i>Ulmus rubra</i>	5	1	2.5	7.5	Fair	Thin crown, included bark
NC-8626	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-8627	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown
NC-8628	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8629	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-8630	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-8631	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8632	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor vines into crown
NC-8633	Callery pear	<i>Pyrus calleryana</i>	6, 4, 4, 4, 4	5	3	9	Good	Multistem trunk 6 x 4 x 4 x 4 x 4
NC-8634	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines in crown
NC-8635	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-8636	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-8637	Unknown		10	1	N/A	N/A	Standing Dead	
NC-8638	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-8639	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, lean
NC-8640	White oak	<i>Quercus alba</i>	24	1	12	36	Fair	Dead branches. Rotting branch
NC-8641	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8642	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Rotting wood in crown, thin crown
NC-8643	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Minor vines
NC-8644	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, lots of dead wood in crown, thin crown
NC-8645	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on trunk
NC-8646	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Broken branches
NC-8647	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-8648	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Broken branches, thin crown
NC-8649	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Thin crown
NC-8650	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Fair	Slight lean, unbalanced crown, vines into crown
NC-8651	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor dead wood in lower canopy
NC-8652	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Bent leader
NC-8653	Blackgum	<i>Nyssa sylvatica</i>	16	1	8	24	Fair	Dead branches
NC-8654	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Broken leader, dead branches
NC-8655	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-8656	Black cherry	<i>Prunus serotina</i>	12	1	6	18	Fair	Thin crown, dead branches
NC-8657	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-8658	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-8659	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Fair	One sided, lean
NC-8660	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Large dead branches, secondary dead trunk
NC-8661	Unknown		14	1	N/A	N/A	Standing Dead	
NC-8662	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-8663	Red maple	<i>Acer rubrum</i>	10, 8, 6	3	5	15	Good	Multistem 10 x 8 x 6, dead branches
NC-8664	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Broken branches, thin crown, one sided
NC-8665	Callery pear	<i>Pyrus calleryana</i>	9, 6	2	4.5	13.5	Good	Twin trunk 9 x 6
NC-8666	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy, thin crown
NC-8667	Blackgum	<i>Nyssa sylvatica</i>	6	1	N/A	N/A	Standing Dead	
NC-8668	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Reduced canopy, dead branches
NC-8669	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-8670	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, unbalanced crown
NC-8671	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	One sided, lean
NC-8672	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Broken leader, vines
NC-8673	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Vines on lower branches
NC-8674	Callery pear	<i>Pyrus calleryana</i>	9, 8	2	4.5	13.5	Good	Twin trunk 9 x 8
NC-8675	Blackgum	<i>Nyssa sylvatica</i>	7	1	N/A	N/A	Standing Dead	
NC-8676	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-8677	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-8678	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, thin crown, dead wood in lower canopy
NC-8679	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Heavy lean, broken branches
NC-8680	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, broken branches
NC-8681	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-8682	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Heavy vines on trunk, broken leader
NC-8683	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-8684	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	
NC-8685	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-8686	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Slight bend in leader
NC-8687	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, very thin and unbalanced crown
NC-8688	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	crown
NC-8689	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8690	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, slight lean, minor vines into crown, included bark
NC-8691	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-8692	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-8693	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-8694	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8695	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, dead wood in crown and lower canopy, very thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8696	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Minor branch dieback in crown
NC-8697	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Good	
NC-8698	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines on trunk, one sided
NC-8699	White oak	<i>Quercus alba</i>	7, 6	2	N/A	N/A	Standing Dead	Twin trunks 7 x 6
NC-8700	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, slight bend in leader, minor dead wood in lower canopy
NC-8701	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown, minor vines entering into crown
NC-8702	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-8703	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Moderate lean, thin crown, dead wood in lower canopy
NC-8704	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Broken branches, one-sided branches
NC-8705	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken leader, overtopped by vines
NC-8706	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, thin and unbalanced crown
NC-8707	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Broken leader, lean
NC-8708	Callery pear	<i>Pyrus calleryana</i>	7, 6, 3	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 3
NC-8709	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Unbalanced crown, broken and dead branches in lower canopy
NC-8710	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, broken branches
NC-8711	Sweetgum	<i>Liquidambar styraciflua</i>	8, 8	2	4	12	Fair	Twin trunks 8 x 8, broken leader
NC-8712	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, broken branches
NC-8713	Virginia pine	<i>Pinus virginiana</i>	9, 3	2	4.5	13.5	Fair	Twin trunks 9 x 3, branches in mainstem intertwine in crown, include bark, 3" stem is dead
NC-8714	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown
NC-8715	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Topped leader, rotting branches and dead wood in crown, no crown remains
NC-8716	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean, thin crown. Splits above DBH
NC-8717	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	One sided
NC-8718	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-8719	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Adjacent standing dead tree leaning on this tree, minor bend in leader
NC-8720	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, thin crown, sap coming out of trunk
NC-8721	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	Lean
NC-8722	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-8723	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Lean, broken branches
NC-8724	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Thin crown
NC-8725	Unknown		6	1	N/A	N/A	Standing Dead	
NC-8726	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, many broken branches
NC-8727	Red maple	<i>Acer rubrum</i>	14, 14	2	7	21	Fair	Twin trunks 14 x 14, leaning, included bark, vines into crown of one stem, dead wood in crown
NC-8728	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Slight lean, broken branches
NC-8729	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-8730	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Slight lean, dead wood in lower canopy, unbalanced crown
NC-8731	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor branch dieback and dead wood in crown
NC-8732	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	Lean
NC-8733	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown, very little crown remains, slight lean
NC-8734	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-8735	Sweetgum	<i>Liquidambar styraciflua</i>	13, 7	2	6.5	19.5	Poor	Twin trunks 13 x 7, extensive vines into crown, included bark, lean, dead wood
NC-8736	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, dead wood in crown and lower canopy, unbalanced and thin crown
NC-8737	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, slight bend in leader, dead wood in crown and lower canopy
NC-8738	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-8739	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8740	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, sap ooze observed on trunk, thin crown
NC-8741	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown, very little crown remains
NC-8742	Callery pear	<i>Pyrus calleryana</i>	6, 4, 2	3	3	9	Fair	Multistem trunk 6 x 4 x 2, vines
NC-8743	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, dead wood in crown and lower canopy, unbalanced crown
NC-8744	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning, nearly dead, heavy branch dieback in crown, dead wood in crown and lower canopy
NC-8745	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-8746	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning, vines entering into crown,
NC-8747	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean and minor branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8748	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Good	Thin crown
NC-8749	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Heavy lean, one-sided branching, sparse crown
NC-8750	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-8751	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean, dead wood in lower canopy
NC-8752	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy, bend in leader in crown
NC-8753	Black cherry	<i>Prunus serotina</i>	7	1	N/A	N/A	Standing Dead	
NC-8754	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-8755	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Minor vines into crown, broken branches
NC-8756	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean, branch dieback in crown, thin crown
NC-8757	Sassafras	<i>Sassafras albidum</i>	10	1	5	15	Good	
NC-8758	Callery pear	<i>Pyrus calleryana</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4, vines
NC-8759	White mulberry	<i>Morus alba</i>	10	1	5	15	Fair	Vines into crown, dead wood
NC-8760	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, branch dieback in crown, thin crown
NC-8761	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-8762	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Good	
NC-8763	Tree of heaven	<i>Ailanthus altissima</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6. Vine on trunk, one sided, lean
NC-8764	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-8765	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-8766	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-8767	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	Minor vines, dead wood
NC-8768	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8769	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	One sided, lean
NC-8770	Red maple	<i>Acer rubrum</i>	14, 3	2	7	21	Fair	Twin trunks 14 x 3, 3" stem is dead, leaning, irregular bark at base
NC-8771	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-8772	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	Sapsucker holes
NC-8773	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Irregular growth form, sparse canopy
NC-8774	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-8775	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor branch dieback in crown
NC-8776	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form, lots of dead wood in lower canopy
NC-8777	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown, very thin crown
NC-8778	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown
NC-8779	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	Dead wood in crown and lower canopy, minor vines into crown
NC-8780	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Vines on trunk, one sided
NC-8781	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy
NC-8782	Pin oak	<i>Quercus palustris</i>	6, 4, 4, 4, 4	5	3	9	Fair	Multistem trunk 6 x 4 x 4 x 4 x 4, reduced canopy
NC-8783	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, branch dieback in crown, very little crown remains
NC-8784	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-8785	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8786	Willow oak	<i>Quercus phellos</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3, 3" stem is overtaken by vines, irregular growth form in crown of mainstem
NC-8787	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	Extensive vines into crown
NC-8788	Black cherry	<i>Prunus serotina</i>	15	1	7.5	22.5	Fair	Lots of dead wood in lower canopy, twin trunks above DBH
NC-8789	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-8790	Tree of heaven	<i>Ailanthus altissima</i>	8	1	4	12	Fair	Lean, one sided
NC-8791	White oak	<i>Quercus alba</i>	13, 11	2	6.5	19.5	Good	Twin trunks 13 x 11
NC-8792	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Broken limbs
NC-8793	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-8794	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy, thin crown
NC-8795	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor branch dieback in crown
NC-8796	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-8797	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	Irregular growth form
NC-8798	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, thin crown
NC-8799	White oak	<i>Quercus alba</i>	12, 10	2	6	18	Fair	Multistem trunk 12 x 10, broken branches
NC-8800	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Slight lean, irregular growth form
NC-8801	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy, slight bend in leader
NC-8802	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Irregular bark, lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8803	Callery pear	<i>Pyrus calleryana</i>	13, 6	2	6.5	19.5	Fair	Twin trunks 13 x 6. Lean, vines on trunk, water sprouts
NC-8804	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Bend in trunk
NC-8805	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-8806	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-8807	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	Minor vines
NC-8808	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Reduced canopy
NC-8809	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning
NC-8810	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Poor branching structure, thin crown, large branches removed in crown
NC-8811	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-8812	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-8813	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8814	Virginia pine	<i>Pinus virginiana</i>	9, 7	2	4.5	13.5	Fair	Twin trunks 9 x 7, vines entering into crown, dead wood in crown and lower canopy
NC-8815	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, unbalanced crown, dead wood in lower canopy
NC-8816	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, very thin crown
NC-8817	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-8818	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, dead wood in lower canopy, thin crown
NC-8819	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-8820	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-8821	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor dead wood in crown and lower canopy, thin crown
NC-8822	Callery pear	<i>Pyrus calleryana</i>	8, 6, 5	3	4	12	Good	Multistem trunk 8 x 6 x 5
NC-8823	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	Minor broken branches
NC-8824	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-8825	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor dead wood in lower canopy
NC-8826	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Dead branch
NC-8827	Pine sp.	<i>Pinus sp.</i>	9, 7	2	N/A	N/A	Standing Dead	Multistem trunk 9 x 7
NC-8828	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy, thin and slightly unbalanced crown
NC-8829	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Climbing vines
NC-8830	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Multistem 5 stems under 5", included bark, irregular growth form
NC-8831	Callery pear	<i>Pyrus calleryana</i>	9, 5	2	4.5	13.5	Good	Twin trunk 9 x 5
NC-8832	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, very thin crown
NC-8833	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning, dying
NC-8834	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Lean
NC-8835	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-8836	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-8837	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Good	Splits above DBH, dead branches
NC-8838	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-8839	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Slight lean, irregular growth form
NC-8840	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Bent trunk, irregular growth form
NC-8841	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-8842	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-8843	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-8844	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Interfering crowns
NC-8845	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Interfering crowns
NC-8846	Virginia pine	<i>Pinus virginiana</i>	10, 8	2	5	15	Fair	Twin trunks 10 x 8, included bark, dead wood in lower canopy, thin crown
NC-8847	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-8848	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on trunk
NC-8849	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	Vines into crown, broken branches
NC-8850	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-8851	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8852	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	Competition from adjacent tree
NC-8853	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, branch dieback in crown, thin crown
NC-8854	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Dead branches, some large
NC-8855	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines into crown
NC-8856	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8857	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-8858	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-8859	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Stressed
NC-8860	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Broken branches
NC-8861	Tree of heaven	<i>Ailanthus altissima</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5, included bark, interfering trunk
NC-8862	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Irregular trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
								Dead wood in crown and lower canopy, very thin crown, vines into crown, slight lean
NC-8863	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	
NC-8864	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Poor	Dead branches. Leaning. Crown bent/thin
NC-8865	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Irregular trunk
NC-8866	Tree of heaven	<i>Ailanthus altissima</i>	7, 6, 6	3	3.5	10.5	Good	Multistem 7 x 7 x 6. Vines on trunk
NC-8867	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, thin crown, slight bend in leader
NC-8868	White mulberry	<i>Morus alba</i>	11	1	5.5	16.5	Fair	Lean, vines into crown
NC-8869	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slight lean and slightly unbalanced crown
NC-8870	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8871	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly unbalanced crown
NC-8872	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Leaning, dying
NC-8873	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-8874	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-8875	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Vine on trunk, bend in upper trunk
NC-8876	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Dead branches. Leaning. Overtopped
NC-8877	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Broken limbs, reduced canopy
NC-8878	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8879	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-8880	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-8881	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Branch dieback and dead wood in crown, thin crown
NC-8882	Callery pear	<i>Pyrus calleryana</i>	10, 5	2	5	15	Fair	Twin trunk 10 x 5, vines
NC-8883	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-8884	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Extensive vines into crown
NC-8885	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead leader, branch dieback and dead wood in lower canopy, remainder of crown looks ok
NC-8886	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Fair	Twin trunk 5 x 3, dead branches
NC-8887	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Lean, one sided
NC-8888	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-8889	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-8890	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Leaning
NC-8891	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	Minor bend in leader
NC-8892	Callery pear	<i>Pyrus calleryana</i>	12	1	6	18	Good	
NC-8893	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Dead branches. Leaning
NC-8894	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Poor	Climbing vines
NC-8895	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-8896	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-8897	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-8898	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Few broken branches
NC-8899	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight bend in leader, dead wood in lower canopy
NC-8900	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-8901	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Dead wood in crown and lower canopy, leaning, irregular growth form
NC-8902	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown, slight lean
NC-8903	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Broken branches
NC-8904	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Interfering branches
NC-8905	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, unbalanced crown, vines into crown
NC-8906	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Reduced canopy
NC-8907	Blackgum	<i>Nyssa sylvatica</i>	18	1	9	27	Fair	Extensive vines into crown, included bark
NC-8908	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-8909	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Leaning, dying
NC-8910	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-8911	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, trunk intertwined with adjacent tree trunk, vines into crown, thin crown
NC-8912	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-8913	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-8914	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-8915	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines, broken trunk
NC-8916	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-8917	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Thin crown, minor branch dieback in crown
NC-8918	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Extensive vines, leaning
NC-8919	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, dead wood in lower canopy
NC-8920	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-8921	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-8922	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader, dead wood in lower canopy
NC-8923	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8924	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, irregular growth form
NC-8925	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-8926	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Broken trunk
NC-8927	White oak	<i>Quercus alba</i>	7	1	N/A	N/A	Standing Dead	
NC-8928	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dead branches. Thin crown
NC-8929	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-8930	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lots of dead wood in the crown and lower canopy, bend in leader
NC-8931	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-8932	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced canopy
NC-8933	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Lean, irregular growth form
NC-8934	Sweetgum	<i>Liquidambar styraciflua</i>	16, 13, 12	3	8	24	Good	Multistem trunk 16 x 13 x 12
NC-8935	Chestnut oak	<i>Quercus montana</i>	10	1	5	15	Fair	Interfering crown (overtopped), lean
NC-8936	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight bend in leader, dead wood in crown and lower canopy, thin crown
NC-8937	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Leaning, branch dieback in crown, very thin crown remains
NC-8938	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Lean
NC-8939	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Bend in leader, thin crown, branch dieback in lower canopy
NC-8940	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-8941	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lots of dead wood in the crown and lower canopy, bend in leader
NC-8942	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-8943	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-8944	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Dead branches. Crown interfering with another tree
NC-8945	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-8946	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Peeling bark, dead branches, slight lean
NC-8947	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dead leader, secondary leader growing well
NC-8948	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader, dead wood in lower canopy, thin crown
NC-8949	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-8950	Sweetgum	<i>Liquidambar styraciflua</i>	14, 13	2	7	21	Fair	Twin trunk 14 x 13, extensive vines
NC-8951	White mulberry	<i>Morus alba</i>	13	1	6.5	19.5	Poor	Severe lean, broken branches, overtopped by vines
NC-8952	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lots of dead wood in the crown and lower canopy, bend in leader
NC-8953	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	dieback
NC-8954	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader, dead wood in lower canopy, thin crown
NC-8955	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Broken leader
NC-8956	White oak	<i>Quercus alba</i>	16	1	8	24	Fair	Many broken limbs
NC-8957	Black locust	<i>Robinia pseudoacacia</i>	9	1	4.5	13.5	Poor	Significant lean over road
NC-8958	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-8959	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, dead wood in crown and lower canopy, thin crown
NC-8960	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean and slight bend in leader
NC-8961	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Irregular growth form, lean
NC-8962	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-8963	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Bend in leader, dead wood in lower canopy
NC-8964	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-8965	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean and bend in trunk, thin crown
NC-8966	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback and dead wood in crown, thin and unbalanced crown
NC-8967	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-8968	Tree of heaven	<i>Ailanthus altissima</i>	10	1	5	15	Fair	Lean, included bark
NC-8969	Eastern redcedar	<i>Juniperus virginiana</i>	13	1	6.5	19.5	Fair	Vines
NC-8970	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches
NC-8971	White oak	<i>Quercus alba</i>	16	1	8	24	Good	Dead branch
NC-8972	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-8973	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-8974	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-8975	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean and bend in trunk, thin crown
NC-8976	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, dead branches
NC-8977	Chestnut oak	<i>Quercus montana</i>	16	1	8	24	Good	
NC-8978	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-8979	White oak	<i>Quercus alba</i>	10, 10, 7	3	5	15	Good	Multistem trunk 10 x 10 x 7
NC-8980	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	One sided branching, sparse canopy
NC-8981	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Minor branch dieback in crown
NC-8982	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Dying

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-8983	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Good	Leaning
NC-8984	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-8985	American elm	<i>Ulmus americana</i>	8, 3	2	4	12	Fair	Twin trunk 8 x 3, extensive vines
NC-8986	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-8987	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Broken top
NC-8988	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, unbalanced crown
NC-8989	Unknown		21	1	N/A	N/A	Standing Dead	
NC-8990	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form. Dead branches
NC-8991	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-8992	Callery pear	<i>Pyrus calleryana</i>	8, 8, 7	3	4	12	Good	Multistem 8 x 8 x 7
NC-8993	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-8994	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-8995	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-8996	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Severe lean, dying crown, overtopped by vines
NC-8997	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Exposed roots, thin crown, slight lean
NC-8998	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight bend in leader
NC-8999	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Significant lean, broken branches
NC-9000	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Crown sheared off
NC-9001	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9002	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Irregular growth form, vines at base
NC-9003	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Leaning towards road, branch dieback in crown, thin crown
NC-9004	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Irregular growth form, vines at base
NC-9005	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Significant lean, irregular growth form, water sprouts
NC-9006	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-9007	Unknown		13	1	N/A	N/A	Standing Dead	
NC-9008	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-9009	Crabapple sp.	<i>Malus sp.</i>	5, 3, 3	3	2.5	7.5	Poor	Multistem 5 x 3 x 3. Many of water sprouts, vines into crown, irregular growth form
NC-9010	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-9011	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, vines into crown, dead wood in lower canopy, thin crown
NC-9012	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	Dead branches
NC-9013	Black locust	<i>Robinia pseudoacacia</i>	17	1	8.5	25.5	Good	Dead branches, one sided
NC-9014	Virginia pine	<i>Pinus virginiana</i>	9, 7	2	4.5	13.5	Fair	Twin trunks 9 x 7, included bark, branch dieback and dead wood in lower canopy, thin crown
NC-9015	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dead wood in lower canopy, thin crown
NC-9016	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Fair	One sided, irregular growth form
NC-9017	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines in canopy
NC-9018	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Good	Minor broken branches
NC-9019	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-9020	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Thin crown
NC-9021	Callery pear	<i>Pyrus calleryana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4, bend in leader, irregular growth form
NC-9022	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Unbalanced crown, slight lean towards road
NC-9023	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Irregular trunk
NC-9024	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-9026	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Moderate lean towards road, poor branching structure
NC-9027	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Poor	Twin trunk 6 x 6, dying
NC-9028	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lots of dead wood in the crown, poor branching structure
NC-9029	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Trunk wound. Irregular growth
NC-9030	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-9031	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Good	Broken branches
NC-9032	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Some included bark
NC-9033	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly unbalanced crown
NC-9034	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Broken branches, minor dead wood
NC-9035	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	Broken branches
NC-9036	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form. Dead lower branches
NC-9037	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, dead wood in lower canopy
NC-9038	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	Some broken branches
NC-9039	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-9040	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Heavy lean, extensive dead wood
NC-9041	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-9042	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Fused stems just above DBH
NC-9043	Tree of heaven	<i>Ailanthus altissima</i>	8	1	4	12	Fair	Irregular growth form, minor vines, lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9044	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Trunk damage
NC-9045	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor bend in leader, dead wood in lower canopy
NC-9046	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Missing crown. Mostly dead
NC-9047	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slightly unbalanced crown
NC-9048	Sweetgum	<i>Liquidambar styraciflua</i>	9, 7	2	4.5	13.5	Poor	Twin trunk 9 x 7, dying
NC-9049	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-9050	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-9051	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	Few dead branches
NC-9052	Sweetgum	<i>Liquidambar styraciflua</i>	15, 13	2	7.5	22.5	Fair	Twin trunk 15 x 13, trunk damage
NC-9053	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-9054	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	
NC-9055	Virginia pine	<i>Pinus virginiana</i>	5, 2	2	2.5	7.5	Fair	Twin trunks 5 x 2, slight lean, dead wood in crown
NC-9056	Tuliptree	<i>Liriodendron tulipifera</i>	6, 1	2	3	9	Good	Twin trunks 6 x 1, slight lean
NC-9057	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-9058	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-9059	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-9060	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Snapped leader, rotting branches in crown
NC-9061	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Trunk rot
NC-9062	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-9063	Unknown		11	1	N/A	N/A	Standing Dead	
NC-9064	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, dead wood in lower canopy
NC-9065	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Branches pruned in lower canopy
NC-9066	Scarlet oak	<i>Quercus coccinea</i>	21	1	10.5	31.5	Good	Moderate vines on lower half
NC-9067	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy branch dieback in crown, thin crown, dead wood in lower canopy
NC-9068	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9069	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	Minor vines
NC-9070	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor branch dieback in lower canopy
NC-9071	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor branch dieback in lower canopy, slightly unbalanced crown
NC-9072	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9073	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-9074	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-9075	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Irregular crown, dead branches
NC-9076	Eastern redcedar	<i>Juniperus virginiana</i>	6, 5	2	N/A	N/A	Standing Dead	Twin trunks 6 x 5, both stems are dead
NC-9077	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Irregular growth form, unbalanced crown
NC-9078	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Possibly dead
NC-9079	White oak	<i>Quercus alba</i>	12	1	N/A	N/A	Standing Dead	
NC-9080	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9081	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided, dead lower branches
NC-9082	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor branch dieback in lower canopy
NC-9084	White oak	<i>Quercus alba</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-9085	Pin oak	<i>Quercus palustris</i>	11, 10	2	5.5	16.5	Good	Twin trunk 11 x 10
NC-9086	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-9087	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean
NC-9088	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-9089	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Unbalanced crown, minor vines at base
NC-9090	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Severely leaning
NC-9091	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	base
NC-9092	Callery pear	<i>Pyrus calleryana</i>	14, 9, 7	3	7	21	Fair	Multistem 14 x 9 x 7, pruned branches in lower canopy, included bark
NC-9093	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, thin and unbalanced crown, minor vines into crown
NC-9094	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dead wood in lower canopy, slight lean, unbalanced crown
NC-9095	Callery pear	<i>Pyrus calleryana</i>	14	1	7	21	Fair	Lean, vines on trunk
NC-9096	Eastern redcedar	<i>Juniperus virginiana</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3, 3" stem is dead, vines at base
NC-9097	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dead leader
NC-9098	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, dead wood in lower canopy, very thin crown
NC-9099	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Rotting wood in trunk, severe bend in leader, broken and rotting leader
NC-9100	Pignut hickory	<i>Carya glabra</i>	11	1	5.5	16.5	Good	
NC-9101	Scarlet oak	<i>Quercus coccinea</i>	7	1	3.5	10.5	Good	Minor vines
NC-9102	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor dead wood in lower canopy
NC-9103	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean
NC-9105	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-9106	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Very thin crown
NC-9108	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Good	
NC-9109	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor dead wood in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9110	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Fair	Reduced canopy
NC-9111	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, dead wood in lower canopy, very thin crown, nearly horizontal
NC-9112	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form, sparse crown
NC-9113	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	
NC-9114	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Decaying crown
NC-9115	Red maple	<i>Acer rubrum</i>	11, 10	2	5.5	16.5	Good	Twin trunks 11 x 10, included bark, unbalanced crown
NC-9116	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	Bend in leader
NC-9117	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown and lower canopy, leaning
NC-9118	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	One sided, broken branches
NC-9119	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	
NC-9120	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-9121	Callery pear	<i>Pyrus calleryana</i>	8, 6, 5, 5	4	4	12	Fair	Multistem 8 x 6 x 5 x 5, included bark, branch dieback in crown
NC-9122	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor dead wood in lower canopy
NC-9123	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	twist again in crown, irregular growth form
NC-9124	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Dead branches
NC-9125	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dieback
NC-9126	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Low branch dieback, unbalanced crown, slight lean
NC-9127	White oak	<i>Quercus alba</i>	14, 8	2	7	21	Good	Twin trunk 14 x 8
NC-9128	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-9129	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Slight lean, irregular growth form, extensive dead wood
NC-9130	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Fair	Lean, broken branches
NC-9131	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-9132	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Dead branches
NC-9133	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Lots of sapsucker holes, interfering branches
NC-9134	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-9135	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, thin and unbalanced crown
NC-9136	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Bend in leader, branch dieback in crown, thin crown
NC-9137	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying
NC-9138	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-9139	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-9140	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Reduced crown, extensive vines
NC-9141	Callery pear	<i>Pyrus calleryana</i>	6, 6, 3	3	3	9	Fair	Multistem 6 x 6 x 3, large vines into crown, water sprouts
NC-9142	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	dead wood in crown
NC-9143	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Healed trunk wound, girdling roots, irregular growth form
NC-9144	Northern red oak	<i>Quercus rubra</i>	20, 19	2	10	30	Fair	Twin trunks 20 x 19. Many dead branches. Leaning
NC-9145	White oak	<i>Quercus alba</i>	8	1	4	12	Poor	Reduced crown, extensive vines
NC-9146	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-9147	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Bent trunk, overtopped by neighboring trees
NC-9148	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced crown
NC-9150	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Fair	Many dead branches
NC-9151	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-9152	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-9153	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-9154	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-9155	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader, dead wood in lower canopy, twin trunks above DBH, smaller stem is dead
NC-9156	Eastern redcedar	<i>Juniperus virginiana</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4, 4" stem is dead, unbalanced and thin crown
NC-9157	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Reduced canopy
NC-9158	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, thin and unbalanced crown, dead wood in crown
NC-9159	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	One sided, vines on lower branches, overtopped
NC-9160	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	
NC-9161	Sweetgum	<i>Liquidambar styraciflua</i>	11, 11, 4	3	5.5	16.5	Poor	Multistem 11 x 11 x 4, one of the 11" stems is dead, vines taking over crown of main stem, 11" stem crown overtopping 4" stem crown
NC-9162	Eastern redcedar	<i>Juniperus virginiana</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4, 4" is dead, vines at base
NC-9163	White oak	<i>Quercus alba</i>	26	1	13	39	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9164	Eastern redcedar	<i>Juniperus virginiana</i>	9, 9	2	4.5	13.5	Good	Twin trunks 9 x 9, buttressed roots
NC-9165	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	
NC-9166	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	crown
NC-9167	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Many vines, reduced canopy
NC-9168	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback in crown, thin crown
NC-9169	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, branch dieback in crown
NC-9170	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Large vines into crown, little crown remains, bend in leader
NC-9172	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Many vines
NC-9173	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Poor branching structure, slight lean
NC-9174	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	crown
NC-9175	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Poor	Large dead branches, thin crown
NC-9177	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-9178	Callery pear	<i>Pyrus calleryana</i>	10, 10, 6	3	5	15	Fair	sprouts, heavy branch dieback on 6" stem
NC-9179	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-9180	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-9181	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-9182	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9183	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, thin and unbalanced crown
NC-9184	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Minor branch dieback in crown
NC-9186	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Fair	Leaning towards road, rotting branch in lower canopy
NC-9187	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Some large broken branches, vines on trunk
NC-9188	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, reduced canopy
NC-9189	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback in crown, thin crown
NC-9190	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-9191	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Vines in canopy, broken leader
NC-9192	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Thin crown , dead wood in lower canopy, sap ooze at base of trunk
NC-9193	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Reduced canopy
NC-9194	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, dead wood in lower canopy
NC-9195	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Vines on lower trunk
NC-9196	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Large vine into crown, dead wood in lower canopy
NC-9197	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown. Lean
NC-9198	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9199	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader
NC-9200	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Reduced crown, dying
NC-9201	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Trunk rot
NC-9202	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Rotting trunk, irregular growth form, vines into crown, insect holes on trunk
NC-9203	White oak	<i>Quercus alba</i>	6	1	N/A	N/A	Standing Dead	
NC-9204	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-9206	White mulberry	<i>Morus alba</i>	13, 11	2	6.5	19.5	Fair	Twin trunks 13 x 11, lean, included bark, pruned leader, broken branches
NC-9207	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Damaged leader, thin crown, dead wood in lower canopy
NC-9208	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Reduced crown
NC-9209	Callery pear	<i>Pyrus calleryana</i>	15, 12, 8	3	7.5	22.5	Fair	Multistem trunk 15 x 12 x 8, many vines
NC-9210	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines into crown, dead wood in lower canopy
NC-9211	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	Minor vines
NC-9212	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-9213	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Broken crown. Dead branches
NC-9214	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines into crown, dead wood in lower canopy
NC-9215	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines into crown, branch dieback in crown, thin crown
NC-9216	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Broken leader, dying
NC-9218	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Heavy vines into crown, leaning, branch dieback in crown
NC-9219	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-9220	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown. Dead branches
NC-9221	White oak	<i>Quercus alba</i>	12	1	6	18	Good	Vines
NC-9222	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Minor vines
NC-9223	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Many vines
NC-9224	Tree of heaven	<i>Ailanthus altissima</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, included bark, extensive vines into crown
NC-9225	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Bend in leader, thin crown
NC-9226	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9227	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Vines on lower branches, few dead branches
NC-9228	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-9229	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown and lower canopy, vines into crown
NC-9230	Unknown		18	1	N/A	N/A	Standing Dead	
NC-9231	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Dying
NC-9232	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Pruned branches in lower canopy, some pruned branch sites are rotting
NC-9233	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9234	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-9235	Callery pear	<i>Pyrus calleryana</i>	11, 9	2	5.5	16.5	Fair	Twin trunks 11 x 9, irregular growth form, sapsucker holes
NC-9237	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular crown, overtopped by neighboring trees
NC-9238	Sweetgum	<i>Liquidambar styraciflua</i>	11, 10	2	5.5	16.5	Fair	Twin trunks 11 x 10, broken and rotting branches in lower canopy
NC-9239	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4, irregular growth form
NC-9240	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, unbalanced crown, branch dieback in lower canopy
NC-9244	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-9246	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4, 4" stem is dead, vines into crown of main stem
NC-9247	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-9248	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Twin trunks above DBH
NC-9249	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Reduced crown
NC-9250	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-9251	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, dead wood in lower canopy, vines at base
NC-9252	Red maple	<i>Acer rubrum</i>	12, 7	2	6	18	Fair	Twin trunk 12 x 7, first trunk has broken leader
NC-9253	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9254	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Slight lean, minor vines into crown, thin crown
NC-9255	Eastern redcedar	<i>Juniperus virginiana</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4, dead wood in lower canopy, 4" stem is dead
NC-9256	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-9257	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9258	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Vines
NC-9259	Eastern redcedar	<i>Juniperus virginiana</i>	10, 7	2	N/A	N/A	Standing Dead	Twin trunks 10 x 7
NC-9260	Eastern redcedar	<i>Juniperus virginiana</i>	8, 8, 1	3	N/A	N/A	Standing Dead	Multistem 8 x 8 x 1
NC-9261	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-9262	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9263	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor branch dieback in lower canopy
NC-9264	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-9266	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-9267	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Broken leader, reduced canopy
NC-9268	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9269	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, thin and unbalanced crown
NC-9270	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-9271	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9272	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-9273	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Branch pruned in lower canopy
NC-9274	White oak	<i>Quercus alba</i>	26	1	N/A	N/A	Standing Dead	
NC-9275	Willow oak	<i>Quercus phellos</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, stressed
NC-9276	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-9277	Hickory sp.	<i>Carya sp.</i>	10	1	5	15	Good	
NC-9278	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-9280	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, unbalanced crown
NC-9281*	Red maple	<i>Acer rubrum</i>	31	1	15.5	46.5	Good	Included bark, minor broken branches in crown
NC-9282	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-9283	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Lean, dead branches
NC-9284	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Sapsucker holes, buttressed roots, thin crown
NC-9285	Southern red oak	<i>Quercus falcata</i>	19	1	9.5	28.5	Good	Few dead lower limbs
NC-9286	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-9287	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Good	Minor vines
NC-9288	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, thin crown
NC-9289	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-9290	Callery pear	<i>Pyrus calleryana</i>	9, 8	2	4.5	13.5	Fair	Twin trunks 9 x 8, included bark, Irregular growth form, slight lean towards road
NC-9291	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-9292	Unknown		6	1	N/A	N/A	Standing Dead	
NC-9293	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Good	Leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9294	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Many vines
NC-9295	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-9296	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Reduced crown
NC-9297	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-9298	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Fair	Large dead branches
NC-9299	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken leader
NC-9300	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Vines
NC-9301	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate levels dead wood in lower canopy, thin crown
NC-9302	Eastern redcedar	<i>Juniperus virginiana</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, 7" stem is dead, thin crown on main stem, lots of dead wood in lower canopy
NC-9303	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	
NC-9304	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Fair	Few large broken branches
NC-9305	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-9306	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-9308	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Thin crown
NC-9309	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Lean
NC-9310	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Good	
NC-9311	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-9312	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	dead wood in lower canopy, thin crown
NC-9313	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback and dead wood in lower canopy, thin crown
NC-9314	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Lean
NC-9315	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines, reduced canopy
NC-9316	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-9317	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, branch dieback and dead wood in crown, thin crown
NC-9318	Blackgum	<i>Nyssa sylvatica</i>	7	1	N/A	N/A	Standing Dead	
NC-9319	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-9320	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-9321	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-9322	Southern red oak	<i>Quercus falcata</i>	23	1	11.5	34.5	Good	Few rotting and broken branches in the lower canopy
NC-9323	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-9324	Callery pear	<i>Pyrus calleryana</i>	8, 7, 5	3	4	12	Fair	Multistem 8 x 7 x 5, irregular growth form, exposed roots
NC-9326	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	
NC-9327	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Good	
NC-9328	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Extensive vines into crown, broken branches
NC-9329	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, irregular crown
NC-9330	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	Slightly unbalanced crown
NC-9331	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Fair	Heavy vines on trunk, broken branches
NC-9332	Callery pear	<i>Pyrus calleryana</i>	11, 9	2	5.5	16.5	Fair	Twin trunks 11 x 9, rotting and dead branches in crown and lower canopy, vines into crown
NC-9333	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Vines into canopy
NC-9334	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Irregular growth form, thin crown, slight lean
NC-9335	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-9336	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor branch removed in lower canopy
NC-9337	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Reduced canopy
NC-9338	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-9339	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean
NC-9340	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-9341	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-9342	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9343	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Twin trunks above DBH, second stem is dead
NC-9344	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean
NC-9346	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-9347	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin crown
NC-9348	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-9349	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning towards road, irregular growth form, broken leader
NC-9350	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	
NC-9351	Callery pear	<i>Pyrus calleryana</i>	15, 11, 10	3	7.5	22.5	Fair	Multistem trunk 15 x 11 x 10, stressed
NC-9352	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-9353	Eastern redcedar	<i>Juniperus virginiana</i>	22	1	11	33	Good	Few vines on lower trunk
NC-9354	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Irregular growth form, thin crown
NC-9355	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-9356	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-9357	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One-sided branching, water sprouts
NC-9358	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9359	Black cherry	<i>Prunus serotina</i>	9	1	N/A	N/A	Standing Dead	
NC-9360	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-9361	Willow oak	<i>Quercus phellos</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6
NC-9362	Callery pear	<i>Pyrus calleryana</i>	9, 6	2	4.5	13.5	Good	Twin trunk 9 x 6
NC-9363	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Poor	Possibly dead
NC-9365	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Some broken branches
NC-9366	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-9367	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Good	
NC-9368	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Branch dieback and dead wood in lower canopy
NC-9369	Unknown		12	1	N/A	N/A	Standing Dead	
NC-9370	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Vines, reduced canopy
NC-9371	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-9372	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Irregular and dying crown
NC-9373	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning, reduced crown
NC-9374	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9376	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-9377	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Good	Multistem trunk 5 x 4 x 3
NC-9378	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines
NC-9379	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-9380	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Good	
NC-9381	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-9383	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown and lower canopy
NC-9384	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Unbalanced and thin crown, dead wood in lower canopy
NC-9385	Virginia pine	<i>Pinus virginiana</i>	12, 11	2	6	18	Good	Leaning, dead wood in lower canopy, twin trunks 12 x 11, included bark
NC-9386	Callery pear	<i>Pyrus calleryana</i>	13, 6, 5, 5, 4	5	6.5	19.5	Fair	Multistem 13 x 6 x 5 x 5 x 4. Included bark, broken branches, irregular growth form
NC-9387	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning
NC-9388	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	
NC-9389	Callery pear	<i>Pyrus calleryana</i>	13, 12, 12	3	6.5	19.5	Fair	Triple trunk 13 x 12 x 12, included bark, lots of sapsucker holes on leader fewer on other stems, rotting branches in crown
NC-9390	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Fair	Broken branches
NC-9391	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9392	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-9393	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Good	
NC-9394	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-9395	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-9396	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, irregular growth form
NC-9397	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Rotting branches in lower canopy, thin crown
NC-9398	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, heavy vines taking over crown, thin crown
NC-9399	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-9400	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, broken branches in lower canopy
NC-9401	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Stressed
NC-9402	Pignut hickory	<i>Carya glabra</i>	13	1	6.5	19.5	Good	
NC-9403	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Few broken branches
NC-9404	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	One sided
NC-9405	Pignut hickory	<i>Carya glabra</i>	5	1	2.5	7.5	Good	
NC-9406	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Irregular growth form, thin crown
NC-9407	Virginia pine	<i>Pinus virginiana</i>	9, 9	2	4.5	13.5	Good	Twin trunks 9 x 9, dead wood in lower canopy
NC-9408	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Many vines
NC-9409	Virginia pine	<i>Pinus virginiana</i>	10, 8	2	5	15	Good	bent in leader, dead wood in lower canopy
NC-9410	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-9411	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-9412	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4, 4	3	3.5	10.5	Fair	Multistem 7 x 4 x 4, girdling roots
NC-9413	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor branch dieback in crown
NC-9414	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Bend in trunk
NC-9415	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9416	Callery pear	<i>Pyrus calleryana</i>	8, 8, 7, 4	4	4	12	Fair	Multistem 8 x 8 x 7 x 4. Vines climbing into crown, included bark, broken branches
NC-9417	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-9418	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Adjacent dead tree leaning on this tree, moderate sap ooze
NC-9420	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate lean, irregular bark
NC-9421	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9423	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9424	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-9425	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown
NC-9426	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Good	
NC-9427	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-9428	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Leaning
NC-9429	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9430	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9431	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, leaning, lichen on trunk
NC-9432	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dead wood in lower canopy, thin crown
NC-9433	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, nearly horizontal, dead wood in lower canopy
NC-9434	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-9435	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight bend in leader, dead wood in lower canopy
NC-9436	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Lean
NC-9437	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-9438	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown
NC-9439	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Minor bend in leader
NC-9440	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9441	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-9442	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, heavy sap ooze on trunk, dead wood in lower canopy
NC-9443	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9444	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-9445	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3	2	2.5	7.5	Poor	Twin trunks 5 x 3 stem, split leader, vines into crown, stems significantly leaning in opposite directions
NC-9446	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Rotting branching in crown, unbalanced crown
NC-9447	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-9448	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Branch dieback in crown, thin crown, slight lean
NC-9449	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9450	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9451	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, dead wood in crown and lower canopy
NC-9452	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-9453	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Moderate lean, thin and unbalanced crown
NC-9454	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Few broken branches
NC-9455	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-9456	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-9457	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-9458	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular growth form, one sided
NC-9459	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, dead wood in lower canopy, thin crown
NC-9460	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-9461	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-9462	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	
NC-9463	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, topped leader, dead wood in lower canopy
NC-9464	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-9465	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9466	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	dead wood in crown, slightly unbalanced crown
NC-9467	White oak	<i>Quercus alba</i>	28	1	14	42	Good	
NC-9468	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9469	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-9470	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Large broken branch in crown, thin crown, dead wood in lower canopy
NC-9471	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-9472	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean, topped leader, dead wood in lower canopy
NC-9473	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-9474	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-9475	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Significant lean, dead wood in lower canopy
NC-9476	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean, slight bend in leader, dead wood in lower canopy, adjacent standing dead leaning on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9478	Virginia pine	<i>Pinus virginiana</i>	6, 2	2	3	9	Fair	Twin trunks 6 x 2, very thin crown, branch dieback in crown, dead wood in lower canopy, 2" stem dead
NC-9480	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	dead wood in crown and lower canopy, bend in leader
NC-9481	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-9482	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy, vines
NC-9483	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-9484	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, unbalanced and thin crown, dead wood in lower canopy
NC-9485	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	Some vines at base
NC-9486	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	dead wood in lower canopy, thin crown
NC-9487	Sugar maple	<i>Acer saccharum</i>	11	1	5.5	16.5	Fair	Irregular growth form, branches removed in lower canopy
NC-9488	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-9489	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, dead wood in lower canopy, thin crown
NC-9490	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9491	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Heavy branch dieback in crown, very thin crown
NC-9493	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, thin crown
NC-9494	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-9495	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor branch dieback in crown
NC-9496	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	dead wood in lower canopy, thin crown
NC-9497	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-9498	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, thin crown
NC-9499	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Good	
NC-9500	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-9501	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Poor	No green needles, peeling bark, likely dead
NC-9502	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, dead wood in crown and lower canopy, thin crown
NC-9503	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in crown
NC-9504	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, thin crown
NC-9505	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown
NC-9507	Callery pear	<i>Pyrus calleryana</i>	13	1	6.5	19.5	Fair	Heavy branch dieback in lower canopy
NC-9508	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, dying crown
NC-9509	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Split above DBH, slight lean
NC-9510	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, dead wood in lower canopy
NC-9511	Eastern redcedar	<i>Juniperus virginiana</i>	13	1	6.5	19.5	Good	
NC-9512	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, dead and broken branches
NC-9513	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Moderate branch dieback in crown, bend in leader
NC-9514	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	dead wood in crown, unbalanced crown
NC-9515	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-9516	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9517	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches, reduced canopy
NC-9518	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Severe lean, nearly horizontal
NC-9519	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown
NC-9520	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-9522	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-9523	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Large vine on trunk, lean
NC-9524	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Thin and slightly unbalanced crown
NC-9525	Sweetgum	<i>Liquidambar styraciflua</i>	9, 9	2	4.5	13.5	Fair	Twin trunks 9 x 9, branch dieback in lower canopy, minor vines into crown
NC-9526	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced crown, moderate dead wood in crown and lower canopy
NC-9527	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, bend in leader, dead wood in crown
NC-9528	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-9529	Hawthorn sp.	<i>Crataegus sp.</i>	8, 4	2	4	12	Fair	Twin trunks 8 x 4 stem, rotting branches in crown and lower canopy
NC-9530	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor dead wood in lower canopy
NC-9531	White oak	<i>Quercus alba</i>	26	1	13	39	Poor	Dying, trunk rot
NC-9532	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-9534	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch dieback in lower canopy, thin crown
NC-9535	Eastern redcedar	<i>Juniperus virginiana</i>	6, 3, 2	3	3	9	Fair	Multistem 6 x 3 x 2. 2" stem is dead, remainder of crown is healthy
NC-9536	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-9537	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Poor	Dying
NC-9538	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines into crown, thin crown
NC-9539	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback and dead wood in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9540	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Somewhat thin crown, broken branches
NC-9541	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-9542	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Broken leader
NC-9543	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-9544	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Bend in trunk
NC-9545	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, thin and unbalanced crown
NC-9546	Callery pear	<i>Pyrus calleryana</i>	8, 7, 7, 6	4	4	12	Good	Multistem trunk 8 x 7 x 7 x 6
NC-9547	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-9549	White oak	<i>Quercus alba</i>	21	1	N/A	N/A	Standing Dead	
NC-9550	Pignut hickory	<i>Carya glabra</i>	17	1	8.5	25.5	Good	
NC-9551	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	dead wood in crown and lower canopy
NC-9552	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Good	Minor vines
NC-9553	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in lower canopy
NC-9554	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3	2	2.5	7.5	Poor	vines and dead, heavy branch dieback in crown of main stem, crack in trunk at base
NC-9555	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-9556	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean
NC-9557	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Poor	Dying
NC-9558	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	One sided
NC-9559	Pignut hickory	<i>Carya glabra</i>	10	1	5	15	Good	
NC-9560	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	canopy, nearly dead, irregular growth form
NC-9561	Sweetgum	<i>Liquidambar styraciflua</i>	10, 8, 5	3	5	15	Fair	Multistem 10 x 8 x 5. Thin crown, large broken branches
NC-9562	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slightly unbalanced crown, branch dieback in crown
NC-9563	Black oak	<i>Quercus velutina</i>	13	1	6.5	19.5	Good	
NC-9564	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-9565	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-9566	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Minor dead wood in lower canopy
NC-9567	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Branches removed in lower canopy, included bark
NC-9568	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9569	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Leaning
NC-9570	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Fair	Climbing vines, broken limbs
NC-9571	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor dead wood in lower canopy
NC-9572	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-9574	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Significant lean, thin crown
NC-9575	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-9576	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Branch dieback in crown, thin crown
NC-9577	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	
NC-9578	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-9579	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Bend in leader, dead wood in lower canopy
NC-9580	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, lean
NC-9581	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-9582	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean, one sided
NC-9583	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Has two smaller stems at base <5", vines into crown
NC-9584	Sweetgum	<i>Liquidambar styraciflua</i>	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-9585	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, dead wood in crown and lower canopy
NC-9586	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-9587	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dieback
NC-9588	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Slight lean, thin crown, dead wood in lower canopy
NC-9589	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Overtopped, broken leader, lean
NC-9590	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-9591	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-9592	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	crown
NC-9593	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Poor	Overtaken by vines in crown
NC-9594	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-9595	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Trunk rot
NC-9596	Eastern redcedar	<i>Juniperus virginiana</i>	9, 5	2	4.5	13.5	Good	Few dead branches. Twin trunks 9 x 5
NC-9597	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-9598	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Rotting branches in lower canopy, exposed roots
NC-9599	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead secondary leader, broken branches
NC-9600	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, nearly horizontal, thin crown
NC-9601	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Moderate dead wood in lower canopy
NC-9602	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Dying crown, irregular growth form
NC-9603	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Poor	Severe leans, coming out of soil at base
NC-9604	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-9605	White oak	<i>Quercus alba</i>	14	1	7	21	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9606	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight bend in leader, dead wood in lower canopy, thin crown
NC-9607	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-9608	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-9609	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, thin crown, dead branches
NC-9610	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Leaning
NC-9611	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Minor dead wood in lower canopy
NC-9612	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in crown, thin crown
NC-9613	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, dead wood in crown and lower canopy, slightly unbalanced crown
NC-9614	Oak sp.	<i>Quercus</i> sp.	8	1	N/A	N/A	Standing Dead	
NC-9615	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines at base, unbalanced crown
NC-9616	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	overtopped
NC-9617	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean
NC-9618	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, bend in leader, dead wood in lower canopy
NC-9619	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9620	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-9621	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Twin 2", dead wood in lower canopy of mainstem, 2" dead
NC-9622	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-9623	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, dead wood in lower canopy
NC-9624	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, very thin crown, dead wood in lower canopy
NC-9625	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-9626*	White oak	<i>Quercus alba</i>	35	1	17.5	52.5	Fair	Broken leader, trunk damage
NC-9627	Callery pear	<i>Pyrus calleryana</i>	15, 12, 11	3	7.5	22.5	Good	Multistem trunk 15 x 12 x 11
NC-9629	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, dead wood in lower canopy
NC-9630	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor dead wood in lower canopy
NC-9631	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-9632	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-9634	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken branches
NC-9635	Callery pear	<i>Pyrus calleryana</i>	6, 4, 3, 2	4	3	9	Good	Multistem trunk 6 x 4 x 3 x 2
NC-9636	Virginia pine	<i>Pinus virginiana</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, dead wood in lower canopy, 7" stem is slightly leaning
NC-9637	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Poor	Dying crown, bark peeling off trunk
NC-9638	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-9639	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-9640	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in lower canopy, moderate lean
NC-9641	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, dead wood in crown and lower canopy
NC-9642	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-9643	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-9644	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-9645	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	dead wood in crown and lower canopy
NC-9646	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines
NC-9647	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy, slight lean
NC-9648	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Lean, thin crown, dead branches
NC-9649	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, dead branches
NC-9650	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9651	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Rotting branches in crown, thin crown, irregular growth form
NC-9652	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader, thin crown
NC-9653	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Severe lean, thin crown
NC-9654	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown, dead wood in lower canopy
NC-9655	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twim trunks 5 x 5, split below DBH, thin crown
NC-9656	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	bark
NC-9658	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean
NC-9659	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-9660	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean , broken branches
NC-9661	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-9662	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Dying
NC-9663	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-9664	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-9665	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-9666	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9667	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in trunk, lean
NC-9668	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor dead wood in crown and lower canopy
NC-9669	White oak	<i>Quercus alba</i>	27	1	13.5	40.5	Good	
NC-9670	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, slight lean
NC-9671	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Slight lean, slight bend in leader, thin crown
NC-9672	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, bend in leader, dead wood in lower canopy
NC-9673	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, nearly horizontal, thin crown
NC-9674	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, thin crown, broken branches
NC-9675	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-9676	Callery pear	<i>Pyrus calleryana</i>	8, 5	2	4	12	Fair	Twin trunks 8 x 5. Lean, dead branches
NC-9677	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-9679	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	
NC-9680	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean, broken branches
NC-9681	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight branch dieback, thin crown
NC-9682	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-9683	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-9684	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-9685	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy
NC-9686	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-9687	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-9688	White oak	<i>Quercus alba</i>	20	1	N/A	N/A	Standing Dead	
NC-9689	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-9690	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-9691	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Minor vines into crown
NC-9692	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Minor dead wood in lower canopy
NC-9693	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	Few dead and broken branches
NC-9694	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor vines into crown, minor bend in leader
NC-9695	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, dead wood in lower canopy
NC-9696	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-9698	Sweetgum	<i>Liquidambar styraciflua</i>	11, 10	2	5.5	16.5	Fair	Twin trunks 11 x 10, split below DBH, included bark, branch dieback in lower canopy
NC-9699	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy, thin crown
NC-9700	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-9701	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Vines
NC-9702	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-9703	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Good	Lean
NC-9704	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9705	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Dead branches, healed over twin break
NC-9706	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-9707	Virginia pine	<i>Pinus virginiana</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, split below DBH, high levels of dead wood in crown and lower canopy, little crown remains, included bark
NC-9708	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Minor vines
NC-9709	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines, reduced canopy
NC-9710	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-9711	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean
NC-9712	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight branch dieback, thin crown
NC-9713	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in lower canopy
NC-9714	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, thin crown
NC-9715	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-9716	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, dying crown
NC-9717	American holly	<i>Ilex opaca</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-9718	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Fair	Lean. Broken branches. Thin crown
NC-9719	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-9720	Virginia pine	<i>Pinus virginiana</i>	8, 5	2	4	12	Fair	Twin trunks 8 x 5. Significant lean, broken branches, thin crowns
NC-9721	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-9722	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9723	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-9724	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-9725	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-9726	White oak	<i>Quercus alba</i>	8	1	4	12	Poor	Dead crown
NC-9727	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Slight lean, thin crown, fallen tree leaning on it
NC-9728	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Few dead branches
NC-9729	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9730	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	
NC-9731	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-9732	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy
NC-9733	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-9734	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-9735	White oak	<i>Quercus alba</i>	8	1	N/A	N/A	Standing Dead	
NC-9736	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, thin crown
NC-9737	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, thin crown, dead wood in lower canopy
NC-9738	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Good	
NC-9739	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-9740	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Crown nearly dead
NC-9741	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Dying
NC-9742	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Thin crown, branch dieback in lower canopy
NC-9743	Oak sp.	<i>Quercus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-9744	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Dead twin, broken branches. Some trunk decay
NC-9745	Eastern redcedar	<i>Juniperus virginiana</i>	9, 1	2	4.5	13.5	Fair	Twin trunks 9 x 1, dead wood in lower canopy, 1" dead
NC-9746	Virginia pine	<i>Pinus virginiana</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, dead wood in crown and lower canopy, included bark
NC-9747	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, broken branches, lean
NC-9748	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dying
NC-9749	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean
NC-9750	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy, slight bend in leader
NC-9752	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-9753	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-9754	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bend in leader, dead wood in lower canopy
NC-9755	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Branch dieback in lower canopy, thin crown
NC-9756	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-9757	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-9758	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-9759	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Split leader, thin crown
NC-9760	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	
NC-9762	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Severe lean, thin crown
NC-9763	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Irregular growth form, dead wood in lower canopy
NC-9764	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Trunk rot, reduced crown
NC-9765	Callery pear	<i>Pyrus calleryana</i>	7, 2	2	3.5	10.5	Fair	Twin trunks 7 x 2, branch dieback in crown and lower canopy, dead wood in lower canopy
NC-9766	Eastern redcedar	<i>Juniperus virginiana</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-9767	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, thin crown, dead branches
NC-9768	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown
NC-9769	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-9770	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader, dead wood in crown and lower canopy
NC-9771	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Branch dieback in lower canopy
NC-9772	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, vines into crown
NC-9773	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9774	Eastern redcedar	<i>Juniperus virginiana</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4. Thin crown, dead branches
NC-9775	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean
NC-9777	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown
NC-9778	Eastern redcedar	<i>Juniperus virginiana</i>	6, 4, 3	3	3	9	Poor	Multistem 6 x 4 x 3, smaller stems dead, mainstem has high levels of dead wood in crown and lower canopy, little crown remains
NC-9779	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, dead wood in crown and lower canopy, thin crown
NC-9780	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Broken leader, possibly dead
NC-9781	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, unbalanced crown, dead wood in lower canopy
NC-9782	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-9783	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-9784	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Poor	Snapped leader, lots of dead wood in crown and lower canopy, leaning
NC-9785	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Thin crown
NC-9786	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9787	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, standing dead leaning on tree
NC-9788	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-9789	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Severe lean, thin crown
NC-9790	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Good	
NC-9791	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9792	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-9793	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, thin crown, one sided
NC-9794	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-9795	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin and unbalanced crown, dead wood in lower canopy
NC-9796	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Broken/dead branches
NC-9797	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, broken branches
NC-9798	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-9799	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-9800	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-9801	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, irregular growth form
NC-9802	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, broken branches
NC-9803	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Few dead branches
NC-9804	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, broken branches
NC-9805	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Broken and rotting branches in lower canopy, slightly unbalanced crown
NC-9806	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-9807	Tree of heaven	<i>Ailanthus altissima</i>	5	1	2.5	7.5	Good	
NC-9808	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean, crown looks okay
NC-9809	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Adjacent tree growing into canopy, slight bend in leader, thin crown
NC-9810	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular growth form, broken branches in lower canopy, unbalanced crown
NC-9811	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Significant lean, large broken branch, dead tree leaning on trunk
NC-9812	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Splits above DBH, broken branches, included bark
NC-9813	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, dead wood in lower canopy, thin crown
NC-9814	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Thin crown
NC-9815	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-9816	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-9817	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken leader, vines on lower branches
NC-9818	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, branch dieback in crown, little crown remains
NC-9819	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, broken leader, dead wood in lower canopy
NC-9820	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-9821	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Moderate lean, dead wood in crown and lower canopy
NC-9822	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Adjacent tree leaning on trunk, dead wood in lower canopy
NC-9823	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, broken branches
NC-9824	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead branches, slight lean
NC-9825	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Few dead branches
NC-9826	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9827	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-9828	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-9829	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Dead branches, thin crown, overtopped
NC-9830	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight bend in leader, dead wood in lower canopy
NC-9831	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, thin crown
NC-9832	Eastern redcedar	<i>Juniperus virginiana</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4, split below DBH, dead wood in crown and lower canopy, 4" stem dead
NC-9834	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-9835	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	Twin trunks above DBH and intertwine in crown
NC-9836	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, very thin crown, many dead branches
NC-9837	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, thin crown, dead wood in lower canopy
NC-9838	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying crown
NC-9839	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-9840	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-9841	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9842	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, nearly horizontal, decaying bark
NC-9843	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9844	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-9845	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	High levels of dead wood in crown and lower canopy, thin crown
NC-9846	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight bend in leader
NC-9847	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	One sided, broken branches, lean
NC-9848	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	y
NC-9849	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	High levels of dead wood in crown and lower canopy
NC-9850	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-9851	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight bend in leader, dead wood in lower canopy
NC-9852	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Branch dieback and dead wood in crown, thin crown, buttressed roots
NC-9853	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9854	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Nearly dead crown, peeling bark
NC-9855	Virginia pine	<i>Pinus virginiana</i>	6, 2	2	3	9	Fair	Twin trunks 6 x 2. Lean, dead 2" twin trunk
NC-9856	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-9857	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-9858	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9859	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9860	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9861	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown
NC-9862	Bigtooth aspen	<i>Populus grandidentata</i>	6	1	3	9	Poor	Lean, irregular crown, branch dieback
NC-9863	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	High levels of dead wood and dieback in lower canopy, very little crown remains
NC-9864	Eastern redcedar	<i>Juniperus virginiana</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, dead wood in lower canopy and crown, 5" stem dead
NC-9865	Black cherry	<i>Prunus serotina</i>	15	1	7.5	22.5	Fair	Bend in leader, branch dieback and dead wood in crown
NC-9866	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-9867	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-9868	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Poor branching structure, unbalanced crown, vines into crown
NC-9869	Blackgum	<i>Nyssa sylvatica</i>	8, 5	2	4	12	Good	Twin trunk 8 x 5
NC-9870	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, deaf branches
NC-9871	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Many dead and broken branches
NC-9872	Red maple	<i>Acer rubrum</i>	10, 10	2	5	15	Fair	Twin trunks 10 x 10 stem, Rotting bark on trunk, second stem is rotting, branch dieback and dead wood in crown
NC-9873	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-9874	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Twin trunks above DBH, included bark, moderate dead wood in crown and lower canopy
NC-9875	Callery pear	<i>Pyrus calleryana</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-9876	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Moderate levels of dead wood in crown and lower canopy, thin crown, slight bend in leader
NC-9877	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Few broken branches
NC-9878	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	trunk
NC-9879	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9880	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean
NC-9881	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Unbalanced crown, broken branches, thin crown
NC-9882	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Splits above DBH, broken branches
NC-9883	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Split leader, thin crown, overtopped
NC-9884	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, dead branches
NC-9885	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-9886	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Reduced crown
NC-9887	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, nearly horizontal, thin crown
NC-9888	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate levels of dead wood in crown and lower canopy, thin crown
NC-9889	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-9890	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown
NC-9891	Eastern redcedar	<i>Juniperus virginiana</i>	6, 3, 3	3	3	9	Fair	Multistem 6 x 3 x 3 stems, smaller stems are dead, dead wood in crown and lower canopy of main stem
NC-9892	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-9893	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-9894	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-9895	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9896	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, unbalanced crown
NC-9897	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-9898	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Dead branches
NC-9899	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-9900	Eastern redcedar	<i>Juniperus virginiana</i>	5, 5	2	N/A	N/A	Standing Dead	Twin trunks 5 x 5
NC-9901	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches
NC-9902	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Dead wood in crown, thin crown
NC-9903	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-9905	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Nearly dead, few needles and peeling bark
NC-9906	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-9907	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-9908	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Moderate dead wood in lower canopy, slight bend in leader
NC-9909	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-9910	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Few broken branches
NC-9911	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Few broken branches, thin crown
NC-9912	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-9913	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Interfering crowns, thin crowns, broken branches
NC-9914	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Fair	Broken branches
NC-9915	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-9916	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean
NC-9917	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Lean, minor dead wood in lower canopy
NC-9918	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in crown and lower canopy
NC-9919	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in crown and lower canopy, vines entering crown from adjacent tree
NC-9920	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Poor	Dead leader
NC-9921	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, dead wood in lower canopy
NC-9922	Pignut hickory	<i>Carya glabra</i>	6	1	3	9	Fair	Many vines
NC-9923	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Slight lean, broken branches
NC-9924	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, dead branches
NC-9925	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader, dead wood in crown and lower canopy, thin crown
NC-9926	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Thin crown
NC-9927	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-9928	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular growth form, lean
NC-9929	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, dead wood in crown and lower canopy
NC-9930	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Good	Vines
NC-9931	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in crown and lower canopy, thin and unbalanced crown
NC-9932	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Dead leader
NC-9933	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-9934	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9935	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular growth form, high levels of dead wood in crown and lower canopy, unbalanced crown
NC-9936	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-9937	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Minor dead wood in lower canopy
NC-9938	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9939	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches
NC-9940	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in crown and lower canopy
NC-9941	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Some broken branches
NC-9942	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Minor branch dieback and broken branches in crown
NC-9943	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-9944	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular growth form, broken branches
NC-9945	Sweetgum	<i>Liquidambar styraciflua</i>	8, 8, 4	3	4	12	Fair	Multistem 8 x 8 x 4, rotting stems, thin crown, included bark
NC-9946	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-9947	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Many broken branches, thin crown
NC-9948	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-9949	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Good	
NC-9950	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	One sided
NC-9951	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-9952	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Dead branches. Thin crown
NC-9953	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9954	Eastern redcedar	<i>Juniperus virginiana</i>	6, 4	2	N/A	N/A	Standing Dead	Twin trunks 6 x 4
NC-9955	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-9956	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-9957	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Branch dieback and dead wood in crown, thin crown
NC-9958	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-9959	American sycamore	<i>Platanus occidentalis</i>	16	1	8	24	Fair	Vines, reduced canopy
NC-9960	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-9961	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Branch dieback in crown, vines into crown, thin crown, leaning towards road
NC-9962	White oak	<i>Quercus alba</i>	28	1	14	42	Fair	Dead branches, vines
NC-9963	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean
NC-9964	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Irregular growth form, significant lean, many broken branches
NC-9965	Virginia pine	<i>Pinus virginiana</i>	7, 4	2	3.5	10.5	Fair	dieback and dead wood in crown, 4" dead
NC-9966	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood and dieback in crown and lower canopy, thin crown
NC-9967	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Dead wood in lower canopy
NC-9969	White oak	<i>Quercus alba</i>	16	1	8	24	Poor	Severe trunk rot, many vines
NC-9970	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-9971	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown
NC-9972	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Moderate dead wood in crown and lower canopy
NC-9973	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, bend in leader, high levels of dead wood in lower canopy
NC-9974	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Many dead branches
NC-9975	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-9976	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean
NC-9977	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Dead branches
NC-9978	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Few broken branches
NC-9979	Black locust	<i>Robinia pseudoacacia</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5, lean
NC-9980	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	base, dead wood in crown and lower canopy
NC-9981	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-9982	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Dead wood in crown and lower canopy
NC-9983	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean, thin crown
NC-9984	Pignut hickory	<i>Carya glabra</i>	5	1	2.5	7.5	Good	Vines
NC-9985	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Broken branches
NC-9986	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form, broken branches
NC-9987	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Twisting trunks, broken branches
NC-9988	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Decaying branches, lean. Twin trunks 5 x 4
NC-9989	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Reduced crown, stressed
NC-9990	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-9991	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, dead wood in lower canopy
NC-9992	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-9993	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Good	
NC-9994	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, overtopped
NC-9995	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, extensive dead branches
NC-9996	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-9997	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in crown and lower canopy, thin crown
NC-9998	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, thin crown
NC-9999	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-10000	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-10001*	White oak	<i>Quercus alba</i>	31	1	N/A	N/A	Standing Dead	
NC-10002	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-10003	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Branch dieback in crown and lower canopy, unbalanced crown, vines into crown
NC-10004	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	canopy
NC-10005	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-10006	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean
NC-10007	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-10008	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Healed trunk wound. Dead side leader
NC-10009	Black oak	<i>Quercus velutina</i>	24	1	12	36	Good	Lean
NC-10010	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, overtopped
NC-10011	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Many dead branches, dying
NC-10012	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines at base, branch dieback in crown, thin crown
NC-10013	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown, lean
NC-10014	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Many vines
NC-10015	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-10016	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Buttressed roots, thin crown, branch dieback in crown
NC-10017	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, thin crown
NC-10018	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, thin crown
NC-10019	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean, dead wood in lower canopy
NC-10021	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10022	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken leader
NC-10023	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown
NC-10024	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-10025	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in crown and lower canopy
NC-10026	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-10027	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-10028	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean, bend in leader
NC-10029	Black cherry	<i>Prunus serotina</i>	10, 5	2	5	15	Fair	Twin trunks 10 x 5. 5" twin with significant lean, dead branches
NC-10030	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches, vines
NC-10031	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Twin trunks above DBH, included bark, thin crown
NC-10032	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Moderate dead wood in crown and lower canopy, 2"stem dead
NC-10033	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Bend in trunk
NC-10034	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	leader
NC-10035	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-10036	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-10037	Virginia pine	<i>Pinus virginiana</i>	10, 2	2	5	15	Fair	Twin trunks 10 x 2, dead 2" stem, dead wood in lower canopy
NC-10038	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, broken branches
NC-10039	Virginia pine	<i>Pinus virginiana</i>	10, 5	2	5	15	Fair	Twin trunks 10 x 5, vines into crown, dead wood in crown and lower canopy
NC-10040	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-10041	White oak	<i>Quercus alba</i>	11, 7	2	5.5	16.5	Fair	Twin trunk 11 x 7, dead branches
NC-10042	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-10043	Black oak	<i>Quercus velutina</i>	15	1	7.5	22.5	Fair	Lean, broken/dead branches
NC-10044	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Dead branches, vines
NC-10045	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Trunk rot, dead branches
NC-10046	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	High levels of dead wood in crown and lower canopy, nearly dead
NC-10047	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Broken branches
NC-10048	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines
NC-10049	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, thin crown
NC-10050	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Dead broken branches. Thin crown
NC-10051	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6, 5	3	3	9	Fair	dead wood in crown, slight lean towards road
NC-10052	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	One sided
NC-10053	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, dead wood in lower canopy
NC-10054	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-10055	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-10056	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Vines, trunk damage
NC-10057	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-10058	Virginia pine	<i>Pinus virginiana</i>	6, 5	2	3	9	Fair	Twin trunks 6 x 5. Thin crowns, dead branches
NC-10059	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader, dead wood in lower canopy
NC-10060	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-10061	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, one sided
NC-10062	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Heavy branch dieback in crown and lower canopy, broken leader
NC-10063	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Dead branches, vines
NC-10064	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-10065	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Lean, thin crown, dead branches
NC-10066	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Slight lean, thin crown
NC-10067	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Unbalanced and thin crown, slight lean
NC-10068	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slightly irregular trunk
NC-10069	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-10070	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-10071	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on lower branches
NC-10072	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, dead branches
NC-10073	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-10074	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown
NC-10075	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean, dying crown
NC-10076	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-10077	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Severe lean, thin crown
NC-10078	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	crown
NC-10079	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, dying crown
NC-10081	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10082	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-10083	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-10084	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches, reduced canopy
NC-10085	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader, dead wood in lower canopy
NC-10086	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, thin and unbalanced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10087	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Lean
NC-10088	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy
NC-10089	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Nearly dead
NC-10090	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-10091	Virginia pine	<i>Pinus virginiana</i>	8, 2	2	4	12	Fair	Twin trunks 8 x 2, slightly unbalanced crown, 2" twin is dead
NC-10092	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying crown
NC-10093	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, lean
NC-10094	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, bend in leader, dead wood in lower canopy
NC-10095	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, dead wood in crown and lower canopy
NC-10096	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Dying
NC-10097	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in lower canopy, slightly unbalanced crown
NC-10098	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-10099	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-10100	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Vines
NC-10101	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Few broken branches
NC-10102	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean
NC-10103	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-10104	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in upper trunk, thin crown
NC-10105	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean
NC-10106	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-10107	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10108	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean, dead wood in lower canopy
NC-10109	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Trunk rot
NC-10110	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Unbalanced crown, dead wood in lower canopy
NC-10111	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean
NC-10112	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-10113	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean, thin crown
NC-10114	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown
NC-10115	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-10116	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Good	
NC-10117	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Heavy branch dieback in crown and lower canopy, rotting branches in lower canopy, very thin and unbalanced crown
NC-10118	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Slight bend in leader, thin crown
NC-10119	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, one sided, dead branches
NC-10120	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean, irregular crown
NC-10121	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in crown and lower canopy
NC-10122	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-10123	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-10124	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-10125	White oak	<i>Quercus alba</i>	20	1	10	30	Fair	Many vines
NC-10126	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form
NC-10127	American sycamore	<i>Platanus occidentalis</i>	15	1	7.5	22.5	Poor	Extensive vines, reduced canopy
NC-10128	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Lean
NC-10129	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-10130	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy
NC-10131	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines
NC-10132	Sweetgum	<i>Liquidambar styraciflua</i>	7, 7, 1	3	3.5	10.5	Fair	Multistem 7 x 7 x 1, rotting branches in lower canopy, dead 1" stem
NC-10133	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown
NC-10134	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-10135	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slightly unbalanced crown
NC-10136	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-10137	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean, thin crown
NC-10138	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in trunk
NC-10139	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown, minor dead wood in lower canopy
NC-10140	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6 stem, branch dieback in crown, included bark, adjacent tree canopy interfering with this tree canopy
NC-10141	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, very thin crown, dead wood in crown and lower canopy
NC-10142	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-10143	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Broken branches
NC-10144	Northern red oak	<i>Quercus rubra</i>	18	1	9	27	Good	Slight lean
NC-10145	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular trunk, thin crown
NC-10146	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Minor vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10147	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight bend in leader, dead wood in lower canopy, thin crown
NC-10148	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines into crown, water sprout, adjacent tree canopy interfering with this tree canopy
NC-10149	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-10150	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Few dead branches
NC-10151	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Vines
NC-10152	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin and unbalanced crown, high levels of dead wood in canopy
NC-10153	Southern red oak	<i>Quercus falcata</i>	18, 17	2	9	27	Fair	Twin trunks 18 x 17. 17" trunk dead
NC-10154	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, broken branches
NC-10155	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Dead wood in lower canopy, thin crown
NC-10156	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-10157	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-10158*	White oak	<i>Quercus alba</i>	30	1	15	45	Good	Few broken branches
NC-10159	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-10160	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-10161	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Dead wood in lower canopy, thin crown
NC-10162	Willow oak	<i>Quercus phellos</i>	29	1	14.5	43.5	Good	Minor branch dieback in lower canopy, exposed roots on slope
NC-10163	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines on lower branches
NC-10164	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Unbalanced crown, dead wood in lower canopy
NC-10165	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, very thin and unbalanced crown, dead wood in lower canopy
NC-10166	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-10167	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, one sided, overtopped
NC-10168	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-10169	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean, bend in leader
NC-10170	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-10171	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10172	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, dead wood in crown and lower canopy
NC-10173	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Vines
NC-10174	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Slight lean
NC-10175	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Fair	Many vines
NC-10176	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Lean, dead branches, bark inclusions
NC-10177	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight bend in leader, thin crown, branch dieback in crown
NC-10178	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-10179	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-10180	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, very thin crown
NC-10181	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Dead broken branches. Thin crown
NC-10182	Eastern redcedar	<i>Juniperus virginiana</i>	8, 3	2	4	12	Fair	Twin trunks 8 x 3, dead wood in crown and lower canopy, 3" dead
NC-10183	Virginia pine	<i>Pinus virginiana</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5. 5" twin with significant lean, thin crowns
NC-10184	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slightly unbalanced crown
NC-10185	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10186	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy
NC-10187	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, broken branches
NC-10188	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Branch dieback in lower canopy
NC-10189	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Poor	Trunk damage
NC-10190	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Dead wood in lower canopy, thin crown
NC-10191	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-10192	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in upper trunk, broken branches
NC-10193	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4. Lean in both trunks
NC-10194	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Slight bend in leader
NC-10195	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Moderate lean, dead wood in lower canopy
NC-10196	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean
NC-10197	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy
NC-10198	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines, reduced canopy
NC-10199	White oak	<i>Quercus alba</i>	6	1	3	9	Poor	Reduced crown, extensive vines
NC-10200	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10201	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying leader, overtopped
NC-10202	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Poor branching structure, dead wood in lower canopy
NC-10203	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Fair	Broken branches
NC-10204	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-10205	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	Twin trunks above DBH, dead wood in crown m thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10206	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-10207	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean, dead wood in lower canopy
NC-10208	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Fair	Leaning, vines
NC-10209	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin and unbalanced crown, dead wood in lower canopy
NC-10210	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Heavy vines on trunk, lean, one sided
NC-10211	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, thin crown
NC-10212	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, bend in leader, dead wood in crown and lower canopy, very thin crown
NC-10213	Unknown		11	1	N/A	N/A	Standing Dead	
NC-10214	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Broken branches
NC-10215	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight bend in leader, dead wood in crown and lower canopy, thin crown
NC-10216	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Dead wood in crown and lower canopy
NC-10217	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-10218	Virginia pine	<i>Pinus virginiana</i>	22	1	11	33	Good	
NC-10219	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Dead wood in crown and lower canopy
NC-10220	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in crown and lower canopy, thin crown
NC-10221	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Thin crown
NC-10222	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-10223	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Twin trunks just above DBH, included bark, unbalanced crown
NC-10224	White oak	<i>Quercus alba</i>	29	1	14.5	43.5	Good	
NC-10225	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-10226	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, broken branches
NC-10227	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-10228	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-10229	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-10230	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, dead wood in lower canopy, thin crown
NC-10231	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches
NC-10232	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Thin crown, branch dieback in crown
NC-10233	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Moderate dead wood in lower canopy, slight bend in leader
NC-10234	White oak	<i>Quercus alba</i>	27	1	13.5	40.5	Fair	Trunk rot, vines
NC-10235	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in lower canopy, thin crown
NC-10236	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader, dead wood in lower canopy
NC-10237	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Minor sap ooze from woodpecker holes, slight lean, thin crown, branch dieback in canopy
NC-10238	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-10239	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines
NC-10240	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight bend in leader, dead wood in crown and lower canopy, thin crown
NC-10241	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin crown
NC-10242	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines on trunk, lean, one sided
NC-10243	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, branch dieback in crown, thin crown
NC-10244	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	branches
NC-10245	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, branch dieback in crown
NC-10246	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, bend in leader, thin crown
NC-10247	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight bend in leader, thin crown, dead wood in crown and lower canopy
NC-10248	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, dead wood in crown and lower canopy, thin crown
NC-10249	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Reduced canopy
NC-10250	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight bend in leader, thin crown, moderate dead wood in crown and lower canopy
NC-10251	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean, dead wood in lower canopy
NC-10252	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Vines on lower trunk
NC-10253	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular trunk
NC-10254	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-10255	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-10256	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	Branch dieback and dead wood in lower canopy
NC-10257	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, very thin crown, dead wood in crown and lower canopy
NC-10258	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-10259	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-10260	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Nearly dead crown, irregular growth form
NC-10261	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in leader, irregular growth form

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10262	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch wounds in crown are healing, unbalanced crown
NC-10263	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Good	
NC-10264	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy, slight bend in leader and crown
NC-10265	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Leaning, large branch dieback, thin canopy, water sprouts
NC-10266	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy, thin crown
NC-10267	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dead leader, vines into canopy
NC-10268	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-10269	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Poor	Dying
NC-10270	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-10271	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, moderate dead in lower canopy, thin crown
NC-10272	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, thin crown
NC-10273	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	
NC-10274	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Leaning, stressed
NC-10275	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-10276	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-10277	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Extensive vines
NC-10278	Bigtooth aspen	<i>Populus grandidentata</i>	6	1	3	9	Fair	One sided, lean
NC-10279	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-10280	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines
NC-10281	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, reduced crown
NC-10282	Virginia pine	<i>Pinus virginiana</i>	9, 3	2	4.5	13.5	Fair	Twin trunks 9 x 3. Dead 3" twin
NC-10283	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Many vines
NC-10284	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Fair	Leaning, unbalanced crown
NC-10285	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, lean
NC-10286	Callery pear	<i>Pyrus calleryana</i>	6, 5, 3	3	3	9	Good	Multistem trunk 6 x 5 x 3
NC-10287	Oak sp.	<i>Quercus sp.</i>	16	1	N/A	N/A	Standing Dead	
NC-10288	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Vines, reduced canopy
NC-10289	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slightly one sided
NC-10290	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, thin crown
NC-10291	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Poor	Leaning, extensive vines
NC-10292	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-10293	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Moderate dead wood in lower canopy, thin crown
NC-10294	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Water sprouts, branch dieback in crown, rotting wood on trunk
NC-10295	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Broken branches
NC-10296	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Dead wood in lower canopy
NC-10297	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Thin crown
NC-10298	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced crown, dead wood in lower canopy, slight lean
NC-10299	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Cracks in bark, dead wood in crown
NC-10300	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Leaning, heavy branch dieback in crown and lower canopy, rotting wood on trunk, vines into crown
NC-10301	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, unbalanced crown, branch dieback in crown and lower canopy
NC-10302	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4	2	2.5	7.5	Poor	Twin 5 x 4, irregular growth form, lots of decaying wood and broken branches
NC-10303	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Branch dieback and dead wood in lower canopy
NC-10304	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-10305	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, thin crown, dead wood in crown
NC-10306	Black cherry	<i>Prunus serotina</i>	15, 15, 12	3	7.5	22.5	Fair	Multistem 15 x 15 x 12. Minor vines into crown, some included bark, branch dieback and dead wood in crown
NC-10307	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Broken trunk, dying
NC-10308	Virginia pine	<i>Pinus virginiana</i>	12, 11	2	6	18	Fair	Twin trunks 12 x 11. Thin crown
NC-10309	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in lower canopy, slight lean
NC-10310	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in crown and lower canopy
NC-10311	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Dead secondary leader
NC-10312	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches
NC-10313	Sweetgum	<i>Liquidambar styraciflua</i>	10, 6	2	5	15	Fair	Twin trunks 10 x 6, included bark, irregular growth form, interfering crowns
NC-10314	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Irregular growth form
NC-10315	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Poor	branches
NC-10316	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, very thin crown
NC-10317	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Healed over trunk wound
NC-10318	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10319	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines in crown, bend in leader, moderate dead wood in lower canopy
NC-10320	Unknown		11	1	N/A	N/A	Standing Dead	
NC-10321	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	Slight lean and slightly unbalanced crown
NC-10322	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-10323	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in crown, thin crown, dead wood in lower canopy
NC-10324	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Good	
NC-10325	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Dead wood in crown and lower canopy
NC-10326	Black cherry	<i>Prunus serotina</i>	26	1	13	39	Good	
NC-10327	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, unbalanced crown, branch dieback in crown
NC-10328	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown
NC-10329	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown, slight lean
NC-10330	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, dying
NC-10331	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-10332	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-10333	Eastern redcedar	<i>Juniperus virginiana</i>	5, 2	2	2.5	7.5	Fair	Twin trunks 5 x 2, high levels of dead wood in crown and lower canopy, very thin crown, 2" stem dead
NC-10334	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines at base entering crown, dead wood in lower canopy, thin crown
NC-10335	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, one sided
NC-10336	Crabapple sp.	<i>Malus sp.</i>	6	1	3	9	Good	
NC-10337	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-10338	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, unbalanced crown
NC-10339	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in crown and lower canopy
NC-10340	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Good	
NC-10341	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Fair	Thin crown, bend in leader
NC-10342	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Minor dead wood in lower canopy
NC-10343	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines into crown, very thin crown
NC-10344	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Water sprouts, thin crown
NC-10345	Virginia pine	<i>Pinus virginiana</i>	12, 12	2	6	18	Fair	Twin trunks 12 x 12. Included bark, thin crowns
NC-10346	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-10347	Eastern redcedar	<i>Juniperus virginiana</i>	5, 4	2	N/A	N/A	Standing Dead	Twin trunks 5 x 4, split below DBH
NC-10348	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, lean, thin crown
NC-10349	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, thin crown
NC-10350	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown, broken branches
NC-10351	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Poor	Severe lean, nearly horizontal
NC-10352	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Water sprouts, thin crown
NC-10353	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning onto adjacent tree, thin crown, dead wood in lower canopy
NC-10354	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches, one sided
NC-10355	Eastern redcedar	<i>Juniperus virginiana</i>	5, 1	2	2.5	7.5	Fair	Twin trunks 5 x 1, dieback abs dead wood in crown, 1" stem dead
NC-10356	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Thin crown, dead branches
NC-10357	Eastern redcedar	<i>Juniperus virginiana</i>	5, 1	2	2.5	7.5	Fair	Twin trunks 5 x 1. Broken leader
NC-10358	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Lots of water sprouts, dead wood in canopy
NC-10359	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	structure
NC-10360	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	One sided, many dead branches
NC-10361	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-10362	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-10363	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	Bend in leader, unbalanced crown, thin crown
NC-10364	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-10365	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Slight lean, poor branching structure
NC-10366	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-10367	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-10368	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, thin and unbalanced crown
NC-10369	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-10370	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Twin trunks above DBH, included bark, dead wood in canopy, thin crown
NC-10371	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight bend in leader, thin crown
NC-10372	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-10373	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor branch dieback in crown
NC-10374	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor bend in leader, dead wood in lower canopy
NC-10375	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning onto adjacent tree, thin crown, dead wood in lower canopy
NC-10376	Honey locust	<i>Gleditsia triacanthos</i>	5	1	2.5	7.5	Fair	Bend in leader, dead wood in crown
NC-10377	Unknown		9	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10378	Black cherry	<i>Prunus serotina</i>	13, 11	2	6.5	19.5	Good	Twin trunks 13 x 11, split below DBH, minor dead wood in lower canopy, included bark
NC-10379	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-10380	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, many dead branches
NC-10381	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Dead branches, vines on lower branches
NC-10382	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Good	Few dead branches
NC-10383	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in lower canopy and crown, thin crown
NC-10384	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Unbalanced crown, branch dieback in crown
NC-10385	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Thin crown, dead branches
NC-10386	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead branches, thin crown, split leader at top
NC-10387	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines
NC-10388	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines in canopy
NC-10389	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Slight lean, thin and unbalanced crown, dead wood in crown and lower canopy
NC-10390	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown
NC-10391	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Dying, vines
NC-10392	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-10393	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-10394	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken trunk
NC-10395	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Dead lower branches, thin crown
NC-10396	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in lower canopy
NC-10397	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Poor	Nearly dead, heavy branch dieback in crown, rotting bark on trunk
NC-10398	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Dead branches, vines on trunk
NC-10399	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, adjacent dead tree leaning on trunk, thin crown
NC-10400	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, very thin crown
NC-10401	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-10402	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slight lean
NC-10403	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-10404	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Vines into crown, minor dieback in lower canopy
NC-10405	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	Leaning branches in crown
NC-10406	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-10407	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Thin crown, dead and broken branches
NC-10408	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Vines entering crown
NC-10409	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean
NC-10410	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, very thin crown
NC-10411	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines into crown, dead wood in lower canopy, thin crown
NC-10412	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown
NC-10413	American holly	<i>Ilex opaca</i>	11	1	5.5	16.5	Good	
NC-10414	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Minor branch dieback at crown
NC-10415	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Unbalanced crown, dead wood in lower canopy
NC-10416	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, irregular growth form
NC-10417	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines on trunk, one sided
NC-10418	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Few dead branches
NC-10419	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines
NC-10420	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines on trunk, broken branches
NC-10421	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Poor	Dead secondary leader, thin crown, lean
NC-10422	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, thin crown
NC-10423	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Large rotting branch
NC-10424	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Few broken branches
NC-10425	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown
NC-10426	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Twin trunks above DBH, included bark, slight lean
NC-10427	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-10428	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, dead wood in crown and lower canopy
NC-10429	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, branch dieback
NC-10430	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-10431	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Severe lean, large branch dieback in crown
NC-10432	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, branch dieback in crown
NC-10433	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines on trunk
NC-10434	Black locust	<i>Robinia pseudoacacia</i>	9	1	4.5	13.5	Poor	Trunk and branch decay
NC-10435	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Slightly one sided
NC-10436	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Unbalanced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10437	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Slight bend in leader, dead wood in lower canopy
NC-10438	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-10439	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Fair	Some water sprouts. Split leader above DBH
NC-10440	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Unbalanced crown
NC-10441	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-10442	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular growth form
NC-10443	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying crown
NC-10444	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Fair	Thin crown
NC-10445	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown
NC-10446	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Lean, vines on lower trunk
NC-10447	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, dead branches
NC-10448	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-10449	Black cherry	<i>Prunus serotina</i>	12, 11	2	6	18	Fair	branches
NC-10450	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Climbing vines
NC-10451	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines on trunk, one sided, thin crown
NC-10452	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead wood in crown and lower canopy, very thin crown
NC-10453	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, significant lean, broken branches
NC-10454	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Thin crown
NC-10455	Callery pear	<i>Pyrus calleryana</i>	24	1	12	36	Good	
NC-10456	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean, dead wood in lower canopy
NC-10457	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-10458	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in crown and lower canopy, thin crown
NC-10459	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown
NC-10460	Honey locust	<i>Gleditsia triacanthos</i>	6, 2	2	3	9	Poor	Twin trunks 6 x 2, dead 2" stem, irregular growth form, dead wood in crown and lower canopy
NC-10461	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Significant lean, vines in crown
NC-10462	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy
NC-10463	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-10464	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Good	Thin crown
NC-10465	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, snapped leader, dead wood in lower canopy
NC-10466	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Severe lean, dead branches
NC-10467	Black locust	<i>Robinia pseudoacacia</i>	6	1	N/A	N/A	Standing Dead	
NC-10468	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-10469	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Thin crown
NC-10470	Virginia pine	<i>Pinus virginiana</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4. Thin crown, broken branches
NC-10471	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form
NC-10472	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead tree leaning on outer branches
NC-10473	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form
NC-10474	Eastern redcedar	<i>Juniperus virginiana</i>	6, 4	2	3	9	Fair	Twin trunks 6 x 4. Vines on lower trunk
NC-10475	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on trunk, lean
NC-10476	Black locust	<i>Robinia pseudoacacia</i>	9	1	4.5	13.5	Poor	Dying crown and branches
NC-10477	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Moderate lean, dead wood in crown and lower canopy, very thin crown
NC-10478	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Poor	Severe lean, dying crown
NC-10479	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-10480	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Vines into crown, water sprouts, dead wood in crown and lower canopy, slight lean
NC-10481	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-10482	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-10483	Sweetgum	<i>Liquidambar styraciflua</i>	10, 9	2	5	15	Fair	Twin trunks 10 x 9, included bark, minor dead wood in lower canopy, thin crown
NC-10484	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Rotting branches in lower canopy, thin crown
NC-10485	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Broken trunk
NC-10486	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Severe lean, minor vines, low branch dieback in crown
NC-10487	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Very thin crown, broken branches
NC-10488	Black locust	<i>Robinia pseudoacacia</i>	13	1	6.5	19.5	Fair	Dead branches, vines on trunk
NC-10489	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Severe lean, lots of dead wood in lower canopy, very thin crown
NC-10490	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	One sided
NC-10491	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin and unbalanced crown
NC-10492	Sweetgum	<i>Liquidambar styraciflua</i>	5, 5	2	2.5	7.5	Fair	Twin trunks 5 x 5, minor vines into crown, thin and unbalanced crown
NC-10493	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Poor	Fungus on trunk, thin crown
NC-10494	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-10495	Virginia pine	<i>Pinus virginiana</i>		5	1	N/A	N/A	Standing Dead	
NC-10496	Red maple	<i>Acer rubrum</i>		15	1	7.5	22.5	Good	Few broken branches
NC-10497	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12	Good	Thin crown
NC-10498	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Bend in upper crown
NC-10499	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	One sided, dead branches
NC-10500	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Poor	Severe lean, dead branches
NC-10501	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5	Good	Broken branches
NC-10502	Black locust	<i>Robinia pseudoacacia</i>		7	1	3.5	10.5	Poor	Fungus on trunk, dead branches, dead 2" secondary trunk
NC-10503	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair		Leaning, thin crown, branch dieback in crown
NC-10504	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Thin crown, vines on trunk
NC-10505	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Poor	Severe lean, nearly horizontal
NC-10506	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	Lean, one sided
NC-10507	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair	Lean, one sided
NC-10508	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Lean, large poison ivy vine on trunk
NC-10509	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15	Good	Unbalanced crown
NC-10510	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5	Good	Thin crown
NC-10511	Black locust	<i>Robinia pseudoacacia</i>		7	1	3.5	10.5	Poor	Fungus on trunk, dead branches
NC-10512	Virginia pine	<i>Pinus virginiana</i>		5	1	N/A	N/A	Standing Dead	
NC-10513	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair		Split leader, one sided
NC-10514	Eastern redcedar	<i>Juniperus virginiana</i>		8	1	4	12	Good	Vines into crown, dead wood in lower canopy
NC-10515	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair	Lean, interfering branches
NC-10516	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Good	Slightly unbalanced crown
NC-10517	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Fair	Very thin crown, overtopped
NC-10518	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	Lean, thin crown
NC-10519	Southern red oak	<i>Quercus falcata</i>		17	1	8.5	25.5	Good	Thin crown
NC-10520	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Fair	Lean, interfering branches
NC-10521	Black locust	<i>Robinia pseudoacacia</i>		7	1	3.5	10.5	Poor	Fungus on trunk, dead branches
NC-10522	Eastern redcedar	<i>Juniperus virginiana</i>		7	1	3.5	10.5	Fair	Vines on lower branches
NC-10523	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12	Good	Minor bend in leader, thin crown
NC-10524	Virginia pine	<i>Pinus virginiana</i>		5	1	2.5	7.5	Fair	Lean, one sided
NC-10525	Callery pear	<i>Pyrus calleryana</i>		5	1	2.5	7.5	Good	
NC-10526	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5	Fair	Lean, one sided
NC-10527	Black cherry	<i>Prunus serotina</i>		12	1	6	18	Good	
NC-10528	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	Dead 2" sucker, vines on trunk
NC-10529	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12	Good	Broken branches
NC-10530	Black locust	<i>Robinia pseudoacacia</i>		5	1	2.5	7.5	Poor	Very heavy vines
NC-10531	Willow oak	<i>Quercus phellos</i>		14	1	7	21	Good	
NC-10532	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-10533	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Good	
NC-10534	Black locust	<i>Robinia pseudoacacia</i>		6	1	3	9	Poor	Possibly dead, dead bark
NC-10535	Virginia pine	<i>Pinus virginiana</i>		5	1	2.5	7.5	Fair	Thin crown
NC-10536	Unknown			18	1	N/A	N/A	Standing Dead	
NC-10537	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair	Dead steam below DBH, twin trunks above DBH, leaders leaning in crown
NC-10538	Black locust	<i>Robinia pseudoacacia</i>		7	1	3.5	10.5	Fair	Thin crown, dead lower branches
NC-10539	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15	Good	Broken branches
NC-10540	Black locust	<i>Robinia pseudoacacia</i>		6	1	3	9	Poor	Dying crown
NC-10541	Southern red oak	<i>Quercus falcata</i>		5	1	2.5	7.5	Good	
NC-10542	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-10543	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	Severe lean, lots of dead wood in lower canopy, very thin crown
NC-10544	Eastern redcedar	<i>Juniperus virginiana</i>		6	1	3	9	Good	Dead wood in crown and lower canopy,
NC-10545	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Lean, one sided, thin crown
NC-10546	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Good	
NC-10547	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Fair	Heavy vines on trunk
NC-10548	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good	
NC-10549	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Thin crown, few large dead branches, bend in upper trunk
NC-10550	Red maple	<i>Acer rubrum</i>	13, 10	2	6.5	19.5	Good		Twin trunks 13 x 10
NC-10551	Black locust	<i>Robinia pseudoacacia</i>		5	1	N/A	N/A	Standing Dead	
NC-10552	Red maple	<i>Acer rubrum</i>	7, 2	2	3.5	10.5	Fair		Thin crown. Twin trunks 7 x 2
NC-10553	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Vines on lower branches, thin crown
NC-10554	Virginia pine	<i>Pinus virginiana</i>		9	1	4.5	13.5	Good	Slight lean, broken branches
NC-10555	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Good	Broken branches
NC-10556	Red maple	<i>Acer rubrum</i>	10, 8	2	5	15	Good		Twin trunks 10 x 8
NC-10557	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Poor		Very thin crown, large branch dieback, leaning
NC-10558	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair	Lean, thin crown, broken branches
NC-10559	Eastern redcedar	<i>Juniperus virginiana</i>	7, 2, 1	3	3.5	10.5	Good		Multistem 7 x 2 x 1, dead multistem, dead wood in lower canopy
NC-10560	Northern red oak	<i>Quercus rubra</i>		12	1	6	18	Good	Thin crown
NC-10561	Virginia pine	<i>Pinus virginiana</i>		6	1	3	9	Fair	Irregular growth form, thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10562	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, lean
NC-10563	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-10564	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Broken branches, vines on trunk and lower branches
NC-10565	Unknown		12	1	N/A	N/A	Standing Dead	
NC-10566	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Slight lean
NC-10567	Black locust	<i>Robinia pseudoacacia</i>	5	1	N/A	N/A	Standing Dead	
NC-10568	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-10569	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Dead leaders
NC-10570	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines on trunk
NC-10571	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dead branches, vines on lower branches
NC-10572	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Dieback
NC-10573	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-10574	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-10575	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Poor	Fungus on trunk, thin crown, dead branches
NC-10576	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Poor	Dying crown
NC-10577	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-10578	Red maple	<i>Acer rubrum</i>	10, 8	2	5	15	Fair	Lean, included bark, vines in crown. Twin trunks 10 x 8
NC-10579	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches
NC-10580	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, slight lean
NC-10581	Red maple	<i>Acer rubrum</i>	17, 15	2	8.5	25.5	Fair	Twin trunks 17 x 15 stem, large branch removed on 15" stem, exposed roots on slope, cavity at base healing
NC-10582	Unknown		9, 7, 6	3	N/A	N/A	Standing Dead	Multistem 9 x 7 x 6
NC-10583	Virginia pine	<i>Pinus virginiana</i>	8, 7	2	4	12	Good	Twins 8 x 7. Slight lean, broken branches
NC-10584	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-10585	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	branches
NC-10586	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-10587	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Dead lower branches, lean
NC-10588	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Moderate dead wood in crown and lower canopy, unbalanced crown
NC-10589	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Vines into crown, slight bend in leader
NC-10590	Black locust	<i>Robinia pseudoacacia</i>	11	1	5.5	16.5	Fair	Dead branches
NC-10591	Southern red oak	<i>Quercus falcata</i>	5, 5	2	2.5	7.5	Fair	Dead branches, thin crown. Twin trunks 5 x 5
NC-10592	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, broken branches
NC-10593	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Irregular growth form, trunk growths
NC-10594	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, lean
NC-10595	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, unbalanced and thin crown
NC-10596	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Slightly unbalanced crown
NC-10597	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, dying leader
NC-10598	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight bend in trunk, broken branches
NC-10599	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Poor	Overtopped by vines, very thin crown
NC-10600	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-10601	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-10602	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches
NC-10603	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk wound
NC-10604	White mulberry	<i>Morus alba</i>	9	1	4.5	13.5	Fair	Along roadside wall, large branches removed in crown and lower canopy
NC-10605	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Poor	Nearly dead
NC-10606	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines into crown
NC-10607	Black cherry	<i>Prunus serotina</i>	8, 7	2	4	12	Poor	Twin trunks 8 x 7. 7" trunk dead, 8" trunk in poor condition
NC-10608	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Leaning towards road, unbalanced and thin crown, vines into crown
NC-10609	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken branches
NC-10610	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Poor	Dying crown
NC-10611	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines into crown
NC-10612	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines on trunk, thin crown
NC-10613	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-10614	Red maple	<i>Acer rubrum</i>	13, 9, 6	3	6.5	19.5	Poor	Multistem 13 x 9 x 6. Mainstem is dead, smaller stems have branch dieback and vines taking over crown
NC-10615	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	One sided, lean
NC-10616	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular crown, one sided
NC-10617	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Very thin crown, irregular growth form
NC-10618	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-10619	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Twin trunks 17 x 8, exposed roots on slope
NC-10620	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, dead branches
NC-10621	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, broken branches
NC-10622	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Good	
NC-10623	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10624	Unknown		9	1	N/A	N/A	Standing Dead	
NC-10625	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-10626	Black locust	<i>Robinia pseudoacacia</i>	6	1	N/A	N/A	Standing Dead	
NC-10627	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	Dense branching in lower canopy
NC-10628	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Bend in leader, dead wood in lower canopy
NC-10629	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Large dead stem in crown, rotting branches in lower canopy, dead wood in crown
NC-10630	Virginia pine	<i>Pinus virginiana</i>	9, 1	2	4.5	13.5	Good	Twin trunks 9 x 1
NC-10631	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Branch dieback in crown, heavy vines into crown
NC-10632	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	Thin crown
NC-10633	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Broken trunk, decaying bark
NC-10634	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Poor	Dead or dying
NC-10635	Black locust	<i>Robinia pseudoacacia</i>	6, 3	2	3	9	Poor	Dying crown. Twin trunks 6 x 3
NC-10636	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Fair	Leaning, large stem removed at base, unbalanced crown
NC-10637	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Good	Unbalanced crown
NC-10638	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Bend in leader, poor branching structure
NC-10639	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-10640	Virginia pine	<i>Pinus virginiana</i>	5, 2	2	2.5	7.5	Fair	branch dieback in crown of mainstem, thin crown
NC-10641	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular crown, one sided
NC-10642	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-10643	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Slight lean, slightly unbalanced crown
NC-10644	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Fair	Severe lean, thin crown
NC-10645	American holly	<i>Ilex opaca</i>	6, 3	2	3	9	Good	Twin trunks 6 x 3, bend in leader
NC-10646	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	Growing into chain link fence
NC-10647	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, branch dieback in crown, dead wood in lower canopy, thin crown
NC-10648	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Broken branches
NC-10649	Black locust	<i>Robinia pseudoacacia</i>	8, 8, 6	3	N/A	N/A	Standing Dead	Multistem 8 x 8 x 6
NC-10650	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Sap coming out of bark, thin crown
NC-10651	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, broken branches
NC-10652	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Poor	Dying crown
NC-10653	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Slight lean
NC-10654	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Poor	Dying crown
NC-10655	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Good	Multistem trunk 5 x 4 x 3
NC-10656	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, broken branches
NC-10657	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular trunk, thin crown
NC-10658	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines into crown, branch dieback in crown, thin crown
NC-10659	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead branches
NC-10660	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown, thin and unbalanced crown
NC-10661	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-10662	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Good	Twin trunk 7 x 6
NC-10663	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular trunk, vines in lower branches
NC-10664	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines on trunk, lean, thin crown
NC-10665	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-10666	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines into crown, dead wood in lower canopy, thin crown
NC-10667	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-10668	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, thin crown
NC-10669	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slight lean
NC-10670	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Poor	Dying crown
NC-10671	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-10672	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines on trunk, broken branches
NC-10673	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Thin crown
NC-10674	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	One sided, lean
NC-10675	Sweetgum	<i>Liquidambar styraciflua</i>	11, 8	2	5.5	16.5	Good	Few broken branches. Twin trunks 11 x 8
NC-10676	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Poor branching structure, vines into crown, slight lean towards road
NC-10677	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, dead branches
NC-10678	Red maple	<i>Acer rubrum</i>	17, 11	2	8.5	25.5	Fair	Twin trunks 17 x 11 stem, unbalanced crown, branch dieback in crown, exposed roots on slope, vines at base
NC-10679	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Good	Multistem trunk 6 x 5 x 4
NC-10680	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-10681	Southern red oak	<i>Quercus falcata</i>	14, 6	2	7	21	Good	Twin trunks 14 x 6
NC-10682	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-10683	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Heavy vines in crown, lean
NC-10684	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches
NC-10685	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead branches, thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10686	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead branches, thin crown
NC-10687	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Few broken branches
NC-10688	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-10689	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Irregular crown, broken branches
NC-10690	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Broken branches, vines on lower branches
NC-10691	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Slight lean towards road, bend in leader at base
NC-10692	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular growth form, broken branches
NC-10693	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-10694	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, one sided
NC-10695	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-10696	Red maple	<i>Acer rubrum</i>	9, 7, 3	3	4.5	13.5	Fair	Multistem 9 x 7 x 3 stem and 3 smaller <5" stems at base, poor branching structure, branch dieback and dead wood in crown
NC-10697	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, dead branches
NC-10698	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines in lower branches, needle dieback
NC-10699	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Poor branching structure, vines entering into crown
NC-10700	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, dead branches
NC-10701	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	One sided
NC-10702	Callery pear	<i>Pyrus calleryana</i>	6, 6	2	3	9	Fair	Twin trunk 6 x 6, vines
NC-10703	Callery pear	<i>Pyrus calleryana</i>	8, 6, 6	3	4	12	Good	Multistem trunk 8 x 6 x 6
NC-10704	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, one sided
NC-10705	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Dead secondary leader
NC-10706	Sweetgum	<i>Liquidambar styraciflua</i>	12, 9	2	6	18	Fair	Vines on trunk, broken 9" leader. Twin trunks 12 x 9
NC-10707	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Broken branches
NC-10708	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-10709	Sweetgum	<i>Liquidambar styraciflua</i>	20, 10	2	10	30	Fair	Twin trunks 20 x 10 stem, heavy vines into crown for both stems, thin crowns
NC-10710	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Dead lower branches
NC-10711	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Dead branches
NC-10712	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-10713	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Significant lean
NC-10714	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Old dead trunk
NC-10715	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Slight lean, water sprouts
NC-10716	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead branches, irregular trunk
NC-10717	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	One sided, bend in upper trunk
NC-10718	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-10719	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Bend in trunk
NC-10720	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-10721	Black locust	<i>Robinia pseudoacacia</i>	5	1	N/A	N/A	Standing Dead	
NC-10722	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular crown
NC-10723	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Large vine on trunk
NC-10724	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean, one sided
NC-10725	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean, broken branches
NC-10726	Red maple	<i>Acer rubrum</i>	6, 2	2	3	9	Fair	Twin trunks 6 x 2 stem, growing along stream, 2" stem is rotting
NC-10727	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-10728	Sweetgum	<i>Liquidambar styraciflua</i>	11, 11	2	5.5	16.5	Good	Few broken branches. Twin trunks 11 x 11
NC-10729	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Broken branches, vines on lower branches
NC-10730	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-10731	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-10732	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular trunk, lean
NC-10733	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Bend in upper trunk
NC-10734	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Vines
NC-10735	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead branches, dead tree leaning on trunk
NC-10736	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Small tree leaning on trunk
NC-10737	Virginia pine	<i>Pinus virginiana</i>	7, 7	2	3.5	10.5	Fair	Twin trunks 7 x 7. 7" twin trunk dead
NC-10738	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	crown
NC-10739	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk
NC-10740	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-10741	Tree of heaven	<i>Ailanthus altissima</i>	9	1	4.5	13.5	Fair	Heavy vines into crown, leaning
NC-10742	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-10743	Black locust	<i>Robinia pseudoacacia</i>	6	1	3	9	Fair	Vines on trunk, thin crown
NC-10744	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Poor	crown
NC-10745	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-10746	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Sever lean onto adjacent tree, trunk wound
NC-10747	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Heavy vines on trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10748	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-10749	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Few broken branches, one sided
NC-10750	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-10751	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	Vines
NC-10752	Eastern white pine	<i>Pinus strobus</i>	20	1	10	30	Good	Minor vines, low branch dieback
NC-10753	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-10754	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Irregular trunk
NC-10755	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-10756	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight lean, broken branches
NC-10757	Unknown		7	1	N/A	N/A	Standing Dead	
NC-10758	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular growth form, one sided
NC-10759	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines on trunk
NC-10760	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Twin trunks 7 x 5
NC-10761	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Poor	Dieback
NC-10762	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Few dead branches
NC-10763	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	One sided, lean, vines on trunk
NC-10764	Red maple	<i>Acer rubrum</i>	12, 12	2	6	18	Good	Included bark. Twin trunks 12 x 12
NC-10765	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Poor	Trunk rot, many dead branches
NC-10766	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines, leaning
NC-10767	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-10768	Red maple	<i>Acer rubrum</i>	15, 9, 6	3	7.5	22.5	Fair	Multistem trunk 15 x 9 x 6, vines
NC-10769	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-10770	Virginia pine	<i>Pinus virginiana</i>	13, 7	2	6.5	19.5	Fair	Twin trunks 13 x 7 stem, bend in leader, heavy vines at base entering crown
NC-10771	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, vines in lower branches
NC-10772	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on upper trunk
NC-10773	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-10774	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor branch dieback in crown
NC-10775	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-10776	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Thin crown
NC-10777	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, thin crown
NC-10778	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-10779	Unknown		8	1	N/A	N/A	Standing Dead	
NC-10780	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Slightly one sided
NC-10781	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-10782	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-10783	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-10784	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown
NC-10785	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Irregular growth form, dead lower branches
NC-10786	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Fair	Lean, one sided. Twin trunks 7 x 3
NC-10787	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-10788	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-10789	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-10790	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken leader, broken branches
NC-10791	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-10792	Red maple	<i>Acer rubrum</i>	21, 18, 13, 13, 12, 11, 8	7	10.5	31.5	Good	Multistem trunk 21 x 18 x 13 x 11 x 12 x 13 x 8
NC-10793	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Bend in trunk
NC-10794	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-10795	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-10796	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Large broken branches, lean
NC-10797	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Poor	Dead secondary trunk
NC-10798	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on trunk
NC-10799	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-10800	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown, overtopped by Virginia pine
NC-10801	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, lean
NC-10802	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-10803	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-10804	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Leaning, vines into crown
NC-10805	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, dead lower branches
NC-10806	Virginia pine	<i>Pinus virginiana</i>	13, 9	2	6.5	19.5	Poor	Interfering trunks, heavy vines in crown. Twin trunks 13 x 9
NC-10807	Flowering dogwood	<i>Cornus florida</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4 stem, poor branching structure, vines into crown
NC-10808	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Overtopped by vines, significant lean
NC-10809	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Significant lean, heavy vines into crown, thin crown, split wood on trunk
NC-10810	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines into crown, slight lean, thin crown
NC-10811	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided
NC-10812	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in crown
NC-10813	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Significant lean, thin crown
NC-10814	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10815	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Dead 2" stem at base, vines entering into crown
NC-10816	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Significant lean, thin crown
NC-10817	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-10818	Sweet cherry	<i>Prunus avium</i>	5, 3	2	2.5	7.5	Poor	Overtopped by vines. Twin trunks 5 x 3
NC-10819	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Significant lean, vines on lower trunk
NC-10820	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Bend in trunk, one sided
NC-10821	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Fair	Splits above DBH, included bark, one sided
NC-10822	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Fair	Triple trunks 6 x 5 x 4 stems, poor stem structure at base, 4" and 5" stems are severely leaning
NC-10823	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Fair	trunk
NC-10824	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Significant lean, vines on lower trunk
NC-10825	Red maple	<i>Acer rubrum</i>	15, 6	2	N/A	N/A	Standing Dead	Multistem trunk 15 x 6
NC-10826	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-10827	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Overtopped by vines, significant lean
NC-10828	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Irregular trunk, broken branches
NC-10829	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Overtopped by vines, significant lean
NC-10830	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, heavy vines taking over crown
NC-10831	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-10832	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Overtopped by vines, broken leader
NC-10833	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, thin crown
NC-10834	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines on lower trunk, thin crown
NC-10835	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-10836	Red maple	<i>Acer rubrum</i>	20, 8, 6	3	10	30	Fair	vines
NC-10837	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-10838	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Broken branches, vines on lower branches
NC-10839	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-10840	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, heavy vines taking over crown, little crown remains
NC-10841	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, heavy vines taking over crown, little crown remains, trunk wound at base
NC-10842	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Poor	Vines, dead branches
NC-10843	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, branch dieback in crown, unbalanced crown, minor vines at base
NC-10844	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, branch dieback in crown, unbalanced crown, minor vines at base
NC-10845	Sweetgum	<i>Liquidambar styraciflua</i>	7, 2	2	3.5	10.5	Good	Thin crown, twin trunks 7 x 2
NC-10846	Red maple	<i>Acer rubrum</i>	13, 9, 8	3	6.5	19.5	Fair	Multistem trunk 13 x 8 x 9, vines
NC-10847	Black locust	<i>Robinia pseudoacacia</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, lean, bend in trunk, one sided
NC-10848	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, branch dieback in crown and lower canopy
NC-10849	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Buttressed roots
NC-10850	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Heavy branch dieback in crown, rotting branches in crown and lower canopy
NC-10851	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5, minor branch dieback in crown
NC-10852	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-10853	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, branch dieback in lower canopy
NC-10854	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Broken leader
NC-10855	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, vines into crown
NC-10856	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Interfering branches, irregular trunk, lean
NC-10857	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Branch dieback in crown
NC-10858	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Dead lower branches
NC-10859	Callery pear	<i>Pyrus calleryana</i>	7, 2	2	3.5	10.5	Fair	Leaning, vines into crown, twin trunks 7 x 2 stem, unbalanced crown
NC-10860	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, two dead 2" trunks
NC-10861	Callery pear	<i>Pyrus calleryana</i>	15	1	7.5	22.5	Fair	Broken and dead branches, split leader
NC-10862	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Main trunk dead with live branches sprouting from base
NC-10863	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, heavy vines
NC-10864	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines
NC-10865	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Branch dieback in crown and lower canopy, thin crown
NC-10866	Eastern redcedar	<i>Juniperus virginiana</i>	7, 3	2	3.5	10.5	Good	Twin trunks 7 x 3 stem, minor vines entering crown
NC-10867	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines
NC-10868	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Severe lean, heavy vines
NC-10869	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, dead leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10870	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Thin crown
NC-10871	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Some broken branches
NC-10872	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken lower branches
NC-10873	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Slight lean
NC-10874	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-10875	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	canopy, some branches growing vertically
NC-10876	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-10877	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	
NC-10878	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning, dead wood in crown, branch dieback in lower canopy
NC-10879	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor bend in leader, minor branch dieback in crown
NC-10880	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines on lower branches, lean, many sprouts
NC-10881	Virginia pine	<i>Pinus virginiana</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6, branch dieback in lower canopy, slightly unbalanced crown
NC-10882	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-10883	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Broken branches, one sided
NC-10884	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-10885	Virginia pine	<i>Pinus virginiana</i>	7, 5, 3	3	3.5	10.5	Fair	Triple trunks 7 x 5 x 3, stems intertwined in crown, 3" stem is dead, branch dieback in lower canopy
NC-10886	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Alive but nearly horizontal
NC-10887	Callery pear	<i>Pyrus calleryana</i>	10, 6, 6	3	5	15	Fair	Triple trunk 10 x 6 x 6 stems, sapsucker holes, rotting branches in lower canopy, poor structure at base
NC-10888	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, branch dieback and dead wood in lower canopy
NC-10889	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines, sparse canopy
NC-10890	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, branch dieback in lower canopy
NC-10891	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines on trunk, large broken branches
NC-10892	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Lean, broken branches
NC-10893	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, one sided
NC-10894	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Nearly horizontal, heavy vines
NC-10895	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Broken decaying crown
NC-10896	Tuliptree	<i>Liriodendron tulipifera</i>	22	1	11	33	Fair	Irregular growth form, broken branches
NC-10897	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-10898	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	Minor vines entering into crown
NC-10899	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in crown
NC-10900	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Very thin crown
NC-10901	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Minor bend in leader, slight lean, thin crown
NC-10902	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Large dead tree on crown
NC-10903	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Vines, split leader, included bark
NC-10904	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Bend in leader, vines talking over crown
NC-10905	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Dead wood in lower canopy, unbalanced crown
NC-10906	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Vines on trunk, one sided
NC-10907	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Dying
NC-10908	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Large trunk wound at base with decay
NC-10909	Eastern redcedar	<i>Juniperus virginiana</i>	7, 3	2	3.5	10.5	Good	Branch dieback in lower canopy, slight lean, twin trunks 7 x 3 stem
NC-10910	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on trunk, irregular crown
NC-10911	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-10912	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Slight bend in lower trunk
NC-10913	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-10914	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Few broken branches
NC-10915	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-10916	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Fair	Irregular growth form, broken leader, secondary leader taking over
NC-10917	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines on trunk, one sided, lean
NC-10918	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Dead lower branches, one sided
NC-10919	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Large dead branch
NC-10920	Tuliptree	<i>Liriodendron tulipifera</i>	14	1	7	21	Fair	Significant lean
NC-10921	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback in crown and lower canopy
NC-10922	Black locust	<i>Robinia pseudoacacia</i>	8	1	N/A	N/A	Standing Dead	
NC-10923	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback in lower canopy
NC-10924	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-10925	Callery pear	<i>Pyrus calleryana</i>	6, 2	2	3	9	Fair	Twin trunks 6 x 2, vines into crown, thin crown
NC-10926	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Good	
NC-10927	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor bend in leader, minor branch dieback in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10928	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines on lower branches, broken branches
NC-10929	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor bend in leader
NC-10930	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Reduced canopy
NC-10931	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor bend in leader, branch dieback in lower canopy
NC-10932	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Moderate bend in leader and moderate lean, fungus observed on trunk, dead leader
NC-10933	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor branch dieback in crown
NC-10934	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Heavy branch dieback in crown, little crown remains
NC-10935	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Broken branches
NC-10936	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Branch dieback in crown
NC-10937	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines on trunk
NC-10938	Eastern redcedar	<i>Juniperus virginiana</i>	12, 7	2	6	18	Good	Twin trunks 12 x 7
NC-10939	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-10940	Eastern redcedar	<i>Juniperus virginiana</i>	8, 2	2	4	12	Good	Branch dieback in lower canopy, slight lean, twin trunks 8 x 2 stem
NC-10941	Sweet cherry	<i>Prunus avium</i>	5	1	2.5	7.5	Fair	Leaning
NC-10942	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-10943	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	
NC-10944	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines on lower branches, one sided
NC-10945	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-10946	Callery pear	<i>Pyrus calleryana</i>	5, 5, 5, 4	4	2.5	7.5	Fair	Multistem 5 x 5 x 5 x 4, vines entering into crown from adjacent tree
NC-10947	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Nearly horizontal growth form
NC-10948	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Small vine on lower trunk
NC-10949	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown, vines entering crown
NC-10950	Callery pear	<i>Pyrus calleryana</i>	9, 7	2	4.5	13.5	Fair	Vines on lower branches, included bark. Twin trunks 9 x 7
NC-10951	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-10952	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, branch dieback in crown, unbalanced crown
NC-10953	Callery pear	<i>Pyrus calleryana</i>	9, 7	2	4.5	13.5	Fair	Twin trunks 9 x 7, heavy vines at base, leaning, unbalanced and thin crown
NC-10954	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines into crown, branch dieback in lower canopy, unbalanced crown
NC-10955	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced crown
NC-10956	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-10957	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Vines on lower branches
NC-10958	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on lower branches
NC-10959	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines on lower branches
NC-10960	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy, thin crown
NC-10961	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Irregular growth form, vines on branches, many dead branches
NC-10962	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, branch dieback in lower canopy, vines entering into crown
NC-10963	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-10964	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines into crown, branch dieback in lower canopy
NC-10965	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4, leaning, branch dieback in lower canopy, vines into crown
NC-10966	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Broken branches
NC-10967	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	Some vines
NC-10968	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Poor	Dying
NC-10969	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-10970	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, broken branches
NC-10971	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-10972	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	Vines entering into crown
NC-10973	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Irregular growth form
NC-10974	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, unbalanced crown
NC-10975	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4 stem, vines entering crown of mainstem, thin crown
NC-10976	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	One sided
NC-10977	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Broken branches, thin crown
NC-10978	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-10979	Pear sp.	<i>Pyrus sp.</i>	5	1	2.5	7.5	Good	
NC-10980	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-10981	Red maple	<i>Acer rubrum</i>	11	1	N/A	N/A	Standing Dead	
NC-10982	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, irregular growth form
NC-10983	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-10984	Callery pear	<i>Pyrus calleryana</i>	8, 6, 5	3	4	12	Fair	Vines on trunk, lean, broken branches. Multistem 8 x 5 x 6
NC-10985	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines on lower branches
NC-10986	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Nearly horizontal stem, trunk wound
NC-10987	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Overtopped
NC-10988	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-10989	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-10990	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, branch dieback in lower canopy, unbalanced crown
NC-10991	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-10992	Red maple	<i>Acer rubrum</i>	9, 7	2	N/A	N/A	Standing Dead	Multistem trunk 9 x 7
NC-10993	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Poor branching structure, branch dieback in lower canopy
NC-10994	Red maple	<i>Acer rubrum</i>	18, 12	2	9	27	Fair	Multistem trunk 18 x 12, vines
NC-10995	Callery pear	<i>Pyrus calleryana</i>	14, 11, 10, 9, 7	5	7	21	Fair	Multistem 14 x 11 x 10 x 9 x 7, all stems leaning in different directions, branch dieback in 7" stem, exposed roots, vines entering crown of mainstem
NC-10996	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-10997	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular growth form
NC-10998	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-10999	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Damaged leader
NC-11000	Callery pear	<i>Pyrus calleryana</i>	10, 7, 4	3	5	15	Fair	Triple trunks 10 x 7 x 4, dead vines in crown, branch dieback in lower canopy
NC-11001	Callery pear	<i>Pyrus calleryana</i>	5, 4, 4, 3	4	2.5	7.5	Fair	Dead branches, thin crown. Multistem 5 x 4 x 3 x 4
NC-11002	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11003	Callery pear	<i>Pyrus calleryana</i>	13	1	6.5	19.5	Fair	Vines into crown
NC-11004	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dead leader, broken branches
NC-11005	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Leaning, unbalanced crown, branch dieback in lower canopy
NC-11006	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on lower branches
NC-11007	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dead secondary leader, overtopped by Virginia pine, vines on lower branches
NC-11008	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback and dead wood in crown, unbalanced crown, vines at base
NC-11009	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Fair	Irregular branching structure, slight lean at base
NC-11010	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-11011	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-11012	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Slight lean, bend in leader, branch dieback in lower canopy
NC-11013	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Few broken branches
NC-11014	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	crown
NC-11015	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown
NC-11016	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Few broken branches
NC-11017	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6, 4	3	3	9	Fair	Multistem 6 x 6 x 4, oriental bittersweet on lower trunk
NC-11018	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-11019	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-11020	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-11021	Sweetgum	<i>Liquidambar styraciflua</i>	7, 3	2	3.5	10.5	Good	Twin trunks 7 x 3
NC-11022	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11023	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines on lower branches, lean
NC-11024	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Very thin crown
NC-11025	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Many dead branches
NC-11026	Callery pear	<i>Pyrus calleryana</i>	7, 6, 4	3	3.5	10.5	Fair	Triple trunks 7 x 6 x 4, slight lean, unbalanced crown
NC-11027	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-11028	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Twin trunks above DBH, slight lean, stems intertwined in crown, large dead tree leaning in the tree
NC-11029	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean, thin crown
NC-11030	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-11031	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Included bark, many sprouts
NC-11032	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy vines on trunk
NC-11033	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Fair	Included bark, many sprouts, broken branches. Multistem 6 x 5 x 4
NC-11034	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Irregular trunk
NC-11035	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-11036	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-11037	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular trunk, one sided
NC-11038	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines in lower branches, dead branches
NC-11039	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches in lower canopy
NC-11040	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Poor	Irregular growth form, trunk wound

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11041	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Minor dead wood in crown
NC-11042	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, branch dieback in crown, thin crown
NC-11043	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	One sided
NC-11044	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-11045	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines
NC-11046	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight lean, slight bend in leader, branch dieback in lower canopy
NC-11047	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Fair	Triple trunks 6 x 5 x 4, vines into crown, thin crown
NC-11048	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Few dead branches, one sided, vines on lower branches
NC-11049	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Broken branches
NC-11050	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Twin trunks 5 x 4, heavy branch dieback abs dead wood in crown and lower canopy
NC-11051	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	One sided, overtopped
NC-11052	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Small trunk wounds rotting, fungus on trunk, leaning, dead crown
NC-11053	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines on trunk, one sided
NC-11054	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Some vines
NC-11055	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in crown
NC-11056	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Lean, thin crown
NC-11057	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-11058	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines in lower branches, one sided
NC-11059	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11060	Callery pear	<i>Pyrus calleryana</i>	7, 4, 3	3	3.5	10.5	Fair	Multistem 7 x 4 x 3. Irregular growth form. Interfering branches. Included bark
NC-11061	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Minor vines entering into crown
NC-11062	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	One sided, two leaders, lower dead branches
NC-11063	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11064	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on lower trunk
NC-11065	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Few dead branches
NC-11066	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	One sided, thin crown
NC-11067	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Thin crown, broken lower branches
NC-11068	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-11069	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, dead branches
NC-11070	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Fair	Twin trunks 7 x 6, vines into crown
NC-11071	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Poor	Heavy vines, broken leader
NC-11072	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in lower branches
NC-11073	Callery pear	<i>Pyrus calleryana</i>	6, 4	2	3	9	Fair	Included bark, many sprouts. Twin trunks 6 x 4
NC-11074	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11075	Callery pear	<i>Pyrus calleryana</i>	8, 5	2	4	12	Fair	Included bark, water sprouts. Twin trunks 8 x 5
NC-11076	Callery pear	<i>Pyrus calleryana</i>	8, 5, 4, 2	4	4	12	Poor	8" main leader may be dead, many dead branches. Multistem 8 x 5 x 4 x 2
NC-11077	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines on lower branches, broken branches
NC-11078	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-11079	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11080	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines on trunk
NC-11081	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-11082	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant bend in leader, leaning, thin crown, heavy branch dieback in crown
NC-11083	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Thin crown, dead lower branches
NC-11084	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, thin crown
NC-11085	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	Thin crown
NC-11086	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Interfering crown with adjacent tree. Some included bark
NC-11087	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Thin crown, broken branches, lean
NC-11088	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Irregular crown, overtopped by Virginia pine
NC-11089	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Fair	Leaning, rotting branches in lower canopy, unbalanced crown
NC-11090	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in trunk, dead lower branches
NC-11091	Sweetgum	<i>Liquidambar styraciflua</i>	9, 8	2	4.5	13.5	Fair	Twin trunks 9 x 8, vines on lower trunk
NC-11092	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Heavy vines in upper branches
NC-11093	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Rotting branches in lower canopy, branch dieback in crown, thin crown, vines at base entering crown
NC-11094	Black cherry	<i>Prunus serotina</i>	20, 19	2	10	30	Fair	Twin trunks 20 x 19, branch dieback in crown, vines into crown, exposed roots
NC-11095	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines in branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11096	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced crown
NC-11097	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Interfering crowns
NC-11098	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11099	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-11100	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Fair	One sided, thin crown, dead lower branches
NC-11101	Sweetgum	<i>Liquidambar styraciflua</i>	8, 4	2	N/A	N/A	Standing Dead	Twin trunks 8 x 4
NC-11102	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Poor branching structure, rotting branches in lower canopy, branch dieback in crown, thin crown
NC-11103	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-11104	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-11105	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Interfering crowns
NC-11106	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dead/decaying leader and branches
NC-11107	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11108	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Poor	Broken leader, overtopped
NC-11109	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Broken main leader, branch dieback and dead wood in lower canopy
NC-11110	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-11111	Black oak	<i>Quercus velutina</i>	13	1	6.5	19.5	Fair	Leaning, branch dieback in crown, rotting branches in lower canopy
NC-11112	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, vines on lower branches
NC-11113	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-11114	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Fair	One sided, broken branches
NC-11115	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Heavy vines - girdling trunk and overtopped
NC-11116	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-11117	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	Vines in lower branches
NC-11118	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, one sided
NC-11119	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Included bark, water sprouts
NC-11120	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Oriental bittersweet on lower branches
NC-11121	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Unbalanced crown, extensive vines on lower trunk
NC-11122	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Broken and dead leader, branch dieback and dead wood in crown
NC-11123	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Some broken branches
NC-11124	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in lower branches and trunk
NC-11125	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, thin but heathy looking crown
NC-11126	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	Slightly one sided. Some dead branches
NC-11127	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor branch dieback in lower canopy
NC-11128	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided. Lean
NC-11129	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-11130	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead lower branches
NC-11131	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines into crown, some dead wood in crown, broken leader
NC-11132	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided. Lean. Vines on trunk
NC-11133	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Bent and dead leader
NC-11134	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-11135	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, splits above DBH
NC-11136	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Covered in vines. Trunk nearly horizontal
NC-11137	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided. Thin crown
NC-11138	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Large broken branches,
NC-11139	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-11140	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	Few broken branches
NC-11141	Callery pear	<i>Pyrus calleryana</i>	7, 5, 4, 3	4	3.5	10.5	Fair	Multistem 7 x 5 x 4 x 3, slight lean, minor vines entering into crown
NC-11142	White oak	<i>Quercus alba</i>	29	1	14.5	43.5	Good	Broken branches
NC-11143	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, irregular growth form
NC-11144	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, lean, vines on branches
NC-11145	White oak	<i>Quercus alba</i>	18	1	9	27	Good	Included bark. Splits above DBH
NC-11146	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-11147	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-11148	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in lower branches
NC-11149	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Heavy branch dieback and dead wood in crown, vines at base
NC-11150	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in crown, vines into crown
NC-11151	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Poor	Right angle bend in upper leader
NC-11152	Callery pear	<i>Pyrus calleryana</i>	7, 5	2	3.5	10.5	Poor	Twin trunks 7 x 5. Heavy vines - overtopped. Larger twin severe lean. Broken branches
NC-11153	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Lean
NC-11154	Virginia pine	<i>Pinus virginiana</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11155	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines into crown, thin crown, bend in leader at base
NC-11156	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Included bark, broken branches. Twin trunks 7 x 7
NC-11157	Callery pear	<i>Pyrus calleryana</i>	7, 7	2	3.5	10.5	Fair	Reduced crown
NC-11158	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Twin trunk 6 x 6
NC-11159	Virginia pine	<i>Pinus virginiana</i>	6, 6	2	3	9	Good	
NC-11160	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	
NC-11161	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, lean
NC-11162	Callery pear	<i>Pyrus calleryana</i>	6, 5, 5	3	3	9	Fair	Interfering branches, broken branches, vine on trunk. Multistem 6 x 5 x 5
NC-11163	Unknown		5	1	N/A	N/A	Standing Dead	
NC-11164	Callery pear	<i>Pyrus calleryana</i>	12, 4	2	6	18	Fair	Twin trunks 12 x 4. 4" side stem. Interfering branches. Vines in lower branches
NC-11165	Red maple	<i>Acer rubrum</i>	13	1	N/A	N/A	Standing Dead	
NC-11166	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-11167	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-11168	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-11169	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Large broken branches
NC-11170	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-11171	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Overtopped by northern red oak, dead lower branches
NC-11172	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches. Vines on trunk and lower branches
NC-11173	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Trunk wound, vines in crown
NC-11174	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vine in crown
NC-11175	Callery pear	<i>Pyrus calleryana</i>	8, 5	2	4	12	Good	Twin trunks 8 x 5. Some included bark and dead branches
NC-11176	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	trunk
NC-11177	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Irregular growth form, secondary leader taking over for broken main leader
NC-11178	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Overtopped by vines. Very thin crown
NC-11179	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-11180	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11181	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Fair	Dead secondary leader
NC-11182	Southern red oak	<i>Quercus falcata</i>	15	1	7.5	22.5	Good	Minor branch dieback in lower canopy
NC-11183	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-11184	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Irregular growth form. Weird secondary leader
NC-11185	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11186	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	Some broken branches
NC-11187	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-11188	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-11189	Unknown		6	1	N/A	N/A	Standing Dead	
NC-11190	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines on branches
NC-11191	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Some broken branches
NC-11192	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular trunk, thin crown
NC-11193	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Thin crown
NC-11194	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Vines on lower trunk, one sided
NC-11195	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, one sided
NC-11196	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-11197	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular growth form. Lean. Vines in crown
NC-11198	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11199	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	One sided
NC-11200	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Large broken branches, thin crown
NC-11201	Callery pear	<i>Pyrus calleryana</i>	12	1	6	18	Fair	Vines in lower branches, included bark, splits above DBH
NC-11202	Tree of heaven	<i>Ailanthus altissima</i>	10	1	5	15	Poor	Cracks and fungus on trunk, heavy branch dieback in crown and lower canopy, leaning, vines into crown
NC-11203	Black cherry	<i>Prunus serotina</i>	16	1	8	24	Fair	Dead secondary leader. Large dead branches
NC-11204	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Few broken branches
NC-11205	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Thin crown, dead branches
NC-11206	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-11207	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Good	Some dead branches
NC-11208	Scarlet oak	<i>Quercus coccinea</i>	17	1	8.5	25.5	Fair	Branch dieback in crown and lower canopy, thin crown
NC-11209	Callery pear	<i>Pyrus calleryana</i>	8, 6	2	4	12	Fair	Vines on lower branches, thin crown. Twin trunks 8 x 6
NC-11210	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Unbalanced crown
NC-11211	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, irregular growth form
NC-11212	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11213	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-11214	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Dead needles, thin crown
NC-11215	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11216	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Branch dieback in lower canopy, unbalanced crown
NC-11217	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown. Dead branches
NC-11218	Virginia pine	<i>Pinus virginiana</i>	10, 9	2	5	15	Good	Twin trunks 10 x 9. A little one sided, some included bark
NC-11219	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	trunk
NC-11220	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-11221	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, ingrown fence
NC-11222	Eastern redcedar	<i>Juniperus virginiana</i>	7, 4	2	3.5	10.5	Fair	Twin trunks 7 x 4. Smaller twin is dead. One sided
NC-11223	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in branches. Thin crown, irregular growth form
NC-11224	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Fair	Thin crown
NC-11225	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-11226	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-11227	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided. Thin crown
NC-11228	Red maple	<i>Acer rubrum</i>	5, 2	2	2.5	7.5	Good	Twin trunk 5 x 2
NC-11229	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Very thin crown, one sided, dead debris leaning on trunk
NC-11230	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean
NC-11231	Green ash	<i>Fraxinus pennsylvanica</i>	10	1	N/A	N/A	Standing Dead	
NC-11232	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-11233	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Broken branches, thin crown
NC-11234	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. Overtopped
NC-11235	Southern red oak	<i>Quercus falcata</i>	23	1	11.5	34.5	Good	
NC-11236	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Water sprouts, broken branches
NC-11237	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Overtopped
NC-11238	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-11239	Scarlet oak	<i>Quercus coccinea</i>	9	1	4.5	13.5	Fair	Bend in leader, branch dieback in crown, vines entering into crown
NC-11240	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Fair	Vines on lower branches, thin crown. Twin trunks 6 x 3
NC-11241	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-11242	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-11243	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Broken trunk, trunk rot
NC-11244	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines
NC-11245	Willow oak	<i>Quercus phellos</i>	11, 9	2	5.5	16.5	Good	Thin crown. Twin trunks 11 x 9
NC-11246	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly unbalanced crown
NC-11247	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-11248	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, thin crown
NC-11249	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-11250	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Nearly horizontal, coming out of ground
NC-11251	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Fair	Some large broken limbs
NC-11252	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Overtopped by vines, one sided, broken leader
NC-11253	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	One sided
NC-11254	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Unbalanced crown
NC-11255	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines on trunk, broken branches
NC-11256	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Fair	Broken branches, lean, included bark. Twin trunks 7 x 6
NC-11257	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines on trunk and into canopy. Dead branches
NC-11258	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-11259	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Slightly leaning, branch dieback in crown, thin crown
NC-11260	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on trunk and into canopy. Dead branches
NC-11261	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Some vines
NC-11262	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-11263	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines
NC-11264	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Significant vines on lower branches
NC-11265	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Dead limb
NC-11266	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Fair	Irregular growth form, one sided
NC-11267	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Many vines
NC-11268	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown
NC-11269	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-11270	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Fair	Lean in upper crown
NC-11271	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-11272	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Large branch dieback in crown
NC-11273	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines
NC-11274	Sugar maple	<i>Acer saccharum</i>	8	1	4	12	Fair	One sided, included bark
NC-11275	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11276	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-11277	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11278	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-11279	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Good	Twin trunks 13 x 11. Some included bark
NC-11280	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-11281	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	Few dead branches
NC-11282	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	One sided. Irregular trunk. Debris leaning on trunk
NC-11283	Eastern redcedar	<i>Juniperus virginiana</i>	7, 5	2	3.5	10.5	Fair	Twin trunks 7 x 5. Thin crown. Dead branches
NC-11284	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-11285	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Leaning thin crown
NC-11286	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	One sided. Dead branches
NC-11287	Willow oak	<i>Quercus phellos</i>	17, 6	2	8.5	25.5	Fair	Vines on branches, dead branches. Twin trunks 17 x 6
NC-11288	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Broken lower branches
NC-11289	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Exposed roots
NC-11290	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Split leader, large dead branches. Vines in lower branches.
NC-11291	Callery pear	<i>Pyrus calleryana</i>	12, 9	2	6	18	Fair	Twin trunk 12 x 9, vines
NC-11292	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Many water sprouts. Vines on lower branches
NC-11293	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-11294	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-11295	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Irregular growth form
NC-11296	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-11297	Red maple	<i>Acer rubrum</i>	24, 21, 12	3	12	36	Fair	Triple trunks 24 x 21 x 12, exposed roots in depressional area, large branch removed on mainstem, poor branching structure, broken and rotting branches in lower canopy
NC-11298	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	
NC-11299	Black cherry	<i>Prunus serotina</i>	12	1	6	18	Fair	Twin trunks above DBH, one of the leaders is dead, thin crown
NC-11300	Callery pear	<i>Pyrus calleryana</i>	9, 8, 7, 6	4	4.5	13.5	Fair	Included bark, vines. Multistem 9 x 8 x 7 x 6
NC-11301	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11302	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Very irregular growth form
NC-11303	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Lean, broken lower branches
NC-11304	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on lower trunk, dead branches
NC-11305	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines in crown, thin crown
NC-11306	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on lower trunk
NC-11307	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Branch dieback in crown, large standing dead tree leaning on this tree
NC-11308	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on lower trunk
NC-11309	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	N/A	N/A	Standing Dead	
NC-11310	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	Slightly one sided
NC-11311	White oak	<i>Quercus alba</i>	14	1	7	21	Good	Some broken branches
NC-11312	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines
NC-11313	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Possibly dead
NC-11314	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11315	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Overtopped by vines, broken branches
NC-11316	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11317	Scarlet oak	<i>Quercus coccinea</i>	16	1	8	24	Fair	Large branch dieback in crown, rotting branches and dead wood in crown
NC-11318	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Poor	holes
NC-11319	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Broken leader, thin foliage
NC-11320	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Thin crown, one sided
NC-11321	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Nearly dead
NC-11322	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Many dead branches
NC-11323	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11324	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines
NC-11325	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-11326	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Leaning, bend in leader, thin crown
NC-11327	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Overtopped by vines, thin crown
NC-11328	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Some vines
NC-11329	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-11330	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, broken branches, vines on lower trunk
NC-11331	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Thin crown. One sided. Dead branches
NC-11332	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided. Dead branches
NC-11333	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-11334	Callery pear	<i>Pyrus calleryana</i>	5, 5, 3	3	2.5	7.5	Fair	Many sprouts, vines on trunk. Multistem 5 x 5 x 3

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11335	Callery pear	<i>Pyrus calleryana</i>	7, 7	2	3.5	10.5	Poor	Overtopped by vines, included bark, many sprouts. Twin trunks 7 x 7
NC-11336	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Bend in leader, large branch dieback and dead wood in crown
NC-11337	Black cherry	<i>Prunus serotina</i>	15	1	7.5	22.5	Good	Some dead branches
NC-11338	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Fair	Heavy branch dieback in crown, vines into crown, adjacent standing dead tree leaning on this tree
NC-11339	Sweetgum	<i>Liquidambar styraciflua</i>	5, 5, 4	3	2.5	7.5	Good	Multistem 5 x 5 x 4
NC-11340	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader, overtopped, irregular growth form
NC-11341	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Branch dieback in crown and lower canopy
NC-11342	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Leaning, branch dieback in crown, thin crown
NC-11343	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-11344	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-11345	American holly	<i>Ilex opaca</i>	6, 5	2	3	9	Good	Twin trunks 6 x 5
NC-11346	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	One sided, vines on lower branches
NC-11347	Callery pear	<i>Pyrus calleryana</i>	8, 7, 7	3	4	12	Poor	Multistem 8 x 7 x 7. Sapsucker holes. Dead branches. Dead tree leaning on trunk
NC-11348	American beech	<i>Fagus grandifolia</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6
NC-11349	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Good	
NC-11350	Callery pear	<i>Pyrus calleryana</i>	9, 7, 6	3	4.5	13.5	Poor	Overtopped by vines, sapsucker holes, included bark. Multistem 9 x 7 x 6
NC-11351	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, broken branches
NC-11352	Green ash	<i>Fraxinus pennsylvanica</i>	12	1	N/A	N/A	Standing Dead	
NC-11353	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Heavy branch dieback
NC-11354	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11355	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-11356	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Some vines
NC-11357	Black oak	<i>Quercus velutina</i>	14	1	7	21	Fair	Lean
NC-11358	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean, one sided
NC-11359	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Overtopped, lean
NC-11360	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on trunk, thin crown, broken branches
NC-11361	Callery pear	<i>Pyrus calleryana</i>	5, 4, 3	3	2.5	7.5	Fair	Heavy vines, dead branches. Multistem 5 x 4 x 3
NC-11362	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, thin crown
NC-11363	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11364	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Fair	Vines, included bark. Twin trunks 6 x 3
NC-11365	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-11366	Sweetgum	<i>Liquidambar styraciflua</i>	8, 8	2	4	12	Fair	One sided, thin crown, vines on lower branches. Twins 8 x 8
NC-11367	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines on lower branches, irregular crown
NC-11368	American beech	<i>Fagus grandifolia</i>	24	1	12	36	Good	Healed small basal cavity 4" sucker
NC-11369	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Broken branches, overtopped
NC-11370	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Significant lean. One sided
NC-11371	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slightly one sided
NC-11372	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-11373	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided
NC-11374	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-11375	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines on lower branches. One sided
NC-11376	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Leaning, branch dieback in crown and lower canopy, large 3' long trunk wound rotting
NC-11377	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	One sided, broken branches
NC-11378	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean. One sided.
NC-11379	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Few broken branches
NC-11380	Virginia pine	<i>Pinus virginiana</i>	6, 5	2	3	9	Fair	Twin trunks 6 x 5. Lean. One sided.
NC-11381	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-11382	Callery pear	<i>Pyrus calleryana</i>	7, 6, 5	3	3.5	10.5	Poor	Multistem 7 x 6 x 5. Nearly dead
NC-11383	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying leader
NC-11384	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided
NC-11385	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines on trunk, broken branches
NC-11386	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, one sided
NC-11387	White oak	<i>Quercus alba</i>	16	1	8	24	Poor	Several broken limbs, decaying branches
NC-11388	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Irregular crown
NC-11389	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Bent trunk, dead lower branches
NC-11390	Littleleaf linden	<i>Tilia cordata</i>	12	1	6	18	Fair	Healed over cut branches. Lean. Poor branching structure.
NC-11391	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean
NC-11392	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	One sided, vines on lower branches
NC-11393	Sweetgum	<i>Liquidambar styraciflua</i>	9, 8, 6	3	4.5	13.5	Good	Multistem 9 x 8 x 6

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-11394	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Poor	Broken leader, heavy vines
NC-11395	Sweetgum	Liquidambar styraciflua		13	1	6.5	19.5	Good	
NC-11396	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	One sided
NC-11397	Callery pear	Pyrus calleryana		6	1	3	9	Fair	Vines
NC-11398	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Good	Some broken branches
NC-11399	Scarlet oak	Quercus coccinea		14	1	7	21	Fair	Rotting branches in lower canopy, unbalanced crown, slight lean
NC-11400	Virginia pine	Pinus virginiana		14	1	7	21	Fair	Low branch dieback
NC-11401	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	
NC-11402	Sweetgum	Liquidambar styraciflua		17	1	8.5	25.5	Good	Few broken branches
NC-11403	Red maple	Acer rubrum		14	1	7	21	Good	Split above DBH
NC-11404	Willow oak	Quercus phellos		8	1	4	12	Good	
NC-11405	Sweetgum	Liquidambar styraciflua		6	1	3	9	Poor	Broken leader, girdling vines
NC-11406	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Significant lean. Irregular growth form
NC-11407	Virginia pine	Pinus virginiana		12	1	6	18	Good	
NC-11408	Southern red oak	Quercus falcata		8	1	4	12	Good	
NC-11409	Virginia pine	Pinus virginiana		8	1	4	12	Good	
NC-11410	American beech	Fagus grandifolia		5	1	2.5	7.5	Good	
NC-11411	American beech	Fagus grandifolia		6	1	3	9	Fair	Irregular crown
NC-11412	Callery pear	Pyrus calleryana		7	1	3.5	10.5	Fair	One sided, lean
NC-11413	Virginia pine	Pinus virginiana	7, 5	2	3.5	10.5	Fair		Twin trunks 7 x 5. Twin is dead. Bend in leader
NC-11414	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Fair	Vine on trunk. One sided
NC-11415	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Good	
NC-11416	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Poor	Broken trunk
NC-11417	Virginia pine	Pinus virginiana		14	1	7	21	Good	
NC-11418	Virginia pine	Pinus virginiana		7	1	3.5	10.5	Fair	One sided, slight lean
NC-11419	White mulberry	Morus alba	6, 3, 2	3	3	9	Fair		One sided, lean, included bark. Multistem 6 x 3 x 2
NC-11420	Virginia pine	Pinus virginiana		9	1	4.5	13.5	Fair	Irregular crown
NC-11421	Virginia pine	Pinus virginiana		9	1	4.5	13.5	Fair	Thin crown. Vines on lower trunk. Slight lean
NC-11422	American holly	Ilex opaca		7	1	3.5	10.5	Good	
NC-11423	Virginia pine	Pinus virginiana		19	1	N/A	N/A	Standing Dead	
NC-11424	White oak	Quercus alba		21	1	10.5	31.5	Good	Few broken branches
NC-11425	Scarlet oak	Quercus coccinea		15	1	7.5	22.5	Fair	bark
NC-11426	American holly	Ilex opaca	8, 5	2	4	12	Good		Twin trunks 8 x 5. 5" leader has bend in trunk
NC-11427	Northern red oak	Quercus rubra		10	1	5	15	Fair	Large broken branches, broken leader
NC-11428	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Fair	Significant lean, overtopped
NC-11429	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Vines on trunk
NC-11430	Eastern redcedar	Juniperus virginiana		7	1	3.5	10.5	Poor	Reduced canopy
NC-11431	Unknown			17	1	N/A	N/A	Standing Dead	
NC-11432	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	Unbalanced crown
NC-11433	Virginia pine	Pinus virginiana		8	1	4	12	Good	
NC-11434	Virginia pine	Pinus virginiana	11, 10, 6	3	5.5	16.5	Fair		Multistem trunk 11 x 10 x 6, dead leader
NC-11435	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Poor	Broken leader
NC-11436	Callery pear	Pyrus calleryana		6	1	3	9	Good	
NC-11437	Northern red oak	Quercus rubra		9	1	4.5	13.5	Fair	Lean in upper trunk
NC-11438	Virginia pine	Pinus virginiana		10	1	5	15	Fair	One sided, vines
NC-11439	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Good	Thin crown
NC-11440	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Vines
NC-11441	Southern red oak	Quercus falcata		20	1	10	30	Good	Slightly one sided
NC-11442	Oak sp.	Quercus sp.		13	1	N/A	N/A	Standing Dead	
NC-11443	Callery pear	Pyrus calleryana		11	1	5.5	16.5	Good	
NC-11444	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Poor	Broken trunk
NC-11445	Scarlet oak	Quercus coccinea		19	1	9.5	28.5	Good	
NC-11446	Virginia pine	Pinus virginiana		12	1	6	18	Good	
NC-11447	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Significant lean. Irregular growth form
NC-11448	Virginia pine	Pinus virginiana		5	1	2.5	7.5	Fair	Thin crown, one sided
NC-11449	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Bent trunk, one sided
NC-11450	Virginia pine	Pinus virginiana	6, 1	2	3	9	Fair		Twin trunks 6 x 1. One sided. Thin crown
NC-11451	White oak	Quercus alba		5	1	2.5	7.5	Fair	Thin crown. Irregular growth form. Water sprouts
NC-11452	Virginia pine	Pinus virginiana		8	1	4	12	Fair	Vines
NC-11453	White oak	Quercus alba		11	1	5.5	16.5	Fair	Large dead limb with some decay
NC-11454	Sweetgum	Liquidambar styraciflua		8	1	4	12	Good	
NC-11455	Red maple	Acer rubrum		15	1	7.5	22.5	Fair	Exposed roots. Included bark. Leaning on hillside
NC-11456	Virginia pine	Pinus virginiana		6	1	3	9	Poor	Leaning
NC-11457	Eastern redcedar	Juniperus virginiana		6	1	3	9	Good	
NC-11458	White oak	Quercus alba		6	1	3	9	Good	
NC-11459	Black cherry	Prunus serotina	11, 10, 9	3	5.5	16.5	Fair		Triple trunks 11 x 10 x 9, poor branching structure
NC-11460	Callery pear	Pyrus calleryana		10	1	5	15	Fair	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11461	Willow oak	Quercus phellos	17	1	8.5	25.5	Good	Branches removed in lower canopy. Slightly unbalanced crown. Vines at base
NC-11462	Virginia pine	Pinus virginiana	18	1	9	27	Good	Few dead branches
NC-11463	Virginia pine	Pinus virginiana	5	1	2.5	7.5	Poor	Broken trunk
NC-11464	Virginia pine	Pinus virginiana	11	1	5.5	16.5	Good	Some vines
NC-11465	Northern red oak	Quercus rubra	7	1	3.5	10.5	Good	Irregular growth form
NC-11466	Virginia pine	Pinus virginiana	10	1	5	15	Good	
NC-11467	Virginia pine	Pinus virginiana	5	1	2.5	7.5	Poor	Broken leader, thin foliage
NC-11468	White oak	Quercus alba	17	1	8.5	25.5	Good	
NC-11469	Virginia pine	Pinus virginiana	8	1	4	12	Fair	Irregular crown. Dead and broken branches
NC-11470	Virginia pine	Pinus virginiana	6	1	3	9	Fair	Vines on lower branches
NC-11471	Pin oak	Quercus palustris	6	1	3	9	Fair	Thin crown. One sided. Exposed roots
NC-11472	Willow oak	Quercus phellos	6	1	3	9	Good	
NC-11473	Southern red oak	Quercus falcata	18	1	9	27	Fair	Lean. One sided. Few dead branches
NC-11474	Virginia pine	Pinus virginiana	5	1	2.5	7.5	Fair	Vines
NC-11475	Virginia pine	Pinus virginiana	6	1	3	9	Fair	Bend in leader. Unbalanced crown. Slight lean
NC-11476	Black cherry	Prunus serotina	13, 12, 11	3	6.5	19.5	Fair	Multistem 13 x 12 x 11, growing into fence, vines
NC-11477	White oak	Quercus alba	10	1	5	15	Good	
NC-11478	Willow oak	Quercus phellos	5	1	2.5	7.5	Good	
NC-11479	Virginia pine	Pinus virginiana	6	1	3	9	Fair	Thin crown. Lean
NC-11480	American holly	Ilex opaca	8	1	4	12	Good	
NC-11481	Virginia pine	Pinus virginiana	9	1	4.5	13.5	Fair	Vines
NC-11482	Virginia pine	Pinus virginiana	13	1	6.5	19.5	Good	
NC-11483	Virginia pine	Pinus virginiana	8	1	N/A	N/A	Standing Dead	
NC-11484	Northern red oak	Quercus rubra	10	1	5	15	Fair	Several broken branches. Overtopped
NC-11485	White oak	Quercus alba	7	1	3.5	10.5	Fair	Water sprouts. Thin crown
NC-11486	Northern red oak	Quercus rubra	13	1	6.5	19.5	Good	
NC-11487	Callery pear	Pyrus calleryana	10	1	5	15	Good	Some vines
NC-11488	Virginia pine	Pinus virginiana	14	1	N/A	N/A	Standing Dead	
NC-11489	Virginia pine	Pinus virginiana	13	1	6.5	19.5	Good	Leaning, on a slope. Interfering branching in crown
NC-11490	Virginia pine	Pinus virginiana	8	1	4	12	Fair	Vines in the crown. Significant dead wood in crown and lower canopy
NC-11491	Unknown		13	1	N/A	N/A	Standing Dead	
NC-11492	Pin oak	Quercus palustris	7	1	3.5	10.5	Good	Ingrown fence
NC-11493	Virginia pine	Pinus virginiana	5	1	2.5	7.5	Poor	Many vines
NC-11494	Virginia pine	Pinus virginiana	6	1	3	9	Fair	Vines
NC-11495	Virginia pine	Pinus virginiana	10	1	5	15	Good	
NC-11496	Southern red oak	Quercus falcata	6	1	3	9	Good	
NC-11497	Virginia pine	Pinus virginiana	8	1	4	12	Poor	Reduced crown, vines
NC-11498	Virginia pine	Pinus virginiana	6	1	3	9	Poor	Dying, vines
NC-11499	Virginia pine	Pinus virginiana	5	1	2.5	7.5	Fair	Vines
NC-11500	Southern red oak	Quercus falcata	12	1	6	18	Good	Slightly irregular branching
NC-11501	Virginia pine	Pinus virginiana	6	1	3	9	Good	Some vines
NC-11502	Virginia pine	Pinus virginiana	8	1	4	12	Good	Some dead branches
NC-11503	Virginia pine	Pinus virginiana	7	1	3.5	10.5	Fair	Thin crown. Lean
NC-11504	Virginia pine	Pinus virginiana	7	1	3.5	10.5	Poor	Dead lower branches, lean
NC-11505	Blackgum	Nyssa sylvatica	10, 9	2	5	15	Fair	Twins 10 x 9. Irregular growth form. Dieback in lower canopy
NC-11506	Virginia pine	Pinus virginiana	12	1	6	18	Fair	Vines
NC-11507	Virginia pine	Pinus virginiana	11	1	N/A	N/A	Standing Dead	
NC-11508	Virginia pine	Pinus virginiana	13	1	6.5	19.5	Fair	Lean
NC-11509	Virginia pine	Pinus virginiana	10	1	5	15	Good	Bend in leader. Dead wood in lower canopy
NC-11510	Callery pear	Pyrus calleryana	8, 7, 3, 3	4	4	12	Fair	Multistem trunk 8 x 7 x 3 x 3, Vines
NC-11511	White oak	Quercus alba	17, 15	2	8.5	25.5	Good	Twin trunks 17 x 15
NC-11512	Callery pear	Pyrus calleryana	8	1	4	12	Good	
NC-11513	White oak	Quercus alba	6	1	3	9	Fair	Branch dieback
NC-11514	White oak	Quercus alba	18	1	9	27	Good	Slightly one sided
NC-11515	Virginia pine	Pinus virginiana	8	1	4	12	Fair	Vines
NC-11516	Virginia pine	Pinus virginiana	12, 7	2	6	18	Fair	Twin trunks 12 x 7. Lean. Many broken branches.
NC-11517	Black oak	Quercus velutina	9	1	4.5	13.5	Fair	Thin crown
NC-11518	American holly	Ilex opaca	6	1	3	9	Good	Slightly leaning
NC-11519	Blackgum	Nyssa sylvatica	5	1	2.5	7.5	Fair	One sided
NC-11520	Virginia pine	Pinus virginiana	14	1	7	21	Fair	Significant lean
NC-11521	Virginia pine	Pinus virginiana	6	1	3	9	Poor	Reduced crown, extensive vines
NC-11522	Virginia pine	Pinus virginiana	12	1	6	18	Fair	Significant lean. One-sided.
NC-11523	Blackgum	Nyssa sylvatica	7	1	3.5	10.5	Good	Dead wood in lower canopy and crown
NC-11524	Virginia pine	Pinus virginiana	10, 6	2	5	15	Good	Twin trunks 10 x 6. Dead wood in lower canopy of mainstem
NC-11525	Blackgum	Nyssa sylvatica	10	1	5	15	Good	Dead wood in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11526	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Irregular trunk
NC-11527	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-11528	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Leaning, some dead wood in crown
NC-11529	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	One sided, thin crown
NC-11530	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines in lower branches, one sided
NC-11531	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Some vines
NC-11532	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Some vines
NC-11533	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-11534	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean. Dead wood in lower canopy. Unbalanced
NC-11535	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Some vines
NC-11536	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11537	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Fair	Lean. Interfering crown with standing dead
NC-11538	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-11539	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Split leader. Interfering branches. Thin crown
NC-11540	Virginia pine	<i>Pinus virginiana</i>	7, 6	2	3.5	10.5	Poor	Twin trunks 7 x 6. 6" trunk dead, significant lean, dead branches
NC-11541	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Broken branches, included bark
NC-11542	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11543	White mulberry	<i>Morus alba</i>	11	1	5.5	16.5	Fair	One sided
NC-11544	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	Minor exposed roots
NC-11545	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-11546	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines
NC-11547	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	Some vines
NC-11548	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	One sided, lean, water sprouts
NC-11549	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Significant included bark, irregular crown
NC-11550	Virginia pine	<i>Pinus virginiana</i>	11, 9	2	5.5	16.5	Fair	Twin trunks 11 x 9. Irregular growth form. Dead and broken branches
NC-11551	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Extensive vines, reduced crown
NC-11552	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-11553	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-11554	White mulberry	<i>Morus alba</i>	10	1	5	15	Fair	One sided, lean
NC-11555	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Splits above DBH, included bark
NC-11556	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Broken leader, vines on lower trunk
NC-11557	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor dieback in crown
NC-11558	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead wood in lower canopy
NC-11559	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-11560	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Fair	Broken branches. Dead tree leaning on lower branches
NC-11561	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Some vines
NC-11562	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, lean, vines
NC-11563	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	One sided
NC-11564	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight bend in upper trunk
NC-11565	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	One sided, thin crown
NC-11566	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-11567	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-11568	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean. One sided. Overtopped
NC-11569	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Some dead branches, thin crown, splits above DBH
NC-11570	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Thin crown
NC-11571	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-11572	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Some broken branches
NC-11573	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-11574	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Very thin crown. Dead and broken branches
NC-11575	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Severe lean, vines on lower branches
NC-11576	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-11577	American holly	<i>Ilex opaca</i>	8, 4, 3	3	4	12	Fair	Multistem 8 x 4 x 3. Irregular growth form. Overtopped by neighboring trees
NC-11578	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-11579	Virginia pine	<i>Pinus virginiana</i>	9, 6	2	N/A	N/A	Standing Dead	Twin trunk 9 x 6
NC-11580	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-11581	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Some dead lower branches
NC-11582	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Bend in leader. Dieback and dead wood in lower canopy and crown
NC-11583	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Vines in lower branches. One sided
NC-11584	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, one sided
NC-11585	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean. Dead wood in lower canopy. Thin crown. Dieback in crown
NC-11586	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Thin crown
NC-11587	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Some vines
NC-11588	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-11589	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11590	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-11591	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Poor	Significant lean, nearly horizontal. Dead branches
NC-11592	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-11593	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, one sided
NC-11594	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	One sided. Dead and decaying branches
NC-11595	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11596	Blackgum	<i>Nyssa sylvatica</i>	7, 7	2	3.5	10.5	Good	Twin trunks 7 x 7. Minor trunk wound
NC-11597	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular crown. Many broken branches
NC-11598	Callery pear	<i>Pyrus calleryana</i>	15	1	7.5	22.5	Good	Leaning towards road. Broken branches in lower canopy. Multistem at base, many 1" stems
NC-11599	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-11600	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, lean
NC-11601	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor vines in crown
NC-11602	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-11603	Callery pear	<i>Pyrus calleryana</i>	7, 5	2	3.5	10.5	Fair	Broken branches, one sided, small wound at base. Twin trunks 7 x 5
NC-11604	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, irregular trunk
NC-11605	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-11606	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-11607	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11608	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning. Dead wood in lower canopy. Vines in crown
NC-11609	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11610	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Large dead limb, thin crown
NC-11611	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	Slight lean
NC-11612	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided, irregular trunk
NC-11613	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	Lean, one sided. Splits above DBH
NC-11614	Black oak	<i>Quercus velutina</i>	8	1	4	12	Fair	Broken main leader, secondary leader growing well
NC-11615	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean. Unbalanced crown. Thin crown
NC-11616	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Vines on lower branches
NC-11617	Virginia pine	<i>Pinus virginiana</i>	11, 9	2	5.5	16.5	Fair	Twins 11 x 9. Dead 9" stem twin. Mainstem vines in crown, dead wood
NC-11618	Callery pear	<i>Pyrus calleryana</i>	7, 3	2	3.5	10.5	Fair	Vines on trunk, included bark, many water sprouts. Twin trunks 7 x 3
NC-11619	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor dead wood in lower canopy
NC-11620	Loblolly pine	<i>Pinus taeda</i>	18	1	9	27	Fair	Vines on lower trunk, sapsucker damage
NC-11621	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided, lean
NC-11622	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided
NC-11623	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-11624	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-11625	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Vines in lower canopy
NC-11626	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, vines on branches, trunk wound with sap
NC-11627	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Few broken branches
NC-11628	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11629	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Trunk rot, broken trunk
NC-11630	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Thin crown
NC-11631	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, irregular growth form
NC-11632	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Fair	Large dead branch in canopy. Dieback in lower canopy
NC-11633	Pin oak	<i>Quercus palustris</i>	17	1	8.5	25.5	Good	Some greenbrier on lower branches
NC-11634	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown dieback in crown
NC-11635	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Broken leader. Irregular growth form
NC-11636	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Slight lean
NC-11637	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-11638	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Overtopped, dead branches
NC-11639	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Poor	Very one sided. Leaning. Dead bark on leader. Thin crown.
NC-11640	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Branch dieback in crown and lower canopy. Dead wood in lower canopy. Vines at base
NC-11641	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines on lower branches
NC-11642	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Reduced canopy
NC-11643	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Poor	Appears dead. Trunk rotting, bark sloughing off. A lot of dead wood in lower canopy
NC-11644	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dieback in lower canopy. Dead wood in crown.
NC-11645	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-11646	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Interfering branches. One sided
NC-11647	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Fair	Dead secondary leader, included bark

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11648	Unknown		11	1	N/A	N/A	Standing Dead	
NC-11649	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Dead branch, included bark
NC-11650	Virginia pine	<i>Pinus virginiana</i>	7, 7	2	3.5	10.5	Fair	Twin trunks 7 x 7. Significant lean. Vines on trunk. One sided
NC-11651	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, thin crown
NC-11652	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Minor rotting branches in lower canopy. Gall at base. Exposed roots. Slight lean
NC-11653	Callery pear	<i>Pyrus calleryana</i>	7, 7, 7, 5, 3	5	3.5	10.5	Fair	Multistem trunk 7 x 7 x 7 x 5 x 3, trunk rot
NC-11654	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean. One sided
NC-11655	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-11656	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy branch dieback in crown
NC-11657	Sweetgum	<i>Liquidambar styraciflua</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, significant vines, included bark
NC-11658	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Some dead branches
NC-11659	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	One sided, splits above DBH
NC-11660	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Broken leader. Overtopped by Virginia pine. Gall at base
NC-11661	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Broken leader, few needles remaining
NC-11662	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	One sided
NC-11663	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	trunk
NC-11664	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Large broken limb, overtopped
NC-11665	Crabapple sp.	<i>Malus sp.</i>	5, 3, 2, 2	4	2.5	7.5	Fair	Multistem 5 x 3 x 2 x 2. Significant lean. Vines in crown. Decaying bark at base
NC-11666	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Broken branches. Irregular trunk
NC-11667	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-11668	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Very thin crown. Significant lean
NC-11669	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-11670	Callery pear	<i>Pyrus calleryana</i>	10, 5	2	5	15	Fair	Many sprouts, vines in crown. Twin trunks 10 x 5
NC-11671	Callery pear	<i>Pyrus calleryana</i>	5, 5, 4	3	2.5	7.5	Good	Included bark. Multistem 5 x 5 x 4
NC-11672	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular trunk, lean, vines on lower branches
NC-11673	Southern red oak	<i>Quercus falcata</i>	24	1	12	36	Fair	Lean. Large dead branch
NC-11674	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11675	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines in branches
NC-11676	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-11677	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead secondary leader
NC-11678	Blackgum	<i>Nyssa sylvatica</i>	6, 5	2	3	9	Fair	Twin trunks 6 x 5. 6" has broken leader. Vines in lower canopy. Twin ok
NC-11679	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in canopy. Vines at base
NC-11680	Red maple	<i>Acer rubrum</i>	6, 5	2	N/A	N/A	Standing Dead	Twin trunks 6 x 5
NC-11681	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dying crown
NC-11682	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Overtopped, irregular crown
NC-11683	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-11684	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying leader, vines in crown
NC-11685	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean. Vine at base
NC-11686	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-11687	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-11688	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	canopy
NC-11689	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, lean, thin crown
NC-11690	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Broken branches
NC-11691	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Very one sided. Bent leader
NC-11692	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Dead branches
NC-11693	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-11694	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Slight bend in trunk base
NC-11695	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good	Few dead branches
NC-11696	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning. Dead wood in lower canopy
NC-11697	Unknown		9, 8	2	N/A	N/A	Standing Dead	Twin trunks 9 x 8
NC-11698	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Minor dead wood in crown. Dieback in lower canopy
NC-11699	White oak	<i>Quercus alba</i>	17, 17	2	8.5	25.5	Good	Broken branches. Twin trunks 17 x 17
NC-11700	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader. Dead wood in lower canopy
NC-11701	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Some broken branches
NC-11702	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	Leaning
NC-11703	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-11704	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Severe lean. Thin crown.
NC-11705	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Rotting branches in lower canopy
NC-11706	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-11707	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in crown. Unbalanced crown. Dieback in lower canopy
NC-11708	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-11709	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Splits above DBH. Dead wood in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11710	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Rotting branches in lower canopy. Healed over trunk wound
NC-11711	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in upper trunk. Water sprouts
NC-11712	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning
NC-11713	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Good	
NC-11714	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Dead and broken branches
NC-11715	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Fair	Thin crown, large branch dieback
NC-11716	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Good	Some broken branches
NC-11717	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown. Broken branches. Irregular trunk
NC-11718	Red maple	<i>Acer rubrum</i>	10, 7	2	5	15	Fair	Twin trunks 10 x 7. Trunks twisted above 8 ft. Some included bark and dead branches
NC-11719	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. Broken branches. Irregular trunk
NC-11720	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	Slightly unbalanced. Dead tree leaning on canopy dead wood and vines in crown
NC-11721	Unknown		10	1	N/A	N/A	Standing Dead	
NC-11722	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-11723	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Very thin crown. Significant lean. Greenbrier on lower branches
NC-11724	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Broken branches
NC-11725	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Fair	Lean, broken branches
NC-11726	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form
NC-11727	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning. Bend in leader. Other tree resting on it. Minor vines at base
NC-11728	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader. Moderate dead wood in lower canopy.
NC-11729	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11730	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Some vines
NC-11731	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, healed over trunk wound
NC-11732	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Branch dieback in crown. Thin crown
NC-11733	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood and dieback in crown and lower canopy. Vines in lower canopy. Thin crown
NC-11734	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy
NC-11735	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11736	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-11737	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	
NC-11738	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Split leader
NC-11739	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Interfering with adjacent tree
NC-11740	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader. Moderate dead wood in lower canopy.
NC-11741	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Vines on trunk. Included bark. Secondary leader dead
NC-11742	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11743	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11744	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Some dieback and dead wood in lower canopy. Thin crown
NC-11745	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11746	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean. Dead wood in lower canopy. Dieback in crown. Thin crown
NC-11747	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-11748	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Moderate bend in leader lean. Rotting branches in canopy. Lean
NC-11749	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Heavy branch dieback in crown. Moderate dead wood in lower canopy. No needles in crown
NC-11750	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, dead branches
NC-11751	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Bends in leader. Slight lean
NC-11752	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Thin crown, lean
NC-11753	Northern red oak	<i>Quercus rubra</i>	22	1	11	33	Good	
NC-11754	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Poor branching structure in canopy. Unbalanced crown.
NC-11755	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	One sided
NC-11756	Southern red oak	<i>Quercus falcata</i>	7, 4	2	3.5	10.5	Fair	Split leader, one sided. Twins 7 x 4
NC-11757	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-11758	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Unbalanced and thin crown
NC-11759	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11760	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor vines entering vine. Dead wood in lower canopy
NC-11761	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-11762	Unknown		8	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11763	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean/trunk bent over.
NC-11764	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Moderate dead wood in canopy
NC-11765	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Broken branches, irregular crown
NC-11766	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	Few broken branches
NC-11767	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Fair	Thin crown, water sprouts
NC-11768	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided. Lean. Broken branches
NC-11769	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Broken leader
NC-11770	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Trunk rot, broken trunk
NC-11771	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor dead wood in lower canopy
NC-11772	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Lean. Adjacent tree canopy interfering
NC-11773	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Irregular growth form. Slightly unbalanced crown
NC-11774	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Large branch dieback
NC-11775	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Fair	Several broken branches
NC-11776	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-11777	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11778	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Fair	Lean, broken branches
NC-11779	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-11780	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. Dieback and dead wood in crown and lower canopy.
NC-11781	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11782	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-11783	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-11784	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	Broken branches
NC-11785	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy and crown.
NC-11786	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Dieback in crown
NC-11787	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Interfering branches
NC-11788	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	One sided, broken branches
NC-11789	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Slightly leaning. Some dieback and dead wood in lower canopy
NC-11790	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in crown and lower canopy.
NC-11791	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Heavy dieback in crown. Very thin crown
NC-11792	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Broken branches, one sided, lean
NC-11793	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-11794	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Fair	Many sprouts, vines. Multistem 7 x 6
NC-11795	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Broken leader
NC-11796	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader. Unbalanced crown. dead wood in lower canopy
NC-11797	Callery pear	<i>Pyrus calleryana</i>	8, 7, 4	3	4	12	Good	Multistem trunk 8 x 7 x 4
NC-11798	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Bend in leader. Dead wood in lower canopy.
NC-11799	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Few dead branches
NC-11800	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Dead lower branches
NC-11801	Northern red oak	<i>Quercus rubra</i>	20	1	10	30	Good	Broken lower branches
NC-11802	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Bend in trunk
NC-11803	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-11804	Eastern redcedar	<i>Juniperus virginiana</i>	5, 2	2	2.5	7.5	Good	Twin trunk 5 x 2
NC-11805	Northern red oak	<i>Quercus rubra</i>	8, 6	2	4	12	Fair	6" twin dead, lean. Twin trunks 8 x 6
NC-11806	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-11807	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean. Poor branching structure. Dieback in crown. Thin crown
NC-11808	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-11809	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean. Dead wood in lower canopy. Thin crown
NC-11810	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Dead wood in lower canopy. Minor dieback in crown
NC-11811	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11812	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean. dead wood in lower canopy. Vines at base
NC-11813	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided. Bend in upper trunk
NC-11814	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	Thin crown
NC-11815	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines on lower trunk, one sided
NC-11816	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Dead wood in lower canopy
NC-11817	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean. Dead wood in lower canopy
NC-11818	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	Broken branches
NC-11819	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Thin crown
NC-11820	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-11821	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-11822	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader. irregular growth form. 2" dead stem at base
NC-11823	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown. Minor bend in leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11824	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11825	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in lower canopy. Unbalanced crown. Thin crown
NC-11826	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Unbalanced crown. Vines at base
NC-11827	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-11828	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Vines in crown
NC-11829	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Minor bend in leader. Minor branch dieback and dead wood in crown
NC-11830	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, heavy vines at base
NC-11831	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, broken branches
NC-11832	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Some dead branches
NC-11833	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Significant lean. Branch dieback and dead wood in crown
NC-11834	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Poor	Twin trunks 7 x 3. Smaller twin is dead. Leader dead. Some bark decay
NC-11835	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning, heavy vines at base
NC-11836	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, overtopped
NC-11837	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Thin crown
NC-11838	American beech	<i>Fagus grandifolia</i>	9, 5, 2	3	4.5	13.5	Good	Multistem 9 x 5 x 2
NC-11839	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Minor bend in leader. Minor branch dieback and dead wood in crown
NC-11840	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form, overtopped
NC-11841	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Branches removed in lower canopy, slightly unbalanced crown
NC-11842	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form. One sided
NC-11843	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-11844	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Bend in leader. Dead wood in lower canopy.
NC-11845	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in crown.
NC-11846	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-11847	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	One sided
NC-11848	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Splits above DBH. Included bark
NC-11849	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-11850	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided
NC-11851	Unknown		14	1	N/A	N/A	Standing Dead	
NC-11852	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Minor vines in crown. Dieback in lower canopy
NC-11853	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-11854	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slightly unbalanced crown. Irregular growth form. Dead wood in lower canopy
NC-11855	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular crown
NC-11856	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Unbalanced crown
NC-11857	Unknown		7	1	N/A	N/A	Standing Dead	
NC-11858	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Rotting trunk wound. Branch dieback and dead wood in crown
NC-11859	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-11860	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-11861	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader. Dead wood in lower canopy. Thin crown
NC-11862	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean. Moderate amount dead wood in lower canopy
NC-11863	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Some vines
NC-11864	Callery pear	<i>Pyrus calleryana</i>	7, 4, 4	3	3.5	10.5	Good	Multistem trunk 7 x 4 x 4
NC-11865	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Dead branches
NC-11866	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Broken branches
NC-11867	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Irregular growth form
NC-11868	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead wood in lower canopy. Unbalanced crown
NC-11869	Unknown		10, 5	2	N/A	N/A	Standing Dead	Twin trunks 10 x 5
NC-11870	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean. Vines entering crown. Unbalanced crown
NC-11871	Eastern redcedar	<i>Juniperus virginiana</i>	6, 2	2	3	9	Fair	Twins 6 x 2. Dead wood in lower canopy.
NC-11872	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dieback in crown. Thin crown
NC-11873	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	
NC-11874	White oak	<i>Quercus alba</i>	13, 7, 7	3	6.5	19.5	Fair	One 7" stem dead, one with lean.
NC-11875	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Multistem 13 x 7 x 7
NC-11876	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead wood in lower canopy. Unbalanced crown.
NC-11877	Callery pear	<i>Pyrus calleryana</i>	8, 6, 4, 4, 3	5	4	12	Fair	Lean, irregular trunk
NC-11878	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Many sprouts, vines. Multistem 8 x 6 x 4 x 4 x 3
NC-11879	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown. Minor bend in leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11880	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, heavy vines at base
NC-11881	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Split leader, broken branches
NC-11882	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	2' long trunk wound healing, vines entering into crown, unbalanced crown, leaning towards road
NC-11883	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader. Dead wood in lower canopy. Thin crown
NC-11884	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Splits above DBH and trunks twisted in crown
NC-11885	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Marginal canopy, vines into crown
NC-11886	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	dead wood in lower canopy. Slight lean
NC-11887	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning. Dieback in crown and lower canopy.
NC-11888	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-11889	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Some dead branches
NC-11890	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Heavy vines in lower canopy, dead twin, growing in fence
NC-11891	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Lean. Dead wood in lower canopy
NC-11892	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Moderate dead wood in lower canopy. Lean
NC-11893	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Slightly unbalanced. Dead wood in lower canopy
NC-11894	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	One sided, bent trunk
NC-11895	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, broken branches
NC-11896	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, heavy vines into crown, little crown remains
NC-11897	Unknown		6, 4	2	N/A	N/A	Standing Dead	Twins 6 x 4
NC-11898	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Fair	Broken leaders
NC-11899	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	Thin crown
NC-11900	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-11901	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Viines
NC-11902	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Thin crown
NC-11903	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Bend in leader. Some branch dieback in crown
NC-11904	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-11905	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning. Dieback in crown and lower canopy. Unbalanced crown
NC-11906	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Vines
NC-11907	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean
NC-11908	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Large dead tree leaning on lower branches
NC-11909	Callery pear	<i>Pyrus calleryana</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8
NC-11910	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean. Dead wood in lower canopy. Dieback in crown. Thin crown
NC-11911	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown. Broken branches. Bend in upper trunk
NC-11912	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Thin crown
NC-11913	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Significant lean, trunk decay, thin crown
NC-11914	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown, vines on lower branches
NC-11915	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead wood in canopy
NC-11916	Callery pear	<i>Pyrus calleryana</i>	10, 4, 2	3	5	15	Good	Multistem trunk 10 x 4 x 2
NC-11917	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead wood in lower canopy. Dieback in crown. Thin crown
NC-11918	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, broken branches, vines on lower branches
NC-11919	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Thin crown, bent leader, dead branches
NC-11920	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, irregular trunk
NC-11921	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Unbalanced crown
NC-11922	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form, lean
NC-11923	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean. Bend in leader. Thin crown
NC-11924	Blackgum	<i>Nyssa sylvatica</i>	14	1	7	21	Good	
NC-11925	Willow oak	<i>Quercus phellos</i>	29	1	14.5	43.5	Good	Branch dieback and rotting branches in lower canopy. Exposed roots
NC-11926	White oak	<i>Quercus alba</i>	29	1	14.5	43.5	Good	
NC-11927	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean. Thin crown
NC-11928	Red maple	<i>Acer rubrum</i>	13, 7	2	6.5	19.5	Fair	Twin trunks 13 x 7. Small trunk cavity. Large dead branches
NC-11929	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	Few dead lower branches
NC-11930	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Some dead wood in crown
NC-11931	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Some broken branches
NC-11932	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Heavy vines into crown, bend in leader, leaning towards road, unbalanced crown
NC-11933	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Irregular growth form. Thin crown. Dead wood in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11934	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Dead 3" stem. Standing dead leaning on main stem. Dead wood in crown
NC-11935	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Small cavities at base rotting, branch dieback in crown and lower canopy, vines at base
NC-11936	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Dead wood in lower canopy. Dieback in crown Thin crown
NC-11937	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Bend in leader
NC-11938	Eastern redcedar	<i>Juniperus virginiana</i>	6, 3, 2	3	3	9	Good	Multistem trunk 6 x 3 x 2
NC-11939	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Unbalanced crown, branch dieback in crown and lower canopy, thin crown
NC-11940	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Rotting branches in crown. Branch dieback in crown. Very little crown remains
NC-11941	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown. Thin crown
NC-11942	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Lean. Dead wood in lower canopy. Bends in trunk
NC-11943	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Irregular growth form, lean
NC-11944	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines in crown. Unbalanced. Slight lean
NC-11945	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Broken branches, thin crown
NC-11946	Blackgum	<i>Nyssa sylvatica</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6. Minor bend in both stems. Some dead wood in crown
NC-11947	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-11948	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Lean, bend in upper trunk, trunk wound
NC-11949	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-11950	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-11951	Crabapple sp.	<i>Malus sp.</i>	5	1	2.5	7.5	Fair	Multistem, <5. Minor vines entering crown. Bend in leader at base
NC-11952	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	One sided, overtopped, lean
NC-11953	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Fair	Large cavity rotting, crown looks fine
NC-11954	Bitternut hickory	<i>Carya cordiformis</i>	7	1	3.5	10.5	Good	
NC-11955	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Broken branches
NC-11956	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-11957	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Thin crown. Dead tree leaning on it
NC-11958	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-11959	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-11960	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Minor bend in leader. Dead wood in crown
NC-11961	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Very little foliage, nearly dead
NC-11962	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Thin crown. Broken branches
NC-11963	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Minor bend in leader. Minor vines at base. Branch dieback in crown
NC-11964	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, irregular growth form
NC-11965	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form in crown. Dieback in lower canopy
NC-11966	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided
NC-11967	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Slight lean
NC-11968	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines into crown. Dieback in lower canopy. Thin crown
NC-11969	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Dead wood in lower canopy.
NC-11970	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	One sided, thin growth form
NC-11971	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Minor dieback in crown. Slightly unbalanced crown. Thin crown
NC-11972	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Irregular trunk. Dead and broken branches
NC-11973	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, slight lean, vines at base
NC-11974	Eastern redcedar	<i>Juniperus virginiana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, ingrown fence
NC-11975	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-11976	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead 2-inch stem. Dead wood in crown
NC-11977	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Minor bend in leader. Dieback in crown. Thin crown
NC-11978	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-11979	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Crown nearly dead
NC-11980	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	Some vines
NC-11981	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Slightly unbalanced crown
NC-11982	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, vines on lower branches
NC-11983	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning. Branch dieback in crown and lower canopy. Thin crown
NC-11984	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning branch dieback in crown. Bend in leader
NC-11985	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Leaning, vines overtaking crown
NC-11986	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown, adjacent tree canopy interfering with this tree canopy, rotting branches in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-11987	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Bend in leader. Thin crown.
NC-11988	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Irregular crown growth. Thin crown
NC-11989	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Branch dieback in crown and lower canopy. Very little crown remains
NC-11990	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, broken branches
NC-11991	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader. Thin crown
NC-11992	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	Some broken branches
NC-11993	Scarlet oak	<i>Quercus coccinea</i>	10	1	5	15	Good	Dead lower branches
NC-11994	Unknown		7	1	N/A	N/A	Standing Dead	
NC-11995	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-11996	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dead crown
NC-11997	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular crown, one sided
NC-11998	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Thin crown. Dead tree leaning on it
NC-11999	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Severe lean. Dead branches
NC-12000	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in lower canopy. Dieback in crown. Lean
NC-12001	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Some vines
NC-12002	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Many dead branches
NC-12003	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Some broken branches
NC-12004	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Split leader. Irregular growth form
NC-12005	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branches intertwined in crown, heavy vines into crown, some dead wood in crown
NC-12006	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Water sprouts, thin crown
NC-12007	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-12008	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-12009	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular crown, one sided
NC-12010	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Heavy branch dieback in crown. Little crown remains
NC-12011	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	One sided
NC-12012	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Unbalanced crown, dead lower branches
NC-12013	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, broken branches
NC-12014	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-12015	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-12016	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	One sided, thin crown
NC-12017	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines into crown. Dead wood in lower canopy. Thin crown. Dieback in crown
NC-12018	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	Branch dieback in lower canopy
NC-12019	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Irregular growth form
NC-12020	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown. Dieback in crown
NC-12021	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-12022	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Heavy vines, slight lean, unbalanced crown
NC-12023	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	One sided, dead lower branches
NC-12024	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	Some vines
NC-12025	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-12026	Black oak	<i>Quercus velutina</i>	7	1	3.5	10.5	Good	Thin growth form
NC-12027	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-12028	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Unbalanced crown. Dead branches
NC-12029	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Bend in leader, slight lean, vines entering into crown
NC-12030	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Tree horizontal, roots coming out of ground
NC-12031	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Broken branches
NC-12032	Hawthorn sp.	<i>Crataegus sp.</i>	5	1	2.5	7.5	Fair	Interfering trunks
NC-12033	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-12034	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning. Dead wood in lower canopy. Heavy branch dieback in crown
NC-12035	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Broken lower branches
NC-12036	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Minor dead wood in crown. Dead 3" stem at base
NC-12037	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-12038	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-12039	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, thin crown
NC-12040	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead wood in lower canopy. Dieback in crown
NC-12041	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean. Interfering branches in crown. Slight lean
NC-12042	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Moderate lean. Dead wood in lower canopy.
NC-12043	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Included bark, dead branches. Splits above DBH
NC-12044	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-12045	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	One sided

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12046	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Broken branches. Thin crown. Bend in upper trunk
NC-12047	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular trunk, thin crown
NC-12048	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor dead wood in crown
NC-12049	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Fair	Large branch dieback in crown, leaning towards road, thin crown
NC-12050	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Significant lean. Heavy dieback in crown and lower canopy. Dead wood in lower canopy
NC-12051	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-12052	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Significant lean, heavy vines taking over crown, branch dieback in crown and lower canopy, thin crown
NC-12053	Callery pear	<i>Pyrus calleryana</i>	7, 7, 4, 4	4	3.5	10.5	Good	Multistem trunk 7 x 7 x 4 x 4
NC-12054	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-12055	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-12056	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Minor vines entering into crown, vines at base around trunk
NC-12057	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback in lower canopy and crown. Thin crown
NC-12058	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-12059	Virginia pine	<i>Pinus virginiana</i>	10, 7	2	5	15	Good	Twin trunks 10 x 7. 7" is leaning. Main stem branch dieback in crown. Vines at base
NC-12060	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader. Branch dieback in crown. Thin crown. dead wood in crown
NC-12061	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-12062	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-12063	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Broken branches
NC-12064	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader. Branch dieback in crown. Thin crown
NC-12065	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Few broken branches
NC-12066	Virginia pine	<i>Pinus virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-12067	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Unbalanced. Branch dieback in lower canopy. Some exposed roots
NC-12068	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Heavy branch dieback in crown and lower canopy, vines into crown, little crown remains
NC-12069	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines into crown, branch dieback in crown, unbalanced crown
NC-12070	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Broken branches
NC-12071	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Slight unbalanced crown. Vines entering crown
NC-12072	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Irregular growth form. Dead and broken branches
NC-12073	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-12074	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	One sided
NC-12075	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, broken branches, slight lean
NC-12076	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Slight lean
NC-12077	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-12078	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-12079	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-12080	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-12081	Sweetgum	<i>Liquidambar styraciflua</i>	9, 8	2	4.5	13.5	Fair	Slight lean, twin trunks 9 x 8, unbalanced crown
NC-12082	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Thin crown, large branch dieback in crown
NC-12083	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate dead wood in lower canopy. Vines at base
NC-12084	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Large dead lower branch, thin crown
NC-12085	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12086	Unknown		6	1	N/A	N/A	Standing Dead	
NC-12087	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Crown nearly dead
NC-12088	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-12089	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Small trunk wound, lean
NC-12090	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor bend in leader. Minor vines at base. Dieback in lower canopy
NC-12091	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Slight lean, heavy vines taking over crown, branch dieback in crown and lower canopy, thin crown
NC-12092	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Thin crown, branch dieback
NC-12093	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Broken and rotting branches in crown. Unbalanced crown
NC-12094	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Lean. Branch dieback in crown and lower canopy. Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12095	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dead leader/crown
NC-12096	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Thin crown
NC-12097	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Dead wood in crown and lower canopy. Dieback in crown. Thin crown
NC-12098	Virginia pine	<i>Pinus virginiana</i>	8, 8	2	4	12	Poor	Twin trunks 8 x 8, one of the stems is broken and overtaken by vines, heavy vines into crown of mainstem
NC-12099	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-12100	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-12101	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning, heavy vines into crown, branch dieback in crown and lower canopy, thin crown
NC-12102	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning
NC-12103	Unknown		7	1	N/A	N/A	Standing Dead	
NC-12104	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-12105	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Broken leaders
NC-12106	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, branch dieback and dead wood in crown and lower canopy, vines overtaking crown
NC-12107	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-12108	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Split leader, included bark
NC-12109	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-12110	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Broken crown, dead branches
NC-12111	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Split trunk
NC-12112	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Poor	Many broken branches, thin crowns. Splits above DBH
NC-12113	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12114	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-12115	Eastern redcedar	<i>Juniperus virginiana</i>	11, 3	2	5.5	16.5	Good	Twin trunk 11 x 3
NC-12116	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in crown. Leaning towards road. Thin crown. Dead wood in lower canopy
NC-12117	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-12118	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-12119	Unknown		8	1	N/A	N/A	Standing Dead	
NC-12120	Red maple	<i>Acer rubrum</i>	13, 13	2	6.5	19.5	Good	Twin trunks 13 x 13. Some included bark and slight lean
NC-12121	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches
NC-12122	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Branch dieback in crown. Minor vines entering crown
NC-12123	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Bend in leader, leaning, heavy vines into crown
NC-12124	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Unbalanced crown. Some dead wood in crown and lower canopy
NC-12125	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning. Branch dieback in crown and lower canopy. Thin crown
NC-12126	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Branch dieback in crown. Minor bend in leader. Thin crown
NC-12127	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead twin
NC-12128	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, vines into crown
NC-12129	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Rotting branches in canopy. Slight lean. Exposed roots.
NC-12130	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Branch dieback in crown and lower canopy, slight lean towards road, thin crown
NC-12131	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-12132	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-12133	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Very thin crown. Heavy branch dieback in lower canopy and crown.
NC-12134	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Thin crown
NC-12135	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Some broken branches
NC-12136	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Branch dieback in lower canopy. Minor vines entering crown
NC-12137	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Poor	Broken leader
NC-12138	Pignut hickory	<i>Carya glabra</i>	6	1	3	9	Good	
NC-12139	Black cherry	<i>Prunus serotina</i>	9, 8	2	4.5	13.5	Poor	vines into crown, branch dieback in crown and lower canopy, bend in leader at base
NC-12140	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	Dead lower branches
NC-12141	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dieback in crown. Dead wood in lower canopy. Thin crown
NC-12142	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning, vines into crown
NC-12143	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dieback in crown and lower canopy. Thin crown
NC-12144	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12145	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean. Heavy dieback in crown. Thin crown
NC-12146	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Dieback in lower canopy. Exposed roots. Thin crown
NC-12147	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Large branch dieback in crown
NC-12148	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-12149	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Moderate lean towards road, unbalanced crown
NC-12150	Sweetgum	<i>Liquidambar styraciflua</i>	10, 10	2	5	15	Fair	Included bark, one sided. Twin trunks 10 x 10
NC-12151	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	Broken lower branches
NC-12152	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular trunk, dead lower branches
NC-12153	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches, thin crown
NC-12154	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Leaning. Dead wood in lower canopy. Thin crown
NC-12155	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Minor vines in crown
NC-12156	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Bend in leader, water sprouts, thin crown
NC-12157	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, broken branches
NC-12158	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Lean
NC-12159	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Slight bend in leader, vines into crown
NC-12160	Virginia pine	<i>Pinus virginiana</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6. Both stems have dieback in crown. Thin crowns
NC-12161	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Broken branches
NC-12162	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	lower canopy. Dieback in crown. Thin crown
NC-12163	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Overtopped, irregular trunk
NC-12164	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12165	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Bend in leader, branch dieback in crown
NC-12166	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown, vines into crown
NC-12167	Black locust	<i>Robinia pseudoacacia</i>	8, 7	2	4	12	Fair	leaning towards road. Minor vines at base
NC-12168	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Irregular trunk
NC-12169	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-12170	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Minor dieback in lower canopy
NC-12171	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-12172	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning. Branch dieback in crown and lower canopy. Thin crown
NC-12173	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-12174	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-12175	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Dead lower branches
NC-12176	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight bend in leader. Branch dieback in lower canopy. Trunk wound
NC-12177	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Thin crown
NC-12178	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown, small healed trunk wound
NC-12179	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Minor vines in crown. Lean. Thin crown
NC-12180	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Large branch dieback in crown and lower canopy, leaning towards road, unbalanced crown
NC-12181	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-12182	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-12183	Southern red oak	<i>Quercus falcata</i>	13, 11	2	6.5	19.5	Good	Twin trunks 13 x 11
NC-12184	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Minor branch dieback in lower canopy
NC-12185	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-12186	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-12187	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown. Thin crown
NC-12188	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, bend in leader, branch dieback in crown and lower canopy
NC-12189	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Leaning, thin crown
NC-12190	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	Bend in leader
NC-12191	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-12192	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	One sided
NC-12193	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Leaning. Unbalanced crown
NC-12194	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Leaning. Branch dieback in crown
NC-12195	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Dead leader, rotting branches and dead wood in crown, vines into crown, leaning
NC-12196	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-12197	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Slight lean, branch dieback in lower canopy
NC-12198	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, thin crown
NC-12199	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-12200	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Large branch dieback in crown and lower canopy, leaning towards road, unbalanced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12201	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean. Branch dieback in crown. Thin crown
NC-12202	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-12203	Red maple	<i>Acer rubrum</i>	6, 6	2	3	9	Fair	Twin trunks 6 x 6, cavity at base
NC-12204	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Broken leader. Vines, broken branches in lower canopy. Rotting leader
NC-12205	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-12206	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	Minor branch dieback in lower canopy
NC-12207	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-12208	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	One sided
NC-12209	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-12210	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in canopy. Slight lean. Thin crown
NC-12211	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided
NC-12212	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Broken branches
NC-12213	Virginia pine	<i>Pinus virginiana</i>	10, 6	2	5	15	Fair	Twin trunks 10 x 6, leaning, branch dieback in lower canopy, vines entering into crown
NC-12214	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Branch dieback in lower canopy, vines into crown
NC-12215	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Bend in leader. Vines entering canopy.
NC-12216	Sweetgum	<i>Liquidambar styraciflua</i>	10, 4	2	5	15	Fair	One sided, lean, 4" leader dead. Twin trunks 10 x 4
NC-12217	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	One sided
NC-12218	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, branch dieback in crown and lower canopy
NC-12219	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Heavy vines into crown, branch dieback in crown and lower canopy, thin unbalanced crown
NC-12220	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Unbalanced crown, vines into crown
NC-12221	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, one sided
NC-12222	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	One sided
NC-12223	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Lean, one sided
NC-12224	Virginia pine	<i>Pinus virginiana</i>	10, 4	2	5	15	Fair	Twin trunks 10 x 4. Slight lean. Large branch dead. Twin dead. Minor branch dieback in canopy
NC-12225	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Minor vines in crown. Lean. Thin crown
NC-12226	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, one sided
NC-12227	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy branch dieback in crown and lower canopy. Very little crown remains
NC-12228	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Branch dieback in lower canopy, slight bend in leader
NC-12229	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-12230	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	One sided
NC-12231	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, reaction wood developed at base to stabilize tree
NC-12232	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean and bend in leader, vines into crown, branch dieback in lower canopy
NC-12233	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-12234	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Branch dieback in crown. Thin crown
NC-12235	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Bend in upper trunk
NC-12236	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Gummosis observed on trunk, branch dieback in lower canopy, unbalanced crown
NC-12237	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, irregular growth form
NC-12238	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Severe lean. Branch dieback in lower canopy.
NC-12239	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	Unbalanced crown
NC-12240	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	Minor vines
NC-12241	Black locust	<i>Robinia pseudoacacia</i>	11	1	5.5	16.5	Fair	Slight lean. Heavily pruned. Minor vines in crown
NC-12242	Virginia pine	<i>Pinus virginiana</i>	6, 4, 3	3	N/A	N/A	Standing Dead	Multistem 6 x 4 x 3
NC-12243	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown
NC-12244	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-12245	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy vines into crown, slight lean, bend in leader
NC-12246	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown, overtopped
NC-12247	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Heavy vines into crown, branch dieback in crown and lower canopy, thin crown
NC-12248	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Branch dieback in crown and lower canopy, leaning, poor branching structure, thin crown
NC-12249	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slight lean, branch dieback in crown and lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12250	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Unbalanced crown. Vines entering crown. Dead wood in lower canopy
NC-12251	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown
NC-12252	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Fair	Leaning, unbalanced crown
NC-12253	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-12254	Virginia pine	<i>Pinus virginiana</i>	12, 4, 3	3	6	18	Fair	Triple trunks 12 x 4 x 3, heavy vines into crown of all stems, dead wood in crown
NC-12255	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Branch dieback in crown. Thin crown
NC-12256	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular trunk, vines in lower trunk
NC-12257	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	One sided
NC-12258	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Significant lean. Branch dieback.
NC-12259	Red maple	<i>Acer rubrum</i>	5, 2	2	2.5	7.5	Poor	Twin trunks 5 x 2. Large branch removed. Large cavity in trunk. Vines in crown. Twin in ok shape
NC-12260	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-12261	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Thin crown. One sided
NC-12262	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader. Leaning towards road. Thin crown
NC-12263	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-12264	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-12265	Unknown		6	1	N/A	N/A	Standing Dead	
NC-12266	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-12267	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Many dead branches
NC-12268	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean. Heavy branch dieback in crown. Thin and unbalanced in crown
NC-12269	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Leaning towards road, large branch dieback and dead wood in crown and lower canopy
NC-12270	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Split leader, included bark
NC-12271	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12272	Hawthorn sp.	<i>Crataegus sp.</i>	5, 4, 3	3	2.5	7.5	Poor	Multistem 5 x 4 x 3. Smaller stems dead. Rotting bark on trunk. Leaders broken
NC-12273	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Severe lean. Thin crown
NC-12274	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-12275	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Dying and dead aging leader
NC-12276	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	One sided, lean
NC-12277	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-12278	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-12279	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Vines in crown. Unbalanced.
NC-12280	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-12281	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-12282	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead 4" sucker
NC-12283	Sweetgum	<i>Liquidambar styraciflua</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, broken smaller leader, one sided
NC-12284	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Vines in crown and on trunk.
NC-12285	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown. Broken branches
NC-12286	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines in crown, unbalanced, heavy branch dieback in crown
NC-12287	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, vines into crown
NC-12288	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. Lean
NC-12289	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Branch dieback and dead wood in crown. Thin crown
NC-12290	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-12291	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Minor vines
NC-12292	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	One sided
NC-12293	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Lean, one sided, broken branches
NC-12294	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided. Interfering crown with cedar
NC-12295	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, lean
NC-12296	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Rotting branches in lower canopy. Poor branching structure in crown. Two 2-inch stems
NC-12297	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. One sided. Overtopped
NC-12298	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	One inch stem. Rotting cavity in trunk. Poor branching structure in crown
NC-12299	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown. Broken branches
NC-12300	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Poor branching structure. Slight lean. Exposed roots
NC-12301	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-12302	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular trunk, vines in lower branches
NC-12303	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown
NC-12304	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in upper trunk, lean
NC-12305	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning towards road. Dead wood in crown
NC-12306	Virginia pine	<i>Pinus virginiana</i>	8, 5	2	4	12	Fair	Significant lean, one sided. Twin trunks 8 x 5

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12307	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Split leader
NC-12308	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Heavy vines at base entering into crown
NC-12309	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Thin crown, large dead branch
NC-12310	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Unbalanced crown
NC-12311	Callery pear	<i>Pyrus calleryana</i>	8, 3, 2	3	4	12	Fair	Multistem 8 x 3 x 2. Vines growing into crown. Broken branches
NC-12312	Unknown		6	1	N/A	N/A	Standing Dead	
NC-12313	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Rotting branches in lower canopy.
NC-12314	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Branch dieback in crown. Thin crown.
NC-12315	Red maple	<i>Acer rubrum</i>	12, 9	2	6	18	Fair	One sided, dead lower branches
NC-12316	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Twin trunks 12 x 9, poor branching structure, vines entering crown
NC-12317	Virginia pine	<i>Pinus virginiana</i>	14, 4	2	7	21	Fair	One sided
NC-12318	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Twin trunks 14 x 4, slight bend in leader, heavy vines into crown
NC-12319	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, dead lower branches
NC-12320	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, thin crown
NC-12321	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	One sided, dead lower branches
NC-12322	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Slightly thin crown
NC-12323	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Lean
NC-12324	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning. Heavy vines in crown. Cavity at base of trunk (healing). Branch dieback
NC-12325	Red maple	<i>Acer rubrum</i>	5, 5	2	2.5	7.5	Poor	Leaning towards road. Trunk wound at base. Exposed roots
NC-12326	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Twin trunks 5 x 5. Twin dead. Leader almost dead on other. Heavy branch dieback in crown
NC-12327	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Heavy vines overtaking crown, heavy branch dieback in crown, little crown remains
NC-12328	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Irregular growth form
NC-12329	Sweetgum	<i>Liquidambar styraciflua</i>	12, 9	2	6	18	Fair	Branch dieback in crown and lower canopy, vines into crown, leaning, thin crown
NC-12330	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Twin trunks 12 x 9. Vines in crown. Broken/dead branches. Branch dieback
NC-12331	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown. One sided.
NC-12332	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown
NC-12333	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Branch dieback in crown and lower canopy, thin crown, slight lean
NC-12334	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Many vines
NC-12335	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Significant lean, one sided
NC-12336	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Irregular growth form
NC-12337	White oak	<i>Quercus alba</i>	6, 6, 4	3	3	9	Good	Slight lean, vines entering into crown
NC-12338	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Multistem 6 x 6 x 4, water sprouts
NC-12339	Eastern redcedar	<i>Juniperus virginiana</i>	7, 6, 3	3	3.5	10.5	Good	
NC-12340	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Multistem 7 x 6 x 3
NC-12341	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided
NC-12342	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Branch dieback in crown and lower canopy, thin crown, slight lean, slight bend in leader
NC-12343	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Broken leader, one sided
NC-12344	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Dead lower branches
NC-12345	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided
NC-12346	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Lean, one sided
NC-12347	Bigtooth aspen	<i>Populus grandidentata</i>	5	1	2.5	7.5	Good	Vines
NC-12348	Bigtooth aspen	<i>Populus grandidentata</i>	6	1	3	9	Fair	One sided
NC-12349	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	One sided, lean
NC-12350	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Significant lean towards road, branch dieback in crown and lower canopy
NC-12351	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Fair	Bend in leader, minor cavity at base healing
NC-12352	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Large 4' long cavity at base rotting, poor branching structure, leaning
NC-12353	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	One sided, thin crown
NC-12354	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	Some vines
NC-12355	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Fair	3' long cavity rotting, leader twisted with/leaning on adjacent tree
NC-12356	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Irregular growth form, thin crown
NC-12357	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, one sided, broken branches
NC-12358	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	Thin crown
NC-12359	Bigtooth aspen	<i>Populus grandidentata</i>	5	1	2.5	7.5	Fair	One sided, lean
NC-12360	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12361	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown and lower canopy, thin crown
NC-12362	Callery pear	<i>Pyrus calleryana</i>	16, 10, 8	3	8	24	Good	Multistem trunk 16 x 10 x 8
NC-12363	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Lean, one sided, broken branches
NC-12364	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-12365	Blackgum	<i>Nyssa sylvatica</i>	14	1	7	21	Fair	Has a rotting stem, leader twisted with/leaning into adjacent tree
NC-12366	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Lean, one sided, broken branches
NC-12367	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines on lower trunk. One sided
NC-12368	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	One sided, broken branches
NC-12369	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy, many vines
NC-12370	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Broken leader, broken branches
NC-12371	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-12372	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-12373	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Branch dieback and dead wood in lower canopy
NC-12374	Bigtooth aspen	<i>Populus grandidentata</i>	6	1	3	9	Fair	Irregular growth form
NC-12375	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vine on trunk, overtopped
NC-12376	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-12377	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-12378	Eastern redcedar	<i>Juniperus virginiana</i>	5, 3	2	2.5	7.5	Fair	Dead 3" twin. Vines on lower branches
NC-12379	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Branch dieback in crown and lower canopy, vines into crown, slight lean, thin crown
NC-12380	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vine on trunk, thin canopy
NC-12381	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-12382	Callery pear	<i>Pyrus calleryana</i>	9, 4	2	4.5	13.5	Fair	Twin trunks 9 x 4. Vines in lower branches. Included bark. Dead branches
NC-12383	Black cherry	<i>Prunus serotina</i>	7, 5	2	3.5	10.5	Fair	Severe lean, thin crown, twin trunks 7 x 5, 5" stem is dead
NC-12384	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, few dead branches
NC-12385	Eastern redcedar	<i>Juniperus virginiana</i>	6, 5, 4	3	3	9	Fair	Multistem 6 x 5 x 4. Vines in lower branches. Thin crown
NC-12386	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Poor	Dead leader. Vines in crown
NC-12387	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Fair	Irregular growth form, branch dieback in crown and lower canopy, leaning towards road
NC-12388	Eastern redcedar	<i>Juniperus virginiana</i>	8, 3	2	4	12	Fair	Twin trunks 8 x 3, 3" stem overtaken by vines, heavy branch dieback in crown of mainstem
NC-12389	Mockernut hickory	<i>Carya tomentosa</i>	7	1	3.5	10.5	Good	Slight lean
NC-12390	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Fair	Very heavy vines on trunk. Large dead branches
NC-12391	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Heavy vines overtaking crown, little crown remains
NC-12392	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	Minor vines
NC-12393	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-12394	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Many dead branches. Resprouting from dead leader
NC-12395	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-12396	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Overtopped. Bend in leader. Dead wood in lower canopy. 5" stem removed. Base leaning towards road
NC-12397	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vine on trunk and in canopy. Dead and broken branches
NC-12398	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, one sided
NC-12399	Virginia pine	<i>Pinus virginiana</i>	11, 11	2	5.5	16.5	Fair	Twin trunks 11 x 11, branch dieback in lower canopy of both stems, poor branching structure
NC-12400	Bitternut hickory	<i>Carya cordiformis</i>	8	1	4	12	Good	
NC-12401	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-12402	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Dead wood in lower canopy. Large stem removed adjacent
NC-12403	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	One sided, dead lower branches
NC-12404	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Good	Large branch removed at base
NC-12405	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Dead wood in lower canopy
NC-12406	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Branch dieback in crown, unbalanced crown
NC-12407	Sweetgum	<i>Liquidambar styraciflua</i>	5, 5, 3	3	2.5	7.5	Fair	Multistem 5 x 5 x 3. Vines growing into crown. Broken branches
NC-12408	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Irregular trunk, one sided, dead lower branches
NC-12409	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Fair	Vines in crown. Broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12410	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Heavy vines at base entering into crown, thin crown due to interference from adjacent tree canopy
NC-12411	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	Minor vines
NC-12412	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaning, branch dieback and dead wood in lower canopy
NC-12413	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Fair	Leaning, thin crown
NC-12414	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Interfering with adjacent tree.
NC-12415	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	Exposed roots, adjacent to trail
NC-12416	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning. Dead wood in lower canopy. Thin crown
NC-12417	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Good	
NC-12418	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Bittersweet and honeysuckle in crown. Split trunk. Included bark. Damage at split.
NC-12419	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown. Broken branches
NC-12420	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, dead branches
NC-12421	Black cherry	<i>Prunus serotina</i>	5	1	N/A	N/A	Standing Dead	
NC-12422	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12423	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Some broken branches
NC-12424	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Vines in branches. Broken branches
NC-12425	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Fair	Bend in leader, vines into crown
NC-12426	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12427	Sweetgum	<i>Liquidambar styraciflua</i>	10, 9, 7	3	5	15	Fair	Multistem 10 x 9 x 7. Vines in crown. Several dead branches
NC-12428	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12429	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Broken leaders
NC-12430	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Poor	Many broken leaders, vines
NC-12431	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Trunk wounds and cavity at base healing some decay in cavity, thin crown
NC-12432	Flowering dogwood	<i>Cornus florida</i>	6, 3	2	3	9	Fair	Twin trunks 6 x 3, vines into crown, poor branching structure
NC-12433	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Large cavity at base rotting, thin crown
NC-12434	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in crown
NC-12435	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	Broken branches. Interfering crown with adjacent tree
NC-12436	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines on trunk growing into crown
NC-12437	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Fair	Broken leaders, trunk damage
NC-12438	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-12439	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-12440	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy vines at base entering into crown, branch dieback in lower canopy, unbalanced crown
NC-12441	Common persimmon	<i>Diospyros virginiana</i>	13	1	6.5	19.5	Good	
NC-12442	Unknown		6	1	N/A	N/A	Standing Dead	
NC-12443	Sweetgum	<i>Liquidambar styraciflua</i>	8, 7	2	4	12	Good	Healed over basal wound. Twin trunks 8 x 7
NC-12444	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Some large dead branches.
NC-12445	Scarlet oak	<i>Quercus coccinea</i>	8	1	4	12	Good	Thin crown
NC-12446	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Thin crown, splits above DBH
NC-12447	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Branch dieback and rotting wood in lower canopy, vines at base entering into crown
NC-12448	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Poor	Heavy vines in crown
NC-12449	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Good	
NC-12450	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-12451	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines into crown, rotting branches in lower canopy
NC-12452	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Twin, 8. Heavy vines into crown. Poor branching structure
NC-12453	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in lower branches
NC-12454	Eastern redcedar	<i>Juniperus virginiana</i>	8, 5, 2	3	4	12	Good	Multistem trunk 8 x 5 x 2
NC-12455	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12456	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines into crown, slight lean, branch dieback in crown
NC-12457	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-12458	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Branch dieback in crown, unbalanced crown, vines into crown
NC-12459	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in lower branches
NC-12460	Red maple	<i>Acer rubrum</i>	6, 4	2	3	9	Fair	Vines in lower canopy. Twin trunks 6 x 4
NC-12461	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12462	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Nearly dead leader
NC-12463	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Fair	Large branch dieback in crown
NC-12464	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Heavy vines on trunk. One sided. Bend in upper trunk
NC-12465	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Fair	Leaning, unbalanced crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12466	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Fair	5" twin nearly dead. Twin trunks 7 x 5
NC-12467	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	One sided. Broken branches
NC-12468	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-12469	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Large dead branches.
NC-12470	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12471	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Some included bark
NC-12472	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Reduced crown
NC-12473	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	Some vines in lower branches
NC-12474	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in crown
NC-12475	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Lean and overtopped by vines in crown
NC-12476	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	One sided
NC-12477	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Leaning
NC-12478	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-12479	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines in lower branches
NC-12480	Callery pear	<i>Pyrus calleryana</i>	7, 6, 4, 3	4	3.5	10.5	Fair	Multistem 7 x 6 x 4 x 3. Included bark. Broken branches
NC-12481	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-12482	Callery pear	<i>Pyrus calleryana</i>	5, 4	2	2.5	7.5	Fair	Multistem trunk 5 x 4, vines
NC-12483	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean. Vines in crown
NC-12484	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines in crown
NC-12485	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	One sided. Vines in lower branches
NC-12486	Sweetgum	<i>Liquidambar styraciflua</i>	7, 6, 5	3	3.5	10.5	Fair	Multistem 7 x 6 x 5. Vines in lower branches
NC-12487	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12488	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Overtopped by vines
NC-12489	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	Some broken branches
NC-12490	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Very small leaves, Branch dieback
NC-12491	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Large 3' long cavity at base rotting, crown looks fine
NC-12492	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines in crown. Thin crown
NC-12493	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines on trunk. Dead and broken branches
NC-12494	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided. Vines in crown
NC-12495	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines in crown
NC-12496	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-12497	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-12498	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	Vines
NC-12499	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying leader and overtopped by vines
NC-12500	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines in crown
NC-12501	Callery pear	<i>Pyrus calleryana</i>	9, 4	2	4.5	13.5	Good	Twin trunk 9 x 4
NC-12502	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Thin crown. Broken branches
NC-12503	Blackgum	<i>Nyssa sylvatica</i>	6, 6	2	3	9	Poor	Vines in crown, dead leader. Twin trunks 6 x 6
NC-12504	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Thin crown. Vines in crown
NC-12505	Callery pear	<i>Pyrus calleryana</i>	13	1	6.5	19.5	Fair	Vines in crown. Broken branches
NC-12506	Pin oak	<i>Quercus palustris</i>	5, 5	2	2.5	7.5	Fair	Multistem trunk 5 x 5, many vines
NC-12507	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-12508	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Poor	Main trunk rotting. Overtopped by vines
NC-12509	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, broken lower branches
NC-12510	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Many vines in lower branches
NC-12511	Pignut hickory	<i>Carya glabra</i>	14	1	7	21	Good	Minor low branch dieback
NC-12512	Scarlet oak	<i>Quercus coccinea</i>	14	1	7	21	Good	Thin crown
NC-12513	Sweetgum	<i>Liquidambar styraciflua</i>	10, 10	2	5	15	Good	Twin trunks 10 x 10. Some included bark
NC-12514	Callery pear	<i>Pyrus calleryana</i>	11, 9	2	5.5	16.5	Fair	Twin trunks 11 x 9. Vines in crown. Included bark
NC-12515	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines in crown
NC-12516	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines in crown
NC-12517	Sweetgum	<i>Liquidambar styraciflua</i>	10, 7	2	5	15	Fair	Twin trunks 10 x 7. Heavy vines on 10 in twin. Broken branches
NC-12518	Pine sp.	<i>Pinus sp.</i>	19	1	N/A	N/A	Standing Dead	
NC-12519	Callery pear	<i>Pyrus calleryana</i>	6, 4, 3	3	3	9	Poor	Multistem 6 x 4 x 3. Interfering branches. Included bark. Vines on trunk
NC-12520	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	Minor vines
NC-12521	Unknown		12	1	N/A	N/A	Standing Dead	
NC-12522	Common persimmon	<i>Diospyros virginiana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-12523	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12524	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Dying leader. Overtopped by vines
NC-12525	Callery pear	<i>Pyrus calleryana</i>	20	1	10	30	Good	
NC-12526	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken leaders
NC-12527	Red maple	<i>Acer rubrum</i>	8, 7, 2	3	4	12	Fair	Included bark, broken branches. Multistem 8 x 7 x 2
NC-12528	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor branch dieback in crown
NC-12529	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-12530	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Fair	Many vines
NC-12531	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Few dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12532	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk and into crown
NC-12533	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Heavy vines in crown
NC-12534	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in lower branches and into crown
NC-12535	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines, broken branches
NC-12536	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided. Vines in lower branches
NC-12537	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	
NC-12538	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-12539	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-12540	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-12541	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-12542	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	Thin crown
NC-12543	Unknown		12	1	N/A	N/A	Standing Dead	
NC-12544	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-12545	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-12546	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-12547	Sweetgum	<i>Liquidambar styraciflua</i>	14, 8	2	7	21	Good	Twin trunk 14 x 8
NC-12548	Red maple	<i>Acer rubrum</i>	14, 11	2	7	21	Fair	Twin trunks 14 x 11, another stem above DBH, adjacent standing dead leaning on 11" stem, large stem removed at base starting to rot
NC-12549	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-12550	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	
NC-12551	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Broken branches, greenbrier at base
NC-12552	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, dead lower branches
NC-12553	Oak sp.	<i>Quercus sp.</i>	5	1	N/A	N/A	Standing Dead	
NC-12554	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-12555	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Fair	Twin trunk 5 x 5, leaning, vines
NC-12556	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Heavy vines, broken secondary leader
NC-12557	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-12558	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-12559	Unknown		5	1	N/A	N/A	Standing Dead	
NC-12560	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-12561	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines in lower canopy, thin crown
NC-12562	Sweetgum	<i>Liquidambar styraciflua</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-12563	Callery pear	<i>Pyrus calleryana</i>	12	1	6	18	Fair	Leaning
NC-12564	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	One sided
NC-12565	American elm	<i>Ulmus americana</i>	10, 7	2	5	15	Good	Twin trunk 10 x 7
NC-12566	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Severe lean, large branch dieback in crown
NC-12567	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-12568	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12569	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12570	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12571	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Poor	Dying, leaning
NC-12572	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Dying crown, vines in lower canopy
NC-12573	Common persimmon	<i>Diospyros virginiana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5 minor vines
NC-12574	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12575	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines into crown, slight bend in leader, unbalanced crown
NC-12576	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Dead lower branches, thin crown
NC-12577	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-12578	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Some exposed roots
NC-12579	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Irregular growth form, vines on lower branches
NC-12580	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-12581	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Some large dead branches
NC-12582	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-12583	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Vines into crown, bend in leader, unbalanced crown
NC-12584	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Poor	Dead and decaying leader, some trunk decay
NC-12585	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	N/A	N/A	Standing Dead	
NC-12586	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Fair	Vines
NC-12587	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines on trunk
NC-12588	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12589	American elm	<i>Ulmus americana</i>	17	1	8.5	25.5	Fair	Significant lean, vines on lower branches
NC-12590	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-12591	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Leaning, dead branches
NC-12592	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Lean, vines on trunk
NC-12593	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-12594	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Broken leaders
NC-12595	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Irregular growth form, vines on lower branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12596	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	low branch dieback, severe lean, dead wood in crown, leaning against chain link fence
NC-12597	Virginia pine	<i>Pinus virginiana</i>	5	1	N/A	N/A	Standing Dead	
NC-12598	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Broken branches
NC-12599	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	One sided, slight lean
NC-12600	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-12601	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-12602	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12603	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Fair	Heavy vines into crown, low branch dieback
NC-12604	Callery pear	<i>Pyrus calleryana</i>	8, 8, 6, 6	4	4	12	Good	Multistem trunk 8 x 8 x 6 x 6
NC-12605	Callery pear	<i>Pyrus calleryana</i>	5, 2, 1	3	2.5	7.5	Fair	Multistem trunk 5 x 2 x 1, broken leader
NC-12606	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Fair	Leaning, bend in leader, vines into crown
NC-12607	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Broken branches, vines
NC-12608	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	One sided, lean
NC-12609	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Significant lean, vines into crown, heavy branch dieback in crown, adjacent tree growing into base of trunk
NC-12610	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines on lower branches
NC-12611	Sweetgum	<i>Liquidambar styraciflua</i>	12, 8	2	6	18	Fair	Twin trunks 12 x 8, poor branching structure, branch dieback in crown
NC-12612	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Irregular growth form, slight lean
NC-12613	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12614	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Some included bark
NC-12615	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in upper trunk
NC-12616	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Broken branches
NC-12617	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Fair	Irregular growth form, unbalanced crown
NC-12618	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Leaning, vines
NC-12619	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Heavy vines taking over crown, bend in leader, significant lean
NC-12620	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-12621	Unknown		8	1	N/A	N/A	Standing Dead	
NC-12622	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Few vines on trunk
NC-12623	Red maple	<i>Acer rubrum</i>	16, 12	2	8	24	Fair	Twin trunks 16 x 12, large branch removed on mainstem, both stems are slightly leaning
NC-12624	Callery pear	<i>Pyrus calleryana</i>	8, 6	2	4	12	Fair	Twin trunk 6 x 8, vines
NC-12625	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, heavy vines taking over crown
NC-12626	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, broken branches
NC-12627	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Leaning, vines into crown, bend in leader, unbalanced crown
NC-12628	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Broken branches
NC-12629	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaning, thin crown, low branch dieback
NC-12630	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Many broken branches
NC-12631	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Good	Slight lean
NC-12632	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Irregular trunk
NC-12633	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Slight lean, thin and unbalanced crown
NC-12634	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Trunk damage
NC-12635	White oak	<i>Quercus alba</i>	8	1	4	12	Poor	Thin crown, bend in leader, rotting bark, rotting limbs, branch dieback in crown
NC-12636	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-12637	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown, some broken branches
NC-12638	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Leaning bend in leader, unbalanced crown, branch dieback in crown
NC-12639	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Poor	Broken leader
NC-12640	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Fair	Twin trunk 5 x 5, broken branches
NC-12641	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Large branch removed healing
NC-12642	Cherry sp.	<i>Prunus sp.</i>	10	1	5	15	Poor	Nearly dead, leaning, severe bend in leader, vines into crown, heavy branch dieback in crown
NC-12643	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Slight lean, exposed roots, unbalanced crown
NC-12644	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Irregular crown
NC-12645	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Vines, dying
NC-12646	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Large branch removed rotting at site of removal, slight lean, thin crown
NC-12647	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, irregular growth form, unbalanced crown
NC-12648	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Bend in leader, leaning, thin crown, branch dieback in crown
NC-12649	Callery pear	<i>Pyrus calleryana</i>	9, 8, 7	3	4.5	13.5	Good	Twin trunk 9 x 8 x 7
NC-12650	Pignut hickory	<i>Carya glabra</i>	12	1	6	18	Fair	Vines into crown
NC-12651	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Thin crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12652	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12653	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Unbalanced crown, vines into crown
NC-12654	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-12655	Willow oak	<i>Quercus phellos</i>	22	1	11	33	Good	
NC-12656	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, vines into crown
NC-12657	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Slight lean, small rotting branch in crown
NC-12658	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-12659	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning towards the road, unbalanced crown, heavy vines into crown
NC-12660	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Thin crown, exposed roots
NC-12661	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin and unbalanced crown
NC-12662	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Growing through greenbrier
NC-12663	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-12664	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-12665	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Good	Slight lean
NC-12666	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-12667	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Fair	Exposed roots, branch dieback in lower canopy, unbalanced crown
NC-12668	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-12669	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Bend in leader, heavy vines into crown, slight lean, unbalanced crown
NC-12670	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Heavy vines into crown, slight lean, unbalanced crown
NC-12671	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Twin trunks above DBH, thin crown
NC-12672	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-12673	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Thin crown, exposed roots
NC-12674	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Fair	Twin trunk 8 x 7, vines
NC-12675	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular growth form
NC-12676	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Girdling and exposed roots, thin crown
NC-12677	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Poor branching structure, exposed roots
NC-12678	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Bent leader, vines
NC-12679	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin and unbalanced crown
NC-12680	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-12681	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Slight lean, thin crown, exposed roots
NC-12682	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-12683	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-12684	Red maple	<i>Acer rubrum</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, both stems slightly leaning, thin crown
NC-12685	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Slight lean, deer rub observed at base of trunk
NC-12686	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Vines into crown, gummosis observed on branches in lower canopy
NC-12687	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-12688	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback and dead wood in crown, poor branching structure
NC-12689	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Leaning, unbalanced crown
NC-12690	Callery pear	<i>Pyrus calleryana</i>	6, 4, 3, 2, 2	5	3	9	Good	Multistem trunk 6 x 4 x 3 x 2 x 2
NC-12691	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, reduced canopy
NC-12692	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Slight lean, thin crown, low branch dieback
NC-12693	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Exposed roots, bend in leader, leaning
NC-12694	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Fair	Heavy lean
NC-12695	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	Some vines
NC-12696	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-12697	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12698	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-12699	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Exposed roots, bend in leader, leaning
NC-12700	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Vines on lower branches
NC-12701	Callery pear	<i>Pyrus calleryana</i>	9, 8	2	4.5	13.5	Fair	Twin trunk 9 x 8, vines
NC-12702	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Vines into crown, thin crown
NC-12703	Callery pear	<i>Pyrus calleryana</i>	11, 11, 10, 10	4	5.5	16.5	Good	Multistem trunk 11 x 11 x 10 x 10
NC-12704	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-12705	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Fair	One sided, vines on lower branches. Twin trunks 6 x 5
NC-12706	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Poor root structure, unbalanced crown
NC-12707	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Unbalanced crown
NC-12708	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Growing through greenbrier
NC-12709	Callery pear	<i>Pyrus calleryana</i>	13, 10, 10, 10	4	6.5	19.5	Good	Multistem trunk 13 x 10 x 10 x 10
NC-12710	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Reduced canopy, broken branches
NC-12711	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4, broken branches
NC-12712	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-12713	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	
NC-12714	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Many vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12715	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12716	Callery pear	<i>Pyrus calleryana</i>	5, 2, 1	3	2.5	7.5	Fair	Multistem trunk 5 x 2 x 1, broken branches
NC-12717	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Vines into crown, low branch dieback
NC-12718	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-12719	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	
NC-12720	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Heavy vines at base
NC-12721	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Vines in crown, lean
NC-12722	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines in crown, slight lean
NC-12723	Silver maple	<i>Acer saccharinum</i>	7	1	3.5	10.5	Good	
NC-12724	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Broken branches
NC-12725	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Good	
NC-12726	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Slight lean, branch dieback in crown
NC-12727	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Many vines
NC-12728	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-12729	Eastern redcedar	<i>Juniperus virginiana</i>	10, 7	2	5	15	Good	Twin trunk 10 x 7
NC-12730	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-12731	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-12732	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-12733	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Trunk decay
NC-12734	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Broken leader, vines
NC-12735	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-12736	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines at base, broken lower branch
NC-12737	Common hackberry	<i>Celtis occidentalis</i>	6	1	3	9	Good	
NC-12738	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Heavy vines into crown, low branch dieback
NC-12739	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead leader
NC-12740	Silver maple	<i>Acer saccharinum</i>	5	1	2.5	7.5	Good	
NC-12741	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Broken leader, vines
NC-12742	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Significant lean, branch dieback in crown
NC-12743	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-12744	Silver maple	<i>Acer saccharinum</i>	11, 9	2	5.5	16.5	Good	Twin trunk 11 x 9
NC-12745	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-12746	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Fair	One sided, lean
NC-12747	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Fair	Poor branching structure, thin crown
NC-12748	Northern red oak	<i>Quercus rubra</i>	10	1	5	15	Good	
NC-12749	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
NC-12750	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-12751	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-12752	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Significant lean, branch dieback in crown
NC-12753	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Heavy lean, growing through fence
NC-12754	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-12755*	White oak	<i>Quercus alba</i>	36	1	18	54	Good	Splits above DBH
NC-12756	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Vines at base, splits above DBH
NC-12757	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Vines at base, branch dieback
NC-12758	Pin oak	<i>Quercus palustris</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6
NC-12759	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-12760	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-12761	Red maple	<i>Acer rubrum</i>	12, 5	2	6	18	Fair	Twin trunks 12 x 5, leaning, exposed roots, branch dieback in lower canopy
NC-12762	Sweetgum	<i>Liquidambar styraciflua</i>	10, 9, 8	3	5	15	Good	Multistem trunk 10 x 9 x 8
NC-12763	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12764	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-12765	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Fair	Heavy vines into crown, thin crown, large branch dieback in crown
NC-12766	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-12767	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4	2	2.5	7.5	Fair	Vines on lower trunk, one sided. Twin trunks 5 x 4
NC-12768	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy vines into crown, leaning, branch dieback in crown
NC-12769	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Significant dead wood
NC-12770	Unknown		10	1	N/A	N/A	Standing Dead	
NC-12771	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-12772	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12773	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-12774	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	
NC-12775	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-12776	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Vines
NC-12777	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-12778	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-12779	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	Some vines
NC-12780	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-12781	Silver maple	<i>Acer saccharinum</i>	8	1	4	12	Good	
NC-12782	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-12783	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12784	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12785	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown, thin crown, low branch dieback
NC-12786	White oak	<i>Quercus alba</i>	20	1	10	30	Fair	Heavy lean
NC-12787	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Many vines in canopy
NC-12788	Pin oak	<i>Quercus palustris</i>	6	1	N/A	N/A	Standing Dead	
NC-12789	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead leader
NC-12790	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4, 3, 2	5	3	9	Poor	Multistem trunk 6 x 5 x 4 x 3 x 2, leaning, many dead branches
NC-12791	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken leader, thin crown
NC-12792	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-12793	Unknown		8	1	N/A	N/A	Standing Dead	
NC-12794	Northern red oak	<i>Quercus rubra</i>	14	1	7	21	Good	
NC-12795	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Heavy vines into crown
NC-12796	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Gummosis observed on a few branches in the lower canopy
NC-12797	Eastern redcedar	<i>Juniperus virginiana</i>	13	1	6.5	19.5	Good	
NC-12798	Black cherry	<i>Prunus serotina</i>	19, 15	2	9.5	28.5	Fair	Twin trunk 19 x 15, vines
NC-12799	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-12800	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines on lower trunk, one sided
NC-12801	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Lean, vines
NC-12802	White mulberry	<i>Morus alba</i>	8	1	4	12	Fair	Vines
NC-12803	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Multistem trunk 6 x 2 x 1 x 1
NC-12804	Unknown		8	1	N/A	N/A	Standing Dead	
NC-12805	Eastern redcedar	<i>Juniperus virginiana</i>	14	1	7	21	Good	
NC-12806	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12807	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-12808	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-12809	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Leaning, vines into crown
NC-12810	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-12811	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Minor branch dieback in lower canopy
NC-12812	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-12813	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines
NC-12814	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-12815	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-12816	Silver maple	<i>Acer saccharinum</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-12817	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Thin crown, poor branching structure, branch dieback in crown
NC-12818	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-12819	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-12820	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Poor branching structure, heavy vines into crown, branch dieback in crown
NC-12821	White oak	<i>Quercus alba</i>	20	1	10	30	Good	Many vines on lower trunk into lower branches
NC-12822	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	
NC-12823	White mulberry	<i>Morus alba</i>	11	1	5.5	16.5	Fair	Vines
NC-12824	American elm	<i>Ulmus americana</i>	10, 8	2	5	15	Fair	Twin trunk 10 x 8, vines
NC-12825	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Leaning, branch dieback in crown, heavy vines at base
NC-12826	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Heavy branch dieback in crown, thin crown
NC-12827	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-12828	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunks 6 x 3
NC-12829	Black cherry	<i>Prunus serotina</i>	11	1	5.5	16.5	Fair	Many vines on lower trunk
NC-12830	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-12831	American elm	<i>Ulmus americana</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, vines
NC-12832	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Lean, heavy vines, decaying trunk
NC-12833	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-12834	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-12835	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-12836	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-12837	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12838	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-12839	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5, 4, 4	4	3	9	Good	Multistem trunk 5 x 4 x 4 x 6
NC-12840	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Twin trunk, lean
NC-12841	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Reduced canopy
NC-12842	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-12843	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Leaning
NC-12844	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-12845	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12846	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-12847	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	With vines
NC-12848	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Bend in leader, minor branch dieback in lower canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12849	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Thin crown, large branch dieback in crown, growing along chain link fence
NC-12850	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Large branch dieback in crown, vines at base, small stem at base removed
NC-12851	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-12852	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-12853	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-12854	Black oak	<i>Quercus velutina</i>	18	1	9	27	Good	
NC-12855	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12856	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Slight lean
NC-12857	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-12858	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-12859	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12860	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	With vines
NC-12861	White mulberry	<i>Morus alba</i>	12	1	6	18	Fair	Leaning
NC-12862	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Leaning
NC-12863	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-12864	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	Some vines
NC-12865	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-12866	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Stressed
NC-12867	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-12868	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-12869	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Lean, thin crown
NC-12870	Silver maple	<i>Acer saccharinum</i>	10	1	5	15	Good	
NC-12871	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning, stressed
NC-12872	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown, branch dieback in lower canopy, thin crown
NC-12873	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Poor growth form, vines
NC-12874	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-12875	Southern red oak	<i>Quercus falcata</i>	19	1	9.5	28.5	Good	
NC-12876	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-12877	American beech	<i>Fagus grandifolia</i>	22	1	11	33	Good	Multistem above DBH
NC-12878	Eastern redcedar	<i>Juniperus virginiana</i>	10, 5, 3, 2	4	5	15	Good	Multistem trunk 10 x 5 x 3 x 2
NC-12879	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-12880	Callery pear	<i>Pyrus calleryana</i>	8, 4	2	4	12	Fair	Twin trunks 8 x 4, irregular growth form
NC-12881	White oak	<i>Quercus alba</i>	24	1	12	36	Good	
NC-12882	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Large branch dieback in crown
NC-12883	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead leader
NC-12884	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-12885	Northern red oak	<i>Quercus rubra</i>	8	1	4	12	Good	
NC-12886	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines into crown
NC-12887	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Thin crown, vines on lower trunk
NC-12888	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Large branch dieback, some branches without bark
NC-12889								Water sprouts, branch dieback in canopy, thin crown
NC-12889	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	
NC-12890	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Heavy branch dieback in crown
NC-12891	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-12892	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12893	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-12894	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-12895	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Thin crown
NC-12896	Southern red oak	<i>Quercus falcata</i>	20	1	10	30	Fair	Significant dead wood
NC-12897	Callery pear	<i>Pyrus calleryana</i>	15	1	7.5	22.5	Good	
NC-12898	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-12899	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-12900	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-12901	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Many water sprouts
NC-12902	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12903	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Severe trunk wound and decay
NC-12904	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying
NC-12905	Silver maple	<i>Acer saccharinum</i>	6	1	3	9	Good	
NC-12906	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines
NC-12907	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Leaning, vines
NC-12908	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines in canopy, reduced crown
NC-12909	Common persimmon	<i>Diospyros virginiana</i>	6, 5, 5	3	3	9	Good	Multistem trunk 6 x 5 x 5
NC-12910	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead leader
NC-12911	Callery pear	<i>Pyrus calleryana</i>	8, 4	2	4	12	Fair	Twin trunk 8 x 4, leaning
NC-12912	Unknown		7	1	N/A	N/A	Standing Dead	
NC-12913	American elm	<i>Ulmus americana</i>	14	1	7	21	Good	
NC-12914	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-12915	Callery pear	<i>Pyrus calleryana</i>	9, 4	2	4.5	13.5	Fair	Multistem trunk 9 x 4, vines
NC-12916	Unknown		21	1	N/A	N/A	Standing Dead	
NC-12917	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-12918	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	Minor vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12919	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12920	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines, broken branches
NC-12921	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-12922	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Fair	Multistem trunk 6 x 3, vines, canopy reduced
NC-12923	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines into crown, unbalanced crown
NC-12924	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Topped leader, vines into crown
NC-12925	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-12926	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-12927	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Moderate branch dieback in crown
NC-12928	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	wound
NC-12929	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	Twin trunk 6 x 6
NC-12930	Unknown		10	1	N/A	N/A	Standing Dead	
NC-12931	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Good	
NC-12932	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-12933	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-12934	Sweetgum	<i>Liquidambar styraciflua</i>	14, 11	2	7	21	Fair	Twin trunk 14 x 11, vines
NC-12935	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines into crown, thin crown
NC-12936	Silver maple	<i>Acer saccharinum</i>	7	1	3.5	10.5	Good	
NC-12937	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines
NC-12938	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Heavy vines into crown, irregular bark color in crown
NC-12939	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-12940	Northern red oak	<i>Quercus rubra</i>	12	1	6	18	Good	
NC-12941	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-12942	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Some vines
NC-12943	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-12944	Callery pear	<i>Pyrus calleryana</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, broken branches
NC-12945	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-12946	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-12947	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines in lower canopy
NC-12948	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken trunk
NC-12949	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Thin crown, leaning, branch dieback in crown
NC-12950	Unknown		5	1	N/A	N/A	Standing Dead	
NC-12951	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown, bend in upper trunk
NC-12952	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-12953	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-12954	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin
NC-12955	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Large branch dieback in crown, unbalanced crown
NC-12956	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines
NC-12957	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	
NC-12958	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Poor	Trunk dry rot, broken branches
NC-12959	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-12960	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Fair	Significant dead wood
NC-12961	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-12962	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-12963	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-12964	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-12965	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-12966	Silver maple	<i>Acer saccharinum</i>	5, 2	2	2.5	7.5	Poor	disease
NC-12967	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-12968	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines
NC-12969	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-12970	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines, reduced canopy
NC-12971	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-12972	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-12973	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Leaning, twin trunk 6 x 5
NC-12974	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy vines into crown, branch dieback in crown, thin crown
NC-12975	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in trunk, lean
NC-12976	Red maple	<i>Acer rubrum</i>	25, 23, 19, 19, 18, 13, 12	7	12.5	37.5	Good	Multistem trunk 25 x 23 x 19 x 19 x 18 x 13 x 12, minor vines
NC-12977	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-12978	Black cherry	<i>Prunus serotina</i>	17	1	8.5	25.5	Fair	Broken branches
NC-12979	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-12980	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Competing with oak, lean
NC-12981	Callery pear	<i>Pyrus calleryana</i>	5	1	N/A	N/A	Standing Dead	
NC-12982	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Twin trunk, dead wood
NC-12983	American beech	<i>Fagus grandifolia</i>	7	1	3.5	10.5	Fair	Twin trunk, water sprouts, damage to leader
NC-12984	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Some exposed roots, one sided
NC-12985	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Stressed

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-12986	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-12987	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-12988	Common persimmon	<i>Diospyros virginiana</i>	10	1	5	15	Good	
NC-12989	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-12990	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Vines in lower branches
NC-12991	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-12992	Callery pear	<i>Pyrus calleryana</i>	6, 4, 2	3	3	9	Fair	Multistem trunk 6 x 4 x 2 dead branches
NC-12993	Silver maple	<i>Acer saccharinum</i>	6	1	3	9	Fair	Reduced canopy
NC-12994	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Twin trunk, lean, dead wood
NC-12995	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Heavy vines into crown
NC-12996	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-12997	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-12998	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bent leader
NC-12999	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-13000	Pin oak	<i>Quercus palustris</i>	7, 2	2	3.5	10.5	Good	Twin trunk 7 x 2
NC-13001	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-13002	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning, poor branching structure, exposed roots
NC-13003	Red maple	<i>Acer rubrum</i>	8, 6, 5	3	4	12	Good	Multistem trunk 8 x 6 x 5
NC-13004	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Bent trunk, vines
NC-13005	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	One sided
NC-13006	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Stressed
NC-13007	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-13008	Pin oak	<i>Quercus palustris</i>	9, 3	2	4.5	13.5	Good	Twin trunk 9 x 3
NC-13009	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Heavy vines taking over crown, extensive dead wood in crown
NC-13010	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13011	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Bend in upper trunk
NC-13012	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-13013	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Vines taking over trunk and into crown, branch dieback in crown, thin crown
NC-13014	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13015	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-13016	Sweetgum	<i>Liquidambar styraciflua</i>	8, 3	2	4	12	Good	Twin trunks 8 x 3
NC-13017	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-13018	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-13019	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-13020	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-13021	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Stressed
NC-13022	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-13023	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13024	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-13025	White oak	<i>Quercus alba</i>	14	1	7	21	Good	
NC-13026	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13027	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-13028	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Broken leader, but secondary leaders good
NC-13029	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-13030	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-13031	Callery pear	<i>Pyrus calleryana</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-13032	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Dead leader, heavy vines into crown, dead wood in crown
NC-13033	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-13034	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-13035	Sweetgum	<i>Liquidambar styraciflua</i>	6, 3	2	3	9	Fair	One sided, lean. Twin trunks 6 x 3
NC-13036	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Thin crown, low branch dieback
NC-13037	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13038	Red maple	<i>Acer rubrum</i>	29	1	14.5	43.5	Good	
NC-13039	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	
NC-13040	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-13041	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-13042	American beech	<i>Fagus grandifolia</i>	15	1	7.5	22.5	Fair	Broken leader, water sprouts
NC-13043	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Dead branches
NC-13044	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Dead branches
NC-13045	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Dead branches
NC-13046	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-13047	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-13048	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken branches
NC-13049	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13050	Unknown		23	1	N/A	N/A	Standing Dead	
NC-13051	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-13052	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-13053	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-13054	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	One sided, lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13055	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	vines into crown, poor branching structure
NC-13056	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines, broken branches
NC-13057	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	
NC-13058	Pin oak	<i>Quercus palustris</i>	18	1	9	27	Good	
NC-13059	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-13060	Callery pear	<i>Pyrus calleryana</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-13061	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-13062	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-13063	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Leaning
NC-13064	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Severe lean, heavy vines into crown, adjacent to stream
NC-13065	Red maple	<i>Acer rubrum</i>	7, 2	2	3.5	10.5	Fair	Twin trunks 7 x 2, leaning, unbalanced crown
NC-13066	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Broken branches
NC-13067	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-13068	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13069	White oak	<i>Quercus alba</i>	18	1	9	27	Good	
NC-13070	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Broken crown
NC-13071	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Broken branches
NC-13072	White ash	<i>Fraxinus americana</i>	5,5	2	2.5	7.5	Fair	Multistem trunk 5 x 5, other trunks <5 and dead, many dead branches, stressed
NC-13073	Sweetgum	<i>Liquidambar styraciflua</i>	25	1	12.5	37.5	Good	
NC-13074	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13075	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-13076	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Leaning, heavy vines into crown
NC-13077	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13078	Red maple	<i>Acer rubrum</i>	25, 17	2	12.5	37.5	Good	Twin trunk 25 x 17
NC-13079	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-13080	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13081	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines into crown, branch dieback in crown, thin crown remains
NC-13082	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13083	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Extensive vines
NC-13084	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13085	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Extensive vines, reduced canopy
NC-13086	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-13087	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-13088	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, some rotting branches in canopy, thin crown
NC-13089	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Dead leader
NC-13090	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13091	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Poor	Broken limbs, many vines
NC-13092	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Dead branches
NC-13093	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-13094	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor branch dieback in crown
NC-13095	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-13096	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13097	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-13098	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	
NC-13099	American elm	<i>Ulmus americana</i>	7, 5	2	3.5	10.5	Good	Twin trunk 7 x 5
NC-13100	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-13101	Loblolly pine	<i>Pinus taeda</i>	17	1	8.5	25.5	Good	Vines at base
NC-13102	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Vines into crown
NC-13103	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines
NC-13104	Callery pear	<i>Pyrus calleryana</i>	9, 6, 5	3	4.5	13.5	Good	Multistem trunk 9 x 6 x 5
NC-13105	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-13106	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-13107	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-13108	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Trunk cavity and decay
NC-13109	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	Some vines
NC-13110	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines
NC-13111	Callery pear	<i>Pyrus calleryana</i>	6, 4	2	3	9	Fair	Twin trunk 6 x 4, broken branches
NC-13112	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Many vines
NC-13113	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Good	
NC-13114	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-13115	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines, dead branches
NC-13116	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	
NC-13117	Red maple	<i>Acer rubrum</i>	19, 14, 6	3	9.5	28.5	Fair	Triple trunk 19 x 14 x 6, leaning, poor branching structure, minor cavity at base, minor vines
NC-13118	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines, thin crown
NC-13119	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-13120	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	Vines, broken branches
NC-13121	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13122	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-13123	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines
NC-13124	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-13125	Tuliptree	<i>Liriodendron tulipifera</i>	27	1	13.5	40.5	Good	
NC-13126	White ash	<i>Fraxinus americana</i>	12	1	6	18	Poor	Vines, many dead branches
NC-13127	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-13128	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Minor vines at base, branch dieback and dead wood in crown
NC-13129	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-13130	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Vines
NC-13131	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Twin trunk, bent leaders
NC-13132	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-13133	Sweetgum	<i>Liquidambar styraciflua</i>	7, 4	2	3.5	10.5	Poor	Twin trunk 7 x 4, dead leader, reduced crown
NC-13134	Callery pear	<i>Pyrus calleryana</i>	7, 7, 6	3	3.5	10.5	Good	Multistem trunk 7 x 7 x 6
NC-13135	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13136	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead leader
NC-13137	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Crown partially removed
NC-13138	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-13139	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-13140	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Vines at base
NC-13141	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13142	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-13143	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Bend in trunk
NC-13144	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunk 7 x 6 broken leader
NC-13145	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Twin trunk 7 x 6, broken leader
NC-13146	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines
NC-13147	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Minor vines at base
NC-13148	Common persimmon	<i>Diospyros virginiana</i>	7, 6	2	3.5	10.5	Fair	Twin trunk 7 x 6, vines in canopy
NC-13149	White ash	<i>Fraxinus americana</i>	11	1	5.5	16.5	Fair	Stressed, dead branches
NC-13150	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13151	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-13152	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Many vines
NC-13153	Mockernut hickory	<i>Carya tomentosa</i>	10	1	5	15	Good	
NC-13154	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Tree stand
NC-13155	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Heavy vines at base of trunk, thin crown, branch dieback in crown
NC-13156	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13157	Southern red oak	<i>Quercus falcata</i>	24	1	12	36	Good	
NC-13158	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Broken leader
NC-13159	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Lean, dead branches
NC-13160	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Heavy lean
NC-13161	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-13162	Northern red oak	<i>Quercus rubra</i>	19	1	9.5	28.5	Good	
NC-13163	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13164	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Good	
NC-13165	White mulberry	<i>Morus alba</i>	6	1	3	9	Good	
NC-13166	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Branch dieback in crown, thin crown
NC-13167	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-13168	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Sapsucker damage
NC-13169	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Twin trunk
NC-13170	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-13171	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13172	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	One sided, thin crown, debris leaning on trunk
NC-13173	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Trunk damage
NC-13174	Mockernut hickory	<i>Carya tomentosa</i>	12	1	6	18	Good	Slight lean
NC-13175	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Irregular growth form
NC-13176	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Good	
NC-13177	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-13178	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-13179	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Splits above DBH
NC-13180	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13181	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-13182	Eastern redcedar	<i>Juniperus virginiana</i>	13, 8	2	6.5	19.5	Good	Twin trunk 13 x 8
NC-13183	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	Minor branch dieback in lower canopy
NC-13184	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-13185	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Many vines
NC-13186	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Multistem trunk 6 x 5 x 3
NC-13187	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-13188	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying, vines
NC-13189	Tuliptree	<i>Liriodendron tulipifera</i>	25	1	12.5	37.5	Fair	Trunk wound
NC-13190	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-13191	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Several rotting branches in the canopy, poor branching structure

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13192	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-13193	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-13194	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Branch dieback in crown, thin crown
NC-13195	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-13196	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-13197	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-13198	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Trunk rot, extensive vines
NC-13199	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-13200	Callery pear	<i>Pyrus calleryana</i>	7, 6	2	3.5	10.5	Fair	Twin trunk 7 x 6, many vines
NC-13201	Silver maple	<i>Acer saccharinum</i>	15	1	7.5	22.5	Good	
NC-13202	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Bend in leader, vines at base
NC-13203	Common hackberry	<i>Celtis occidentalis</i>	5	1	2.5	7.5	Good	
NC-13204	Callery pear	<i>Pyrus calleryana</i>	5, 5, 5, 5	4	2.5	7.5	Fair	Multistem trunk 5 x 5 x 5 x 5, dead branches Poor branching structure, unbalanced crown
NC-13205	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches
NC-13206	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	
NC-13207	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13208	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Good	
NC-13209	Eastern redcedar	<i>Juniperus virginiana</i>	7, 5, 1	3	3.5	10.5	Good	Multistem trunk 7 x 5 x 1
NC-13210	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning, vines
NC-13211	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13212	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Good	
NC-13213	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13214	White ash	<i>Fraxinus americana</i>	10	1	5	15	Fair	Many dead branches
NC-13215	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-13216	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-13217	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Twin trunks above DBH, leaning, poor branching structure Heavy vines into crown, branch dieback in lower canopy
NC-13218	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	
NC-13219	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-13220	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Good	
NC-13221	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Fair	Vines
NC-13222	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-13223	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-13224	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-13225	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13226	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Vines
NC-13227	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Good	
NC-13228	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-13229	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	structure
NC-13230	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-13231	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-13232	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken leader, heavy branch dieback in crown, unbalanced crown
NC-13233	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13234	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	
NC-13235	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13236	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13237	American beech	<i>Fagus grandifolia</i>	19	1	9.5	28.5	Good	
NC-13238	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Dead wood, thin crown
NC-13239	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Bend in leader, branch dieback in crown
NC-13240	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Bend in leader, minor vines into crown
NC-13241	Callery pear	<i>Pyrus calleryana</i>	6, 2, 2	3	3	9	Good	Multistem trunk 6 x 2 x 2, some vines
NC-13242	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Good	Minor vine into crown, slight lean, minor branch dieback in crown
NC-13243	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, thin crown
NC-13244	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13245	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, stressed
NC-13246	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Significant lean, vines into crown, branch dieback in crown, thin crown
NC-13247	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Vines, reduced canopy
NC-13248	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Thin crown, bend in trunk
NC-13249	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Stressed, vines
NC-13250	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Severe lean, vines into crown, branch dieback in crown
NC-13251	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13252	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Large broken branch, lean
NC-13253	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Many vines
NC-13254	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-13255	White ash	<i>Fraxinus americana</i>	12, 6, 6	3	6	18	Fair	Multi trunk 12 x 6 x 6 trunk damage, broken branches
NC-13256	Silver maple	<i>Acer saccharinum</i>	6	1	3	9	Fair	Dead branches
NC-13257	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13258	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	
NC-13259	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13260	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13261	Sweetgum	<i>Liquidambar styraciflua</i>	23	1	11.5	34.5	Good	
NC-13262	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13263	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Minor vine entering crown
NC-13264	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13265	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-13266	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Thin crown, dead lower branches
NC-13267	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-13268	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Bend in leader Heavy branch dieback in crown, thin crown
NC-13269	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	
NC-13270	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-13271	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on lower branches
NC-13272	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-13273	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-13274	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Leaning
NC-13275	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Severely leaning
NC-13276	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Fair	Lean, one sided, vines in crown. Twin trunks 6 x 5
NC-13277	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Dead leader
NC-13278	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches, extensive vines
NC-13279	White mulberry	<i>Morus alba</i>	6	1	3	9	Fair	Leaning
NC-13280	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-13281	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13282	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-13283	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback and dead wood in crown, thin crown, vines entering crown
NC-13284	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	N/A	N/A	Standing Dead	
NC-13285	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Growing through greenbrier
NC-13286	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-13287	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Leaning
NC-13288	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Significant lean, heavy vines taking over crown
NC-13289	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-13290	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Branch dieback and dead wood in crown, thin crown
NC-13291	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-13292	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Minor branch dieback in crown
NC-13293	Eastern redcedar	<i>Juniperus virginiana</i>	13	1	6.5	19.5	Good	
NC-13294	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	Vines
NC-13295	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Trunk cavity
NC-13296	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13297	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-13298	Eastern redcedar	<i>Juniperus virginiana</i>	15	1	7.5	22.5	Good	
NC-13299	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Good	Minor dead wood
NC-13300	Unknown		9	1	N/A	N/A	Standing Dead	
NC-13301	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-13302	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-13303	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-13304	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Lean, thin crown
NC-13305	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-13306	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13307	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown, minor branch dieback in crown
NC-13308	Common persimmon	<i>Diospyros virginiana</i>	8	1	4	12	Good	
NC-13309	Mockernut hickory	<i>Carya tomentosa</i>	9	1	4.5	13.5	Good	
NC-13310	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-13311	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-13312	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Bend in leader, branch dieback and dead wood in crown
NC-13313	White oak	<i>Quercus alba</i>	16	1	8	24	Good	
NC-13314	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13315	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Slight lean
NC-13316	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Vines in canopy
NC-13317	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13318	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Stressed
NC-13319	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-13320	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-13321	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-13322	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-13323	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13324	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13325	Willow oak	<i>Quercus phellos</i>	25	1	12.5	37.5	Fair	3' long cavity on trunk rotting, unbalanced crown, low branch dieback
NC-13326	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-13327	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13328	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines, reduced canopy
NC-13329	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13330	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, thin and unbalanced crown
NC-13331	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor vine into crown
NC-13332	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13333	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Minor vines
NC-13334	Callery pear	<i>Pyrus calleryana</i>	5, 3, 3, 3	4	2.5	7.5	Good	Multistem trunk 5 x 3 x 3 x3
NC-13335	Southern red oak	<i>Quercus falcata</i>	24	1	12	36	Good	
NC-13336	Callery pear	<i>Pyrus calleryana</i>	7, 7, 6	3	3.5	10.5	Good	Multistem trunk 7 x 7 x 6
NC-13337	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-13338	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-13339	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Poor	Dead leader, dead wood
NC-13340	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	N/A	N/A	Standing Dead	
NC-13341	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-13342	Mockernut hickory	<i>Carya tomentosa</i>	5	1	2.5	7.5	Good	
NC-13343	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-13344	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-13345	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Dead leader
NC-13346	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13347	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Many vines
NC-13348	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-13349	Unknown		7	1	N/A	N/A	Standing Dead	
NC-13350	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-13351	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13352	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Twin trunks above DBH, one stem has a 1' long cavity that is rotting, vines into crown
NC-13353	Callery pear	<i>Pyrus calleryana</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-13354	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-13355	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-13356	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13357	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13358	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	
NC-13359	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Dead branches
NC-13360	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor	Extensive vines, heavily pruned canopy
NC-13361	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Extensive branch dieback and dead wood in crown
NC-13362	Unknown		5	1	N/A	N/A	Standing Dead	
NC-13363	Callery pear	<i>Pyrus calleryana</i>	5, 2	2	2.5	7.5	Fair	Twin trunk 5 x 2, leaning
NC-13364	Eastern redcedar	<i>Juniperus virginiana</i>	14	1	7	21	Fair	Many vines
NC-13365	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Dead branches, vines
NC-13366	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13367	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Fair	Adjacent standing dead tree leaning on this tree, irregular bark, sap oozing from woodpecker holes
NC-13368	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Fair	Crown pruned, ingrown fence
NC-13369	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Dead branches
NC-13370	Eastern redcedar	<i>Juniperus virginiana</i>	10, 6	2	5	15	Good	Twin trunks 10 x 6, minor vines at base
NC-13371	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	3' long cavity at base rotting, adjacent dead trees leaning on this tree, thin crown, low branch dieback
NC-13372	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines in canopy, thin crown
NC-13373	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Vines
NC-13374	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Fair	Twin trunk 5 x 3, stressed
NC-13375	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Minor vines
NC-13376	Unknown		6	1	N/A	N/A	Standing Dead	
NC-13377	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13378	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13379	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-13380	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dead leader
NC-13381	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in lower canopy, thin crown
NC-13382	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	
NC-13383	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-13384	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13385	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Broken branches
NC-13386	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13387	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Many vines
NC-13388	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13389	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-13390	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13391	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-13392	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-13393	Red maple	<i>Acer rubrum</i>	11, 9	2	5.5	16.5	Fair	Twin trunks 11 x 9, slight lean, exposed roots
NC-13394	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Bend in leader, branch dieback in crown
NC-13395	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-13396	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor trunk wound
NC-13397	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines in lower canopy
NC-13398	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-13399	Callery pear	<i>Pyrus calleryana</i>	9, 4	2	4.5	13.5	Good	Twin trunk 9 x 4
NC-13400	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-13401	Oak sp.	<i>Quercus sp.</i>	18	1	N/A	N/A	Standing Dead	
NC-13402	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Extensive vines
NC-13403	Red maple	<i>Acer rubrum</i>	7, 4, 4	3	3.5	10.5	Poor	Large broken trunk laying within multistem trunks, some trunk discharge, thin crown, vines going into 4" canopy. Multistem 7 x 4 x 4 x 2
NC-13404	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-13405	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-13406	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-13407	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13408	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-13409	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Fair	Thin crown, bend in lower trunk. Twin trunks 7 x 4
NC-13410	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Minor vine entering crown
NC-13411	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13412	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13413	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in crown, thin crown
NC-13414	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-13415	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-13416	Northern catalpa	<i>Catalpa speciosa</i>	18	1	9	27	Fair	Heavy vines taking over crown
NC-13417	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, minor vines entering crown
NC-13418	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-13419	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Many vines
NC-13420	Northern catalpa	<i>Catalpa speciosa</i>	5	1	2.5	7.5	Good	Slight bend in leader
NC-13421	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Thin crown, rotting upper branches
NC-13422	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-13423	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Branch dieback in crown, unbalanced crown
NC-13424	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Vines
NC-13425	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13426	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13427	Tuliptree	<i>Liriodendron tulipifera</i>	20	1	10	30	Good	
NC-13428	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines into crown, branch dieback in crown
NC-13429	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13430	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-13431	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-13432	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13433	Sweetgum	<i>Liquidambar styraciflua</i>	25	1	12.5	37.5	Good	
NC-13434	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Heavily pruned, many vines
NC-13435	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13436	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-13437	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13438	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13439	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Heavy vines into crown, thin crown
NC-13440	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-13441	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Bend in leader, branch dieback in crown
NC-13442	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	Minor branch dieback in lower canopy
NC-13443	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	
NC-13444	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-13445	Northern catalpa	<i>Catalpa speciosa</i>	6	1	3	9	Good	Slight lean
NC-13446	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Slight lean, unbalanced crown, branch dieback in crown
NC-13447	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-13448	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Broken lower branch
NC-13449	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Dead branches
NC-13450	Unknown		6	1	N/A	N/A	Standing Dead	
NC-13451	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Poor growth form
NC-13452	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Heavily pruned, many vines
NC-13453	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Leaning, extensive vines
NC-13454	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13455	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Heavy branch dieback in lower canopy, bend in leader at base
NC-13456	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-13457	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bent leader
NC-13458	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13459	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13460	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Bend in leader
NC-13461	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-13462	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying crown
NC-13463	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13464	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	
NC-13465	Callery pear	<i>Pyrus calleryana</i>	9, 6	2	4.5	13.5	Fair	Twin trunk 9 x 6 extensive vines
NC-13466	Callery pear	<i>Pyrus calleryana</i>	9, 6	2	4.5	13.5	Fair	Twin trunk 9 x 6, extensive vines
NC-13467	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Minor vines at base
NC-13468	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-13469	White oak	<i>Quercus alba</i>	25	1	12.5	37.5	Good	
NC-13470	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-13471	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13472	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-13473	Unknown		5	1	N/A	N/A	Standing Dead	
NC-13474	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Fair	Vines
NC-13475	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13476	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13477	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-13478	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Irregular growth form
NC-13479	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Poor	Significant lean, heavy branch dieback in crown
NC-13480	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Slight bend in leader
NC-13481	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13482	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning, bend in leader, adjacent to stream
NC-13483	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	Minor vine entering crown
NC-13484	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Leaning
NC-13485	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-13486	Unknown		5	1	N/A	N/A	Standing Dead	
NC-13487	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Fair	Vines in crown, 2.5' long cavity rotting
NC-13488	Callery pear	<i>Pyrus calleryana</i>	6	1	N/A	N/A	Standing Dead	
NC-13489	Eastern redcedar	<i>Juniperus virginiana</i>	10, 5	2	5	15	Good	Twin trunk 10 x 5
NC-13490	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-13491	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-13492	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Significant lean, vines taking over crown, large broken branches in crown
NC-13493	Callery pear	<i>Pyrus calleryana</i>	6	1	N/A	N/A	Standing Dead	
NC-13494	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Discharge from trunk, thin crown
NC-13495	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Slight lean, thin crown, branch dieback in crown
NC-13496	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader, minor vines into crown
NC-13497	Scarlet oak	<i>Quercus coccinea</i>	11	1	5.5	16.5	Fair	Within stream channel, branch dieback and dead wood in crown, unbalanced crown, slightly leaning
NC-13498	Common persimmon	<i>Diospyros virginiana</i>	5, 2	2	2.5	7.5	Fair	Twin trunks 5 x 2, trunks intertwine in crown
NC-13499	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	One sided
NC-13500	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Slight lean, thin crown, branch dieback in crown
NC-13501	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	One sided
NC-13502	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Good	
NC-13503	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-13504	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13505	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13506	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branches in lower canopy are rotting, unbalanced crown
NC-13507	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13508	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, branch dieback in crown, minor vines into crown
NC-13509	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Unbalanced crown, lean, dead branches
NC-13510	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Some trunk wounds, bend in trunk
NC-13511*	Tuliptree	<i>Liriodendron tulipifera</i>	35	1	17.5	52.5	Good	
NC-13512	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13513	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	
NC-13514	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Dead leader, vines, large trunk wound
NC-13515	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-13516	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor vines
NC-13517	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13518	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying crown, broken branches
NC-13519	Boxelder	<i>Acer negundo</i>	6, 5, 5	3	3	9	Good	Multistem trunk 6 x 5 x 5
NC-13520	Callery pear	<i>Pyrus calleryana</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-13521	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-13522	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-13523	American elm	<i>Ulmus americana</i>	11, 8	2	5.5	16.5	Fair	Twin trunks 11 x 8, rotting branches in lower canopy, some rotting bark at base
NC-13524	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Significant branch dieback in crown, vines at base
NC-13525	Unknown		8	1	N/A	N/A	Standing Dead	
NC-13526	Callery pear	<i>Pyrus calleryana</i>	10, 6, 5	3	5	15	Good	Multistem trunk 10 x 6 x 5
NC-13527	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-13528	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, dead branches
NC-13529	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-13530	Sweetgum	<i>Liquidambar styraciflua</i>	27	1	13.5	40.5	Fair	Twin trunk, secondary leader dead
NC-13531	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13532	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Broken branches
NC-13533	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13534	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Minor branch dieback in crown
NC-13535	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13536	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Vines into crown, crack on trunk healing, thin crown, low branch dieback
NC-13537	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-13538	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-13539	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-13540	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13541	Virginia pine	<i>Pinus virginiana</i>	23	1	11.5	34.5	Good	Minor branch dieback in crown and in lower canopy
NC-13542	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13543	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13544	Tuliptree	<i>Liriodendron tulipifera</i>	18	1	9	27	Good	
NC-13545	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning
NC-13546	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13547	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	
NC-13548	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-13549	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13550	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Trunk wounds
NC-13551	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13552	Southern red oak	<i>Quercus falcata</i>	19	1	9.5	28.5	Fair	Poor branching structure, unbalanced crown
NC-13553	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13554	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13555	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13556	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Overtopped, one sided, dead branches
NC-13557	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13558	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	
NC-13559	Crabapple sp.	<i>Malus sp.</i>	8	1	4	12	Fair	Extensive vines
NC-13560	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13561	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13562	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Broken leader, trunk wound
NC-13563	Callery pear	<i>Pyrus calleryana</i>	8, 5	2	4	12	Good	Twin trunk 8 x 5
NC-13564	Black locust	<i>Robinia pseudoacacia</i>	13	1	6.5	19.5	Good	
NC-13565	Callery pear	<i>Pyrus calleryana</i>	6, 5, 5	3	3	9	Good	Multistem trunk 6 x 5 x 5
NC-13566	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Severe bend in large branch in crown, leaning, branch dieback in crown
NC-13567	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-13568	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown
NC-13569	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Overtopped, one sided
NC-13570	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Dead leader
NC-13571	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13572	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-13573	Willow oak	<i>Quercus phellos</i>	14, 6	2	7	21	Fair	Twin trunks 14 x 6, Branch dieback in crown, exposed roots
NC-13574	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Poor	Crown nearly dead, many dead branches
NC-13575	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk wound
NC-13576	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Lean
NC-13577	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-13578	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-13579	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13580	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Twin trunk
NC-13581	Boxelder	<i>Acer negundo</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-13582	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken crown, few branches
NC-13583	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, dead wood
NC-13584	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Significant lean
NC-13585*	Sweetgum	<i>Liquidambar styraciflua</i>	30	1	15	45	Good	Twin trunk

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13586	Callery pear	<i>Pyrus calleryana</i>	7, 3	2	3.5	10.5	Fair	Twin trunk 7 x 3, leaning
NC-13587	Green ash	<i>Fraxinus pennsylvanica</i>	8	1	N/A	N/A	Standing Dead	
NC-13588	Unknown		16	1	N/A	N/A	Standing Dead	
NC-13589	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-13590	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13591	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning, poor branching structure
NC-13592	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-13593	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-13594	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13595	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-13596	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dead branches
NC-13597	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-13598	Green ash	<i>Fraxinus pennsylvanica</i>	6, 6, 6, 5	4	N/A	N/A	Standing Dead	Multistem trunk 6 x 6 x 6 x 5
NC-13599	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Broken branches
NC-13600	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Vines
NC-13601	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-13602	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13603	American elm	<i>Ulmus americana</i>	15, 12	2	7.5	22.5	Good	Twin trunk 15 x 12
NC-13604	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13605	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Dead branches
NC-13606	Callery pear	<i>Pyrus calleryana</i>	9, 8	2	4.5	13.5	Good	Twin trunk 9 x 8
NC-13607	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	
NC-13608	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Heavily pruned
NC-13609	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-13610	Eastern redcedar	<i>Juniperus virginiana</i>	13	1	6.5	19.5	Good	Vines into crown
NC-13611	Green ash	<i>Fraxinus pennsylvanica</i>	7	1	N/A	N/A	Standing Dead	
NC-13612	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	
NC-13613*	Pin oak	<i>Quercus palustris</i>	30	1	15	45	Fair	Extensive vines and trunk rot
NC-13614	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-13615	Callery pear	<i>Pyrus calleryana</i>	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-13616	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	Few dead branches
NC-13617	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Minor vines into crown, branch dieback in crown
NC-13618	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead wood in crown
NC-13619	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Extensive vines and reduced canopy
NC-13620	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Extensive vines, reduced canopy
NC-13621	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-13622	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Several dead branches
NC-13623	Unknown		5	1	N/A	N/A	Standing Dead	
NC-13624	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Extensive vines
NC-13625	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13626	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Branch dieback in crown, thin crown
NC-13627	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Bend in leader, branch dieback in crown, thin crown
NC-13628	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Leaning, extensive vines
NC-13629	Oak sp.	<i>Quercus sp.</i>	26	1	N/A	N/A	Standing Dead	
NC-13630	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13631	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Extensive vines
NC-13632	American elm	<i>Ulmus americana</i>	21, 5	2	10.5	31.5	Good	Twin trunk 21 x 5
NC-13633	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-13634	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Extensive vines and heavily pruned
NC-13635	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-13636	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Slight lean, thin crown, branch dieback in crown
NC-13637	White mulberry	<i>Morus alba</i>	6, 5, 5	3	3	9	Good	Multistem trunk 6 x 5 x 5
NC-13638	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	One sided, lean, vines on trunk
NC-13639	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Many vines
NC-13640	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Extensive vines
NC-13641	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Poor	Extensive vines and broken leader
NC-13642	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Lean
NC-13643	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13644	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-13645	Blackgum	<i>Nyssa sylvatica</i>	5	1	N/A	N/A	Standing Dead	
NC-13646	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Slight lean, vines into crown
NC-13647	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Vines
NC-13648	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	Some branches in lower canopy are rotting/have gummosis
NC-13649	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	Two fused trunks
NC-13650	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, dead wood
NC-13651	Callery pear	<i>Pyrus calleryana</i>	7, 7	2	3.5	10.5	Fair	Twin trunk 7 x 7 extensive vines
NC-13652	Callery pear	<i>Pyrus calleryana</i>	7, 7	2	3.5	10.5	Fair	Twin trunk 7 x 7, extensive vines
NC-13653	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-13654	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13655	Sweetgum	<i>Liquidambar styraciflua</i>	9, 7	2	4.5	13.5	Fair	Twin trunks 9 x 7, vines into crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13656	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Vines into crown, small cavity on trunk healing
NC-13657	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	Dieback in lower canopy
NC-13658	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Reduced canopy
NC-13659	Unknown		15	1	N/A	N/A	Standing Dead	
NC-13660	Unknown		7	1	N/A	N/A	Standing Dead	
NC-13661	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Leaning on chain link fence, adjacent standing dead leaning on tree
NC-13662	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Broken branches
NC-13663	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-13664	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines in canopy
NC-13665	American elm	<i>Ulmus americana</i>	6	1	N/A	N/A	Standing Dead	
NC-13666	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Leaning, poor branching structure, growing adjacent to standing dead tree
NC-13667	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Thin crown
NC-13668	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Dead branches, extensive vines
NC-13669	Tuliptree	<i>Liriodendron tulipifera</i>	28	1	14	42	Good	
NC-13670	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Good	
NC-13671	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-13672	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines into crown, twin trunks measured below split
NC-13673	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-13674	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead leader
NC-13675	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines, poor growth form
NC-13676	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13677	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines
NC-13678	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-13679	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Fair	Extensive vines and pruned
NC-13680	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13681	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dead wood
NC-13682	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13683	American elm	<i>Ulmus americana</i>	8	1	4	12	Poor	Extensive vines
NC-13684	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Poor growth form
NC-13685	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown, low branch dieback
NC-13686	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13687	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Fair	Vines on lower trunk, one sided
NC-13688	American elm	<i>Ulmus americana</i>	14	1	7	21	Fair	Extensive vines and heavily pruned
NC-13689	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-13690	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-13691	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13692	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13693	Unknown		16	1	N/A	N/A	Standing Dead	
NC-13694	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13695	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-13696	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Fair	Vines into crown, bend in leader, unbalanced crown
NC-13697	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Dead branch
NC-13698	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Broken leader, vines
NC-13699	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13700	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-13701	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-13702	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-13703	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-13704	Unknown		11	1	N/A	N/A	Standing Dead	
NC-13705	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Bend in leader due to slope, branch dieback in crown, thin crown, vines at base
NC-13706	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-13707	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-13708	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-13709	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-13710	Unknown		12	1	N/A	N/A	Standing Dead	
NC-13711	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Poor	Extensive vines
NC-13712	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Twisted trunk
NC-13713	Sweetgum	<i>Liquidambar styraciflua</i>	8, 6	2	4	12	Fair	Twin trunks 8 x 6, branches in lower canopy of both stems are rotting, unbalanced crown, thin crown
NC-13714	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines and heavily pruned
NC-13715	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13716	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Leaning leader, heavy branch dieback in crown, thin crown
NC-13717	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-13718	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown, growing through greenbrier
NC-13719	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Good	
NC-13720	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13721	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	
NC-13722	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Thin crown, dead lower branches
NC-13723	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Thin crown, growing through greenbrier
NC-13724	Blackgum	<i>Nyssa sylvatica</i>	14	1	7	21	Fair	Slight lean, poor branching structure
NC-13725	Unknown		5	1	N/A	N/A	Standing Dead	
NC-13726	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Extensive vines
								Major bend in leader, branch dieback in crown
NC-13727	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	
NC-13728	Willow oak	<i>Quercus phellos</i>	7, 6, 6	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 6, minor vines
NC-13729	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-13730	White oak	<i>Quercus alba</i>	14	1	7	21	Fair	Vines and trunk rot
NC-13731	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Fair	Extensive vines
NC-13732	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-13733	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Fair	Unbalanced crown
NC-13734	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Unbalanced crown, dead branch
NC-13735	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	With vines
NC-13736	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Good	Minor vine in crown
NC-13737	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-13738	Unknown		6	1	3	9	Poor	Extensive vines in canopy
NC-13739	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Extensive vines
								Heavy vines into crown, heavy branch dieback in crown, thin crown
NC-13740	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	
NC-13741	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Fair	Vines into crown, lots of water sprouts
NC-13742	Green ash	<i>Fraxinus pennsylvanica</i>	6, 4	2	N/A	N/A	Standing Dead	Twin trunk 6 x 4
NC-13743	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
								Vines into crown, heavy branch dieback in crown, thin crown
NC-13744	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	
NC-13745	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Extensive vines
NC-13746	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13747	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	One sided, vines in lower canopy
NC-13748	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Branch dieback in crown, thin crown
NC-13749	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-13750	Unknown		16	1	N/A	N/A	Standing Dead	
NC-13751	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	
NC-13752	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-13753	White oak	<i>Quercus alba</i>	8	1	N/A	N/A	Standing Dead	
NC-13754	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-13755	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-13756	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Irregular trunk
NC-13757	Green ash	<i>Fraxinus pennsylvanica</i>	8	1	N/A	N/A	Standing Dead	
NC-13758	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Leaning leader, branch dieback in crown
NC-13759	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Bend in leader
NC-13760	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Thin crown, many dead branches
NC-13761	White oak	<i>Quercus alba</i>	20	1	10	30	Good	
NC-13762	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-13763	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Poor	Extensive vines
NC-13764	Willow oak	<i>Quercus phellos</i>	22	1	11	33	Fair	Vines into crown, low branch dieback
NC-13765	American beech	<i>Fagus grandifolia</i>	10	1	5	15	Good	
NC-13766	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-13767	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Twisted trunk and trunk damage
NC-13768	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	4.5	13.5	Poor	Dying
NC-13769	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	
NC-13770	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-13771	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-13772	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13773	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Extensive vines
NC-13774	Unknown		10	1	N/A	N/A	Standing Dead	
NC-13775	Boxelder	<i>Acer negundo</i>	8	1	4	12	Good	
NC-13776	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-13777	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-13778	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-13779	Pin oak	<i>Quercus palustris</i>	7, 7	2	3.5	10.5	Good	Multistem trunk 7 x 7, minor vines
NC-13780	Callery pear	<i>Pyrus calleryana</i>	6, 5, 4	3	3	9	Poor	Multistem trunk 6 x 5 x 4, extensive vines
NC-13781	Callery pear	<i>Pyrus calleryana</i>	7, 5	2	3.5	10.5	Good	Twin trunk 7 x 5
NC-13782	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Thin crown, low branch dieback
NC-13783	Green ash	<i>Fraxinus pennsylvanica</i>	5	1	N/A	N/A	Standing Dead	
NC-13784	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-13785	Sweetgum	<i>Liquidambar styraciflua</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-13786	Eastern redcedar	<i>Juniperus virginiana</i>	10, 3	2	5	15	Fair	Twin trunks 10 x 3, 3" stem is leaning
NC-13787	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	3	9	Poor	Dying
NC-13788	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-13789	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-13790	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-13791	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-13792	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13793	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-13794	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	N/A	N/A	Standing Dead	
NC-13795	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Stressed
								Dead stem at base, bend in leader, poor branching structure, branch dieback in crown
NC-13796	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Leaning, bend in leader, thin crown, branch dieback in crown
NC-13797	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	
NC-13798	Callery pear	<i>Pyrus calleryana</i>	9, 5	2	4.5	13.5	Fair	Twin trunk 9 x 5, extensive vines
								Broken leader, heavy vines taking over crown
NC-13799	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	
NC-13800	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Good	
NC-13801	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-13802	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-13803	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown, few broken branches
NC-13804	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13805	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Good	Minor branch dieback in crown
								Vines in crown, many broken branches. Multistem 9 x 6 x 4 x 3
NC-13806	White mulberry	<i>Morus alba</i>	9, 6, 4, 3	4	4.5	13.5	Poor	
NC-13807	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Extensive vines, dead leaders
NC-13808	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken branches, vines
NC-13809	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Leaning, bend in leader
NC-13810	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines
								Slight lean, branch dieback in crown, unbalanced crown, insect/woodpecker holes
NC-13811	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Fair	
NC-13812	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-13813	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-13814	Unknown		9	1	N/A	N/A	Standing Dead	
NC-13815	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
NC-13816	Pine sp.	<i>Pinus sp.</i>	13	1	N/A	N/A	Standing Dead	
NC-13817	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-13818	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-13819	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Good	
NC-13820	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
NC-13821	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-13822	Unknown		6	1	N/A	N/A	Standing Dead	
NC-13823	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Splits above DBH, included bark
								Significant trunk wound 3.5' long at base, bend in leader
NC-13824	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	
NC-13825	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Heavy lean
								Vines into crown, heavy branch dieback in crown, thin crown
NC-13826	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	
NC-13827	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Good	
NC-13828	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Thin crown
NC-13829	Tuliptree	<i>Liriodendron tulipifera</i>	23	1	11.5	34.5	Good	
								Leaning, thin crown, low branch dieback, dead wood in crown
NC-13830	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	
NC-13831	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-13832	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-13833	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-13834	White oak	<i>Quercus alba</i>	18	1	9	27	Good	Vines at base
NC-13835	Eastern cottonwood	<i>Populus deltoides</i>	6	1	3	9	Good	
NC-13836	American elm	<i>Ulmus americana</i>	6	1	3	9	Poor	Heavy vines
NC-13837	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Good	
NC-13838	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Vines into crown
NC-13839	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Vines
NC-13840	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Broken branches, slight lean
NC-13841	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Good	Lean
NC-13842	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-13843	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Good	
NC-13844	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Lean, one sided
NC-13845	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Good	
								Leaning, bend in leader, thin crown, low branch dieback
NC-13846	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	
NC-13847	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-13848	Eastern cottonwood	<i>Populus deltoides</i>	11	1	5.5	16.5	Good	Minor vines
NC-13849	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead wood
NC-13850	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13851	White oak	<i>Quercus alba</i>	17	1	8.5	25.5	Good	
NC-13852	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Heavy vines, lean
								Broken leader, old dead main leader with decay
NC-13853	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	
NC-13854	Pin oak	<i>Quercus palustris</i>	28	1	14	42	Fair	Heavily pruned
NC-13855	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Bent leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13856	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Minor bend in leader
NC-13857	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Poor	Extensive vines in canopy
NC-13858	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Broken leader
NC-13859	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Vines at base, pruned
NC-13860	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Good	
NC-13861	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines into crown
NC-13862	Blackgum	<i>Nyssa sylvatica</i>	8, 7	2	4	12	Poor	Twin trunk 8 x 7, pruned, extensive vines
								Branch dieback in crown, minor vines not yet in crown
NC-13863	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	
NC-13864	Boxelder	<i>Acer negundo</i>	7, 6	2	3.5	10.5	Good	Twin trunk 7 x 6
NC-13865	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-13866	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Leaning, dead branches
NC-13867	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
								Nearly dead, rotting wood on trunk, vines into crown, heavy branch dieback in crown, thin crown
NC-13868	Green ash	<i>Fraxinus pennsylvanica</i>	7	1	3.5	10.5	Poor	
NC-13869	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Significant dead branches
NC-13870	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	crown
NC-13871	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Vines
NC-13872	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Poor growth form
NC-13873	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-13874	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Nearly dead, heavy vines into crown
								Some suckering from lower trunk. Twins 8 x 8
NC-13875	Callery pear	<i>Pyrus calleryana</i>	8, 8	2	4	12	Fair	
NC-13876	White mulberry	<i>Morus alba</i>	8	1	4	12	Good	
NC-13877	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, dead wood in crown
NC-13878	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Overtopped, thin crown
NC-13879	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Branch dieback, broken second leader
NC-13880	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-13881	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy, many vines
NC-13882	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-13883	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Thin crown, some water sprouts
NC-13884	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on lower branches
NC-13885	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-13886	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Good	
NC-13887	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
								Vines into crown, heavy branch dieback little crown remains
NC-13888	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	
NC-13889	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-13890	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Thin crown
NC-13891	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Many vines
NC-13892	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-13893	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Vines at base
NC-13894	Eastern redcedar	<i>Juniperus virginiana</i>	11	1	5.5	16.5	Good	Minor vines into crown
NC-13895	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Twisted trunk
NC-13896	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	Vines at base
NC-13897	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines at base, dead branches
								Multistem trunk 7 x 6 x 6, many vines in canopy
NC-13898	Red maple	<i>Acer rubrum</i>	7, 6, 6	3	3.5	10.5	Fair	
NC-13899	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-13900	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	Vines at base
NC-13901	Hickory sp.	<i>Carya sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-13902	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Bend in leader, broken leader
								Minor low branch dieback, minor deer rub at base
NC-13903	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-13904	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Branch dieback in crown
NC-13905	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Dead branch, ivy, lean
NC-13906	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-13907	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines
NC-13908	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Bend in leader, broken leader
NC-13909	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Lean, dead branches
NC-13910	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-13911	Red maple	<i>Acer rubrum</i>	24	1	12	36	Fair	Minor dead branches
NC-13912	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Vines in canopy
NC-13913	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-13914	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Extensive vines
NC-13915	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Many water sprouts, thin crown
NC-13916	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Lean, vines in canopy
NC-13917	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13918	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-13919	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
								Twin trunk 32 x 21, small trunk dead, dead branches
NC-13920*	Southern red oak	<i>Quercus falcata</i>	32, 21	2	16	48	Fair	
NC-13921	Red maple	<i>Acer rubrum</i>	24	1	12	36	Good	
NC-13922	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13923	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Poor branching structure, low branch dieback
NC-13924	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-13925	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines on trunk
NC-13926	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-13927	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Vines at base
NC-13928*	Sweetgum	<i>Liquidambar styraciflua</i>	30	1	N/A	N/A	Standing Dead	
NC-13929	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	N/A	N/A	Standing Dead	
NC-13930	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Thin crown
								Vines into crown, thin crown, large branch dieback in crown
NC-13931	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Fair	
NC-13932	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk wound
								Nearly overtopped by vines, irregular growth form
NC-13933	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	
NC-13934	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Minor vines, galls on trunk
								Leaning, bend in leader, thin crown, low branch dieback
NC-13935	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	
NC-13936	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Vines at base
NC-13937	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Thin crown
NC-13938	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Thin crown
NC-13939	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-13940	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Nearly overtopped by vines
NC-13941	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Good	Bend in leader, minor vines into crown
NC-13942	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines into crown, thin crown
NC-13943	Unknown		8	1	N/A	N/A	Standing Dead	
NC-13944	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-13945	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Leaning, vines
NC-13946	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Thin crown
NC-13947	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Vines, dead branches, reduced canopy
NC-13948	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Lean
NC-13949	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken leaders, heavy vines
								Nearly dead, Rotting bark on trunk, vines into crown, heavy branch dieback little crown remains
NC-13950	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	
NC-13951	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-13952	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Vines at base
NC-13953	Boxelder	<i>Acer negundo</i>	8, 8	2	4	12	Good	Twin trunk 8 x 8
NC-13954	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Very thin crown
NC-13955	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Extensive vines, dead branches
								Heavy vines into crown, minor low branch dieback
NC-13956	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	
NC-13957	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Fair	Dead branches and sparse canopy
NC-13958	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches, reduced canopy
NC-13959	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-13960	Northern catalpa	<i>Catalpa speciosa</i>	6	1	3	9	Fair	Slight lean, exposed roots
NC-13961	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Fair	Slight lean, vines into crown
								Large broken branch, minor vines into crown
NC-13962	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	
NC-13963	Unknown		9	1	N/A	N/A	Standing Dead	
NC-13964	Unknown		6	1	N/A	N/A	Standing Dead	
NC-13965	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	
NC-13966	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Overtopped, lean
NC-13967	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Extensive vines, reduced canopy
NC-13968	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Many vines, broken leader
NC-13969	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Bend in leader
NC-13970	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-13971	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-13972	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
								Poor branching structure, thin crown, low branch dieback
NC-13973	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	
NC-13974	Red maple	<i>Acer rubrum</i>	18	1	9	27	Poor	Broken leader, vines
NC-13975	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Possibly dead, many vines
NC-13976	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Vines at base
NC-13977	Loblolly pine	<i>Pinus taeda</i>	10	1	5	15	Fair	Vines, curved/leaning
NC-13978	Mockernut hickory	<i>Carya tomentosa</i>	8	1	4	12	Good	
NC-13979	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Thin crown, bend in leader
NC-13980	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-13981	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Splits above DBH, vines
NC-13982	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-13983	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-13984	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Very heavy vines on trunk
NC-13985	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-13986	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Vines at base and climbing
NC-13987	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	Some vines
NC-13988	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Poor	Leaning, dead leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-13989	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in lower branches, thin crown
NC-13990	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	3	9	Poor	Dying
NC-13991	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	One sided, thin crown
NC-13992	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Many vines
NC-13993	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Broken leader, heavy lean
NC-13994	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	Vines
NC-13995	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-13996	Unknown		6	1	N/A	N/A	Standing Dead	
NC-13997	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	Vines at base and climbing
NC-13998	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Thin crown, one sided, lean
NC-13999	Unknown		17	1	N/A	N/A	Standing Dead	
NC-14000	Unknown		7	1	N/A	N/A	Standing Dead	
NC-14001	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Trunk rot, extensive vines
NC-14002	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14003	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Trunk rot
NC-14004	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Vines at base
NC-14005	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Minor lean
NC-14006	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches, vines at base
NC-14007	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Good	
NC-14008	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Irregular growth form
NC-14009	White oak	<i>Quercus alba</i>	6	1	3	9	Good	Vines at base
NC-14010	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Minor vine into crown, branch dieback in crown, thin crown
								Minor vines into crown, irregular growth form, unbalanced crown, thin crown
NC-14011	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Some vines into crown
NC-14012	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Good	
NC-14013	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-14014	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dead branches
NC-14015	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Vines, dead branches
NC-14016	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-14017	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches
NC-14018	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	N/A	N/A	Standing Dead	
NC-14019*	Red maple	<i>Acer rubrum</i>	34	1	17	51	Fair	Multistem above DBH, poor branching structure, exposed roots
								Vines, lean
NC-14020	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	
NC-14021	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	N/A	N/A	Standing Dead	
NC-14022	Blackgum	<i>Nyssa sylvatica</i>	21	1	10.5	31.5	Good	Some vines
NC-14023	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Vines at base
NC-14024	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	crown
NC-14025	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Vines at base
NC-14026	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-14027	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines into crown, slight lean, branch dieback in crown, thin crown
NC-14028	American beech	<i>Fagus grandifolia</i>	14	1	7	21	Good	
NC-14029	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning, thin crown, low branch dieback
NC-14030	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-14031	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Topped leader, vines into crown, branch dieback in crown, thin crown
								Bend in leader
NC-14032	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14033	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-14034	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-14035	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Good	
NC-14036	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	N/A	N/A	Standing Dead	
NC-14037	Sweetgum	<i>Liquidambar styraciflua</i>	15, 10	2	7.5	22.5	Fair	Twin trunk 15 x10, small trunk dead
NC-14038	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Splits above DBH
NC-14039	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Heavy vines into crown, heavy branch dieback in crown, thin crown
								Thin growth form, vines on lower branches
NC-14040	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines on lower branches
NC-14041	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	crown
NC-14042	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on lower trunk
NC-14043	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Extensive vines
NC-14044	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning, extensive vines at base and in canopy
NC-14045	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Vines into crown, branch dieback in crown, thin crown
NC-14046	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on lower branches, thin crowns. Multistem 7 x 6 x 5 x 4
NC-14047	Sweetgum	<i>Liquidambar styraciflua</i>	7, 6, 5, 4	4	3.5	10.5	Fair	Many vines
NC-14048	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Broken branches
NC-14049	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Dying, broken leader, extensive vines
NC-14050	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	
NC-14051	Green ash	<i>Fraxinus pennsylvanica</i>	7	1	N/A	N/A	Standing Dead	
NC-14052	Green ash	<i>Fraxinus pennsylvanica</i>	11	1	N/A	N/A	Standing Dead	
NC-14053	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14054	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Minor vines
NC-14055	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Vines at base
NC-14056	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-14057	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Thin crown, bend in leader
NC-14058	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Vines at base
NC-14059	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor branch dieback
NC-14060	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Broken secondary leader and branch
NC-14061	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-14062	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Poor	Leaning, vines
NC-14063	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14064	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, dead wood
NC-14065	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Poor	Extensive vines
NC-14066	Shortleaf pine	<i>Pinus echinata</i>	16	1	8	24	Good	Vines at base
NC-14067	Southern red oak	<i>Quercus falcata</i>	27	1	13.5	40.5	Good	
NC-14068	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-14069	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-14070	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Good	Vines
NC-14071	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Vines
NC-14072	Red maple	<i>Acer rubrum</i>	15, 7	2	7.5	22.5	Poor	Twin trunk 15 x 7, uprooting
NC-14073	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Slight lean, vines into crown, thin crown
NC-14074	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-14075	Southern red oak	<i>Quercus falcata</i>	20	1	10	30	Good	Vines at base
NC-14076	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	One sided, irregular growth form. Splits above DBH
								Slight lean, vines into crown
NC-14077	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Extensive vines, dead branches
NC-14078	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor	Vines
NC-14079	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	Some vines
NC-14080	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Extensive vines
NC-14081	Loblolly pine	<i>Pinus taeda</i>	13	1	6.5	19.5	Fair	Vines
NC-14082	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Vines at base
NC-14083	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Severe lean, large branch dieback in crown
NC-14084	Sassafras	<i>Sassafras albidum</i>	7	1	3.5	10.5	Fair	
NC-14085	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	
NC-14086	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	Vines into canopy
NC-14087	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-14088	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	
NC-14089	American elm	<i>Ulmus americana</i>	10	1	5	15	Good	
NC-14090	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	
NC-14091	Mockernut hickory	<i>Carya tomentosa</i>	7	1	3.5	10.5	Good	
NC-14092	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-14093	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Good	
NC-14094	Northern catalpa	<i>Catalpa speciosa</i>	16	1	8	24	Fair	Heavy vines
NC-14095	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	2' long cavity on trunk rotting, leaning, heavy branch dieback in crown, minor vines into crown
								Vines
NC-14096	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	Heavy vines into crown, branch dieback in crown, thin crown
NC-14097	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	
NC-14098	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-14099	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-14100	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-14101	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-14102	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Heavy vines into crown, thin crown, broken leader
								Trunk rot, extensive vines
NC-14103	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Vines, dead leader
NC-14104	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	
NC-14105	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-14106	American elm	<i>Ulmus americana</i>	8	1	4	12	Good	
NC-14107	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-14108	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Dead branches
NC-14109	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Leaning, vines
NC-14110	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Broken leader, bend in leader, heavy vines into crown
								Leaning, overtaken by vines
NC-14111	Northern catalpa	<i>Catalpa speciosa</i>	8	1	4	12	Poor	Some vines
NC-14112	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	Extensive vines, dead branches
NC-14113	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	
NC-14114	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-14115	American sycamore	<i>Platanus occidentalis</i>	20	1	10	30	Good	Minor vines
NC-14116	Black locust	<i>Robinia pseudoacacia</i>	6	1	N/A	N/A	Standing Dead	
NC-14117	Loblolly pine	<i>Pinus taeda</i>	9	1	4.5	13.5	Fair	Leaning, vines
NC-14118	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-14119	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Trunk damage, broken branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14120	Sweetgum	<i>Liquidambar styraciflua</i>	14, 14	2	7	21	Fair	Twin trunks 14 x 14, second stem has vines into crown, both have branch dieback in the crown
NC-14121	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Significant lean
NC-14122	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines
NC-14123	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-14124	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-14125	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Lean, large broken branches
NC-14126	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Unusual growth form, dead wood
NC-14127	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Large dead branch, lean
NC-14128	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	Vines at base
NC-14129	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-14130	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-14131	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Unusual growth form
NC-14132	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Dead branches, vines
NC-14133	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Extensive vines, broken branches
NC-14134	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Good	Some vines
NC-14135	Blackgum	<i>Nyssa sylvatica</i>	19	1	9.5	28.5	Fair	Extensive vines, dead branches
NC-14136	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Minor dead wood
NC-14137	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4, 3	3	2.5	7.5	Fair	One sided, water sprouts. Multistem 5 x 4 x 3
NC-14138	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-14139	Blackgum	<i>Nyssa sylvatica</i>	16	1	8	24	Fair	Extensive vines
NC-14140	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Thin crown, branch dieback in crown
NC-14141	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines into crown
NC-14142	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Fair	Extensive vines
NC-14143	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Heavy vines taking over trunk and crown
NC-14144	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Minor vines, broken branches
NC-14145	Loblolly pine	<i>Pinus taeda</i>	7	1	3.5	10.5	Poor	Laying on ground
NC-14146	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-14147	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Extensive vines
NC-14148	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines, lean
NC-14149	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Dead branches, vines at base
NC-14150	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	One sided, lean
NC-14151	American elm	<i>Ulmus americana</i>	18	1	9	27	Fair	Many vines in canopy
NC-14152	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-14153	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-14154	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Vines
NC-14155	White mulberry	<i>Morus alba</i>	6	1	3	9	Good	
NC-14156	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean
NC-14157	Red maple	<i>Acer rubrum</i>	17	1	N/A	N/A	Standing Dead	
NC-14158	Loblolly pine	<i>Pinus taeda</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-14159	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	Some vines
NC-14160	Virginia pine	<i>Pinus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-14161	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Severe lean, neighboring dead tree leaning on this tree, branch dieback in crown
NC-14162	American elm	<i>Ulmus americana</i>	15	1	7.5	22.5	Fair	Leaning, dead branches
NC-14163	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14164	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Thin canopy
NC-14165	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	One sided, lean
NC-14166	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-14167	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Heavy vines on trunk
NC-14168	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leaning, dead leader
NC-14169	Red maple	<i>Acer rubrum</i>	8, 7	2	4	12	Fair	Twin trunks 8 x 7, leaning, branch dieback in crown
NC-14170	Red maple	<i>Acer rubrum</i>	12, 6	2	6	18	Good	Twin trunk 12 x 6
NC-14171	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Extensive vines, broken leader
NC-14172	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Vines at base
NC-14173	Ash species	<i>Fraxinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-14174	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-14175	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Lean, some debris lying against trunk
NC-14176	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Barely alive, heavy branch dieback in the crown, slight lean
NC-14177	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines, thin crown
NC-14178	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean, vines
NC-14179	Unknown		5	1	N/A	N/A	Standing Dead	
NC-14180	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines
NC-14181	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Large standing dead leaning on this tree, minor trunk wound
NC-14182	Northern red oak	<i>Quercus rubra</i>	12	1	N/A	N/A	Standing Dead	
NC-14183	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Vines at base
NC-14184	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-14185	Unknown		5	1	N/A	N/A	Standing Dead	
NC-14186	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14187	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Extensive vines, dead branches
NC-14188	Loblolly pine	<i>Pinus taeda</i>	10	1	5	15	Poor	Severely leaning
NC-14189	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Lean, interfering crowns
NC-14190	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Poor	Reduced canopy, extensive vines
NC-14191	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14192	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Poor branching structure, thin crown
NC-14193	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-14194	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Vines at base
NC-14195	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-14196	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying crown, significant lean
NC-14197	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-14198	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Vines, leaning
NC-14199	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Dead branches, vines
NC-14200	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-14201	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Overtopped crown
NC-14202	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, reduced canopy
NC-14203	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Splits above DBH
NC-14204	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Minor deer rub at base of trunk
NC-14205	Green ash	<i>Fraxinus pennsylvanica</i>	8	1	N/A	N/A	Standing Dead	
NC-14206	Red maple	<i>Acer rubrum</i>	14	1	7	21	Poor	Trunk rot, broken branches
NC-14207	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Dead leader, vines
NC-14208	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Poor	Severe leaning, vines
NC-14209	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Included bark
NC-14210	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Poor	Leaning, reduced canopy
NC-14211	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-14212	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Poor branching structure
NC-14213	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14214	Red maple	<i>Acer rubrum</i>	24	1	12	36	Fair	Heavily pruned, vines at base
NC-14215	Pignut hickory	<i>Carya glabra</i>	8	1	4	12	Good	Minor vines
NC-14216	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Splits below DBH
NC-14217	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-14218	Black locust	<i>Robinia pseudoacacia</i>	7	1	N/A	N/A	Standing Dead	
NC-14219	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-14220	Northern red oak	<i>Quercus rubra</i>	13	1	6.5	19.5	Good	
NC-14221	Red maple	<i>Acer rubrum</i>	22	1	11	33	Fair	Severe lean, cavity at base rotting
NC-14222	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-14223	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Significant dead wood
NC-14224	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning on chain link fence, large cavity on trunk rotting
NC-14225	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Bend in leader, poor branching structure
NC-14226	Northern red oak	<i>Quercus rubra</i>	24	1	N/A	N/A	Standing Dead	
NC-14227	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-14228	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Leaning, poor branching structure, bend in leader
NC-14229	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	Thin crown
NC-14230	Eastern redcedar	<i>Juniperus virginiana</i>	12	1	6	18	Fair	Heavy vines
NC-14231	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead branches
NC-14232	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-14233	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines in lower canopy, interfering crowns
NC-14234	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	4.5	13.5	Poor	Dying
NC-14235	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Vines
NC-14236	Blackgum	<i>Nyssa sylvatica</i>	18	1	9	27	Good	Vines
NC-14237	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Dead branch
NC-14238	Blackgum	<i>Nyssa sylvatica</i>	14	1	7	21	Fair	Vines, lean
NC-14239	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Thin crown
NC-14240	Blackgum	<i>Nyssa sylvatica</i>	18	1	9	27	Fair	Many vines
NC-14241	White mulberry	<i>Morus alba</i>	7, 6	2	3.5	10.5	Good	Twin trunk 7 x 6
NC-14242	Southern red oak	<i>Quercus falcata</i>	18	1	9	27	Good	
NC-14243	American sycamore	<i>Platanus occidentalis</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-14244	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	Minor trunk cavity
NC-14245	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14246	Green ash	<i>Fraxinus pennsylvanica</i>	7	1	3.5	10.5	Poor	Dying
NC-14247	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Unbalanced crown, slight lean
NC-14248	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-14249	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Extensive vines
NC-14250	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Poor growth form
NC-14251	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-14252	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	
NC-14253	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines, reduced canopy
NC-14254	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-14255	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-14256	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken, dying leader
NC-14257	Shortleaf pine	<i>Pinus echinata</i>	21	1	10.5	31.5	Good	Vines at base
NC-14258	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Many vines
NC-14259	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Fair	Vines in canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14260	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Trunk wounds at base, branch dieback in lower canopy
NC-14261	American sycamore	<i>Platanus occidentalis</i>	9	1	4.5	13.5	Fair	Reduced canopy, vines
NC-14262	Unknown		9	1	N/A	N/A	Standing Dead	
NC-14263	American elm	<i>Ulmus americana</i>	16	1	8	24	Good	
NC-14264	Black locust	<i>Robinia pseudoacacia</i>	12	1	N/A	N/A	Standing Dead	
NC-14265	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-14266	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-14267	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Many vines, reduced canopy
NC-14268	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Poor	stem
NC-14269	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-14270	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Severe lean, branch dieback in crown
NC-14271	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	Branch dieback in crown
NC-14272	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines in crown, one sided
NC-14273	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Dead leader
NC-14274	Red maple	<i>Acer rubrum</i>	20	1	10	30	Poor	Broken leader, extensive vines
NC-14275	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Thin crown
NC-14276	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-14277	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-14278	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	Vines
NC-14279	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines
NC-14280	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Bend in trunk, thin canopy
NC-14281	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Vines, broken branches
NC-14282	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Fair	Broken branches
NC-14283	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Significant lean, branch dieback in crown, thinning crown
NC-14284	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Extensive vines
NC-14285	Willow oak	<i>Quercus phellos</i>	19	1	9.5	28.5	Good	
NC-14286	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Minor vines, dead branches
NC-14287	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	Minor vines
NC-14288	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-14289	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Fair	Dead branches
NC-14290	Red maple	<i>Acer rubrum</i>	24	1	12	36	Good	Vines at base
NC-14291	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor vines
NC-14292	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Fair	Broken leader, extensive vines
NC-14293	Blackgum	<i>Nyssa sylvatica</i>	14, 6	2	7	21	Fair	Twin trunks 14 x 6, large trunk wounds and rotting bark at base
NC-14294	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Extensive vines
NC-14295	White oak	<i>Quercus alba</i>	12	1	6	18	Fair	Heavy vines
NC-14296	River birch	<i>Betula nigra</i>	8	1	4	12	Fair	Leaning
NC-14297	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-14298	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-14299	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead leader
NC-14300	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	Minor vines
NC-14301	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Poor	Broken trunk
NC-14302	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14303	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-14304	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Vines
NC-14305	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14306	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Heavy vines
NC-14307	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Thin crown, broken branches
NC-14308	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines, leaning
NC-14309	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	Some vines
NC-14310	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	Dead branches
NC-14311	Pin oak	<i>Quercus palustris</i>	17	1	8.5	25.5	Fair	Dead leader, extensive vines
NC-14312	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-14313	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead secondary leader
NC-14314	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	
NC-14315	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Thin crown
NC-14316	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Significant bend in leader, branch dieback in crown
NC-14317	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Vines
NC-14318	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	leaning, broken/dead branches
NC-14319	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaving, branch dieback in crown
NC-14320	White oak	<i>Quercus alba</i>	10	1	5	15	Good	Vines
NC-14321	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	
NC-14322	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	branches
NC-14323	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	Minor vines
NC-14324	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-14325	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dying
NC-14326	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-14327	Green ash	<i>Fraxinus pennsylvanica</i>	16	1	N/A	N/A	Standing Dead	
NC-14328	Unknown		5	1	N/A	N/A	Standing Dead	
NC-14329	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Extensive vines and heavily pruned
NC-14330	Pine sp.	<i>Pinus sp.</i>	14	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14331	Eastern redcedar	<i>Juniperus virginiana</i>	14	1	7	21	Good	
NC-14332	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Leaning, vines
NC-14333	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Heavy lean
NC-14334	American beech	<i>Fagus grandifolia</i>	12	1	6	18	Good	Vines
NC-14335	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-14336	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	N/A	N/A	Standing Dead	
NC-14337	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-14338	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-14339	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Slight lean, unbalanced crown
NC-14340	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Leaning
NC-14341	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14342	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Good	Thin crown
NC-14343	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Fair	Leaning
NC-14344	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown, lean
NC-14345	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dying second leader
NC-14346	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor bend in leader
NC-14347	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Minor vines
NC-14348	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Dead leader
NC-14349	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-14350	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-14351	Unknown		15	1	N/A	N/A	Standing Dead	
NC-14352	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14353	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Poor	Vines at base and in canopy, dead leader
NC-14354	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-14355	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, cavities on trunk and in crown
NC-14356	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-14357	Unknown		6	1	N/A	N/A	Standing Dead	
NC-14358	Willow oak	<i>Quercus phellos</i>	25	1	12.5	37.5	Good	Few dead branches
NC-14359	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines, reduced canopy
NC-14360*	Unknown		40	1	N/A	N/A	Standing Dead	Uprooted
NC-14361	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-14362	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines
NC-14363	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-14364	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-14365	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-14366	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning
NC-14367	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-14368	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-14369	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14370	Tuliptree	<i>Liriodendron tulipifera</i>	19	1	9.5	28.5	Fair	Broken leader
NC-14371	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean , bend in trunk
NC-14372	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Heavy vines
NC-14373	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Stressed
NC-14374	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-14375	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Branch dieback in lower canopy, sight lean
NC-14376	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-14377	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Leaning, vines
NC-14378	Red maple	<i>Acer rubrum</i>	12, 8	2	6	18	Good	Twin trunks 12 x 8
NC-14379	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-14380	Blackgum	<i>Nyssa sylvatica</i>	15	1	7.5	22.5	Fair	Broken branches, extensive vines
NC-14381	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Stressed, canopy reduced
NC-14382	American sycamore	<i>Platanus occidentalis</i>	13	1	6.5	19.5	Good	
NC-14383	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-14384	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-14385	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Fair	Reduced canopy
NC-14386	Oak sp.	<i>Quercus sp.</i>	19	1	N/A	N/A	Standing Dead	
NC-14387	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-14388	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Good	
NC-14389	Red maple	<i>Acer rubrum</i>	23	1	N/A	N/A	Standing Dead	
NC-14390	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dead branches
NC-14391	Unknown		6	1	N/A	N/A	Standing Dead	
NC-14392	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Extensive vines
NC-14393	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14394	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Vines
NC-14395	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-14396	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines
NC-14397*	Willow oak	<i>Quercus phellos</i>	32	1	16	48	Good	
NC-14398	Green ash	<i>Fraxinus pennsylvanica</i>	5	1	N/A	N/A	Standing Dead	
NC-14399	Blackgum	<i>Nyssa sylvatica</i>	19	1	9.5	28.5	Good	
NC-14400	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14401	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-14402	White mulberry	<i>Morus alba</i>	18	1	9	27	Poor	Severe trunk decay
NC-14403	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-14404	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14405	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-14406	American sycamore	<i>Platanus occidentalis</i>		10	1	5	15 Good	
NC-14407	Southern red oak	<i>Quercus falcata</i>		14	1	7	21 Good	
NC-14408	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	N/A	N/A Standing Dead	
NC-14409	Common persimmon	<i>Diospyros virginiana</i>		6	1	3	9 Good	
NC-14410	Pin oak	<i>Quercus palustris</i>		11	1	5.5	16.5 Fair	Extensive vines, broken branches
NC-14411	Red maple	<i>Acer rubrum</i>		6	1	3	9 Fair	Bend in leader, branch dieback in crown
NC-14412	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-14413	Black locust	<i>Robinia pseudoacacia</i>		6	1	N/A	N/A Standing Dead	
NC-14414	Pin oak	<i>Quercus palustris</i>		5	1	2.5	7.5 Good	
NC-14415	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Lean, bend in upper trunk
NC-14416	Red maple	<i>Acer rubrum</i>		16	1	8	24 Fair	Leaning, broken branches
NC-14417	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Poor	Large trunk wound, vines
NC-14418	American sycamore	<i>Platanus occidentalis</i>		10	1	5	15 Good	
NC-14419	Pin oak	<i>Quercus palustris</i>		19	1	9.5	28.5 Good	
NC-14420	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	Thin crown
NC-14421	Willow oak	<i>Quercus phellos</i>		7	1	3.5	10.5 Good	
NC-14422	Red maple	<i>Acer rubrum</i>		8	1	4	12 Fair	Leaning, dead branches
NC-14423	Callery pear	<i>Pyrus calleryana</i>		6	1	3	9 Good	
NC-14424	Red maple	<i>Acer rubrum</i>		10	1	5	15 Good	
NC-14425	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Good	
NC-14426	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Overtopped, thin crown
NC-14427	Green ash	<i>Fraxinus pennsylvanica</i>		6	1	N/A	N/A Standing Dead	
NC-14428	Red maple	<i>Acer rubrum</i>		17	1	N/A	N/A Standing Dead	
NC-14429	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Heavy vines
NC-14430	White mulberry	<i>Morus alba</i>		11	1	5.5	16.5 Good	
NC-14431	Red maple	<i>Acer rubrum</i>		12	1	6	18 Fair	Lean, one sided
NC-14432	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Dead branches and reduced canopy
NC-14433	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Thin crown, one sided
NC-14434	Pin oak	<i>Quercus palustris</i>		5	1	2.5	7.5 Fair	Reduced canopy
NC-14435	Red maple	<i>Acer rubrum</i>		15	1	7.5	22.5 Fair	Extensive vines and dead branches
NC-14436	Eastern redcedar	<i>Juniperus virginiana</i>		5	1	2.5	7.5 Fair	Interfering crowns
NC-14437	White oak	<i>Quercus alba</i>		11	1	5.5	16.5 Fair	Extensive vines
NC-14438	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Poor	Broken trunk
NC-14439	Pin oak	<i>Quercus palustris</i>		8	1	4	12 Good	
NC-14440	Black locust	<i>Robinia pseudoacacia</i>		6	1	N/A	N/A Standing Dead	
NC-14441	Sweetgum	<i>Liquidambar styraciflua</i>		18	1	9	27 Good	
NC-14442	Eastern redcedar	<i>Juniperus virginiana</i>		7	1	3.5	10.5 Poor	Severe lean, overtopped
NC-14443	White oak	<i>Quercus alba</i>		13	1	6.5	19.5 Fair	Dead wood and vines
NC-14444	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-14445	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Leaning, vines at base
NC-14446	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-14447	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Fair	Interfering trunks
NC-14448	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Good	
NC-14449	Blackgum	<i>Nyssa sylvatica</i>		10	1	5	15 Fair	Severe lean, branch dieback in crown
NC-14450	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5 Good	
NC-14451	Black locust	<i>Robinia pseudoacacia</i>		7	1	N/A	N/A Standing Dead	
NC-14452	Red maple	<i>Acer rubrum</i>		18	1	9	27 Good	
NC-14453	Virginia pine	<i>Pinus virginiana</i>		13	1	6.5	19.5 Fair	Vines on lower trunk
NC-14454	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Fair	Bend in leader, poor branching structure
NC-14455	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Dead branches
NC-14456	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Fair	Severe lean, branch dieback in crown
NC-14457	Red maple	<i>Acer rubrum</i>		6	1	3	9 Fair	Dead leader
NC-14458	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Good	
NC-14459	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12 Fair	Vines, lean
NC-14460	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-14461	Red maple	<i>Acer rubrum</i>	14, 12, 9, 9	4	7	21	Fair	Multistem trunk 14 x 12 x 9 x 9, trunk damage, fungus, vines
NC-14462	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Poor	Heavy vines, lean
NC-14463	Southern red oak	<i>Quercus falcata</i>		17	1	8.5	25.5 Fair	Broken branches
NC-14464	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-14465	Callery pear	<i>Pyrus calleryana</i>		7	1	3.5	10.5 Fair	Irregular growth form
NC-14466	White oak	<i>Quercus alba</i>		9	1	4.5	13.5 Good	Vines at base
NC-14467	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Vines, broken branches, fungus
NC-14468	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Good	
NC-14469	Pin oak	<i>Quercus palustris</i>		12	1	6	18 Good	
NC-14470	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5 Good	Slight bend in trunk
NC-14471	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5	Poor	Twin trunk 7 x 5, small trunk dead, reduced canopy
NC-14472	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-14473	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Vines
NC-14474	Red maple	<i>Acer rubrum</i>		8	1	4	12 Good	
NC-14475	Pine sp.	<i>Pinus sp.</i>		20	1	N/A	N/A Standing Dead	
NC-14476	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	Vines at base
NC-14477	Red maple	<i>Acer rubrum</i>		12	1	6	18 Poor	Large trunk wound, heavy lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14478	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Poor	Large trunk
NC-14479	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-14480	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Fair	Heavy vines
NC-14481	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Good	Minor vines
NC-14482	American holly	<i>Ilex opaca</i>		7	1	3.5	10.5 Good	
NC-14483	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Fair	Heavy vines
NC-14484	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Fair	Thin crown
NC-14485	Eastern redcedar	<i>Juniperus virginiana</i>		12	1	6	18 Fair	Extensive vines
NC-14486	American beech	<i>Fagus grandifolia</i>		13	1	6.5	19.5 Good	Vines
NC-14487	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Heavy vines, lean
NC-14488	Southern red oak	<i>Quercus falcata</i>		14	1	7	21 Fair	Dead leader, dead branches
NC-14489	Red maple	<i>Acer rubrum</i>		9	1	N/A	N/A Standing Dead	
NC-14490	American holly	<i>Ilex opaca</i>		10	1	5	15 Good	
NC-14491	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Good	Minor vines
NC-14492	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12 Good	
NC-14493	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	
NC-14494	Pin oak	<i>Quercus palustris</i>		9	1	4.5	13.5 Fair	Broken branches
NC-14495	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Fair	Broken branches, vines
NC-14496	Red maple	<i>Acer rubrum</i>		8	1	4	12 Fair	Vines
NC-14497	Virginia pine	<i>Pinus virginiana</i>		11	1	N/A	N/A Standing Dead	
NC-14498	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-14499	Virginia pine	<i>Pinus virginiana</i>		8	1	N/A	N/A Standing Dead	
NC-14500	American beech	<i>Fagus grandifolia</i>		10	1	5	15 Good	
NC-14501	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Undercutting roots
NC-14502	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Broken branches, vines
NC-14503	Virginia pine	<i>Pinus virginiana</i>		6	1	N/A	N/A Standing Dead	
NC-14504	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	
NC-14505	Unknown			8	1	N/A	N/A Standing Dead	
NC-14506	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	
NC-14507	Blackgum	<i>Nyssa sylvatica</i>		12	1	6	18 Good	
NC-14508	Pin oak	<i>Quercus palustris</i>		15	1	7.5	22.5 Fair	Vines
NC-14509	Tuliptree	<i>Liriodendron tulipifera</i>		16	1	8	24 Good	
NC-14510	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5 Fair	Dead branches
NC-14511	Unknown			8	1	N/A	N/A Standing Dead	
NC-14512	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Fair	Extensive vines
NC-14513	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-14514	Red maple	<i>Acer rubrum</i>		20	1	10	30 Good	Vines at base
NC-14515	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-14516	Unknown			15	1	N/A	N/A Standing Dead	
NC-14517	Eastern redcedar	<i>Juniperus virginiana</i>		8	1	4	12 Fair	Vines in canopy
NC-14518	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-14519	Blackgum	<i>Nyssa sylvatica</i>		10	1	5	15 Good	
NC-14520	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	N/A	N/A Standing Dead	
NC-14521	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Good	
NC-14522	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-14523	Red maple	<i>Acer rubrum</i>	9, 7, 7, 7, 7	5	4.5	13.5	Good	Multistem trunk 9 x 7 x 7 x 7 x 7
NC-14524	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Good	
NC-14525	Callery pear	<i>Pyrus calleryana</i>		8	1	4	12 Good	
NC-14526	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-14527	Southern red oak	<i>Quercus falcata</i>		14	1	7	21 Good	
NC-14528	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4, 2	3	2.5	7.5	Fair	Lean, one sided. Multistem 5 x 4 x 2
NC-14529	Callery pear	<i>Pyrus calleryana</i>		5	1	2.5	7.5 Good	
NC-14530	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	Vines on lower canopy
NC-14531	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5 Poor	Dead leader, extensive vines
NC-14532	Virginia pine	<i>Pinus virginiana</i>		23	1	11.5	34.5 Good	Vines at base
NC-14533	Pine sp.	<i>Pinus sp.</i>		15	1	N/A	N/A Standing Dead	
NC-14534	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5 Good	Twin leaders
NC-14535	Tuliptree	<i>Liriodendron tulipifera</i>		7	1	3.5	10.5 Good	
NC-14536	Tree of heaven	<i>Ailanthus altissima</i>		12	1	6	18 Good	
NC-14537	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Vines into crown
NC-14538	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	N/A	N/A Standing Dead	Vines at base
NC-14539	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-14540	Red maple	<i>Acer rubrum</i>		10	1	5	15 Fair	Small cavity on trunk, low branch dieback, poor branching structure
NC-14541	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Heavy vines
NC-14542	American elm	<i>Ulmus americana</i>		8	1	4	12 Good	
NC-14543	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12 Fair	Vines
NC-14544	Red maple	<i>Acer rubrum</i>		8	1	4	12 Good	
NC-14545	Virginia pine	<i>Pinus virginiana</i>		11	1	N/A	N/A Standing Dead	
NC-14546	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5 Good	
NC-14547	Hawthorn sp.	<i>Crataegus sp.</i>		13	1	6.5	19.5 Fair	Vines, broken branches
NC-14548	Virginia pine	<i>Pinus virginiana</i>		12	1	N/A	N/A Standing Dead	
NC-14549	Callery pear	<i>Pyrus calleryana</i>		5	1	2.5	7.5 Fair	Vines, lean
NC-14550	Red maple	<i>Acer rubrum</i>		16, 15	3	8	24 Poor	Twin trunk 16 x15, dead branches, 3rd trunk dead, trunk rot

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-14551	Red maple	Acer rubrum		5	1	2.5	7.5	Fair	Reduced canopy
NC-14552	Red maple	Acer rubrum		7	1	3.5	10.5	Fair	Broken branches
NC-14553	Red maple	Acer rubrum	6, 6	2	3	9	Good		Twin trunk 6 x 6
NC-14554	American beech	Fagus grandifolia		5	1	2.5	7.5	Good	
NC-14555	American beech	Fagus grandifolia		6	1	3	9	Fair	Vines
NC-14556	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Broken leader
NC-14557	Red maple	Acer rubrum		6	1	3	9	Good	
NC-14558	Red maple	Acer rubrum		12	1	6	18	Fair	Twin trunk, included bark, dead wood
NC-14559	Sweetgum	Liquidambar styraciflua		8	1	4	12	Good	Vines
NC-14560	Green ash	Fraxinus pennsylvanica		9	1	N/A	N/A	Standing Dead	
NC-14561	Northern red oak	Quercus rubra		12	1	6	18	Fair	Vines, dead wood
NC-14562	Virginia pine	Pinus virginiana		19	1	9.5	28.5	Good	Leaning
NC-14563	American sycamore	Platanus occidentalis		6	1	3	9	Poor	Extensive vines, reduced canopy
NC-14564	Virginia pine	Pinus virginiana		12	1	6	18	Fair	Extensive vines
NC-14565	Red maple	Acer rubrum		6	1	3	9	Fair	Bend in leader, minor cavity on trunk, slight lean, poor branching structure
NC-14566	Red maple	Acer rubrum		12	1	6	18	Fair	Reduced canopy
NC-14567	American sycamore	Platanus occidentalis		7	1	3.5	10.5	Good	
NC-14568	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Fair	Vines, sparse canopy
NC-14569	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Good	
NC-14570	Tree of heaven	Ailanthus altissima		10	1	5	15	Poor	Heavy vines, heavy lean
NC-14571	Black oak	Quercus velutina		10	1	5	15	Good	
NC-14572	Scarlet oak	Quercus coccinea		18	1	9	27	Good	
NC-14573	Callery pear	Pyrus calleryana	14, 12	2	7	21	Fair		Twin trunk 14 x 12, extensive vines
NC-14574	Blackgum	Nyssa sylvatica		8	1	4	12	Poor	Dead leader, extensive vines
NC-14575	Red maple	Acer rubrum		7	1	3.5	10.5	Fair	Bend in leader, thin crown, branch dieback in crown
NC-14576	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	Reduced canopy
NC-14577	Green ash	Fraxinus pennsylvanica		9	1	4.5	13.5	Poor	Dying
NC-14578	Hawthorn sp.	Crataegus sp.		11	1	5.5	16.5	Fair	Vines, broken leader
NC-14579	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-14580	Tuliptree	Liriodendron tulipifera		9	1	4.5	13.5	Good	
NC-14581	Sweetgum	Liquidambar styraciflua		11	1	5.5	16.5	Good	Vines at base
NC-14582	Red maple	Acer rubrum		8	1	4	12	Good	
NC-14583	Blackgum	Nyssa sylvatica	12, 10	2	6	18	Fair		Twin trunk 12 x 10 second trunk dead, vines at base
NC-14584	American sycamore	Platanus occidentalis		7	1	3.5	10.5	Good	
NC-14585	American sycamore	Platanus occidentalis		7	1	3.5	10.5	Good	
NC-14586	Red maple	Acer rubrum	20, 10, 9	3	10	30	Good		Multistem trunk 20 x 10 x 9
NC-14587	Callery pear	Pyrus calleryana		5	1	2.5	7.5	Good	
NC-14588	Willow oak	Quercus phellos		5	1	2.5	7.5	Fair	Dead branches
NC-14589	Red maple	Acer rubrum	9, 8	2	4.5	13.5	Good		Lean, one sided. Twin trunks 9 x 8
NC-14590	Red maple	Acer rubrum		7	1	3.5	10.5	Poor	Broken leader, nearly dead, small cavity oozing
NC-14591	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Broken branches, vines at base
NC-14592	Black cherry	Prunus serotina		9	1	4.5	13.5	Poor	Dead branches
NC-14593	Red maple	Acer rubrum	16, 15	2	8	24	Poor		Twin trunk 16 x 15, 1 trunk nearly dead
NC-14594	Southern red oak	Quercus falcata		16	1	8	24	Good	Vines at base
NC-14595	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Extensive vines
NC-14596	American elm	Ulmus americana		8	1	4	12	Fair	Stressed
NC-14597	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Dead leader
NC-14598	Red maple	Acer rubrum		7	1	3.5	10.5	Good	
NC-14599	American sycamore	Platanus occidentalis	8, 8	2	4	12	Fair		Twin trunk 8 x 8, vines
NC-14600	Black locust	Robinia pseudoacacia		15	1	N/A	N/A	Standing Dead	
NC-14601	Virginia pine	Pinus virginiana		10	1	5	15	Good	Slight lean
NC-14602	Red maple	Acer rubrum		6	1	3	9	Good	
NC-14603	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Fair	Leaning, vines
NC-14604	Red maple	Acer rubrum		10	1	5	15	Fair	Leaning
NC-14605	Green ash	Fraxinus pennsylvanica	6, 5	2	3	9	Poor		Twin trunk 6 x 5, dying
NC-14606	Black cherry	Prunus serotina	5, 5	2	2.5	7.5	Fair		Twin trunk 5 x 5, dead branches
NC-14607	Sweetgum	Liquidambar styraciflua		11	1	5.5	16.5	Poor	Large trunk wound 3' long, leaning, thin crown, low branch dieback, trunk rot at base
NC-14608	American sycamore	Platanus occidentalis		6	1	3	9	Good	
NC-14609	Callery pear	Pyrus calleryana		7	1	3.5	10.5	Good	
NC-14610	Willow oak	Quercus phellos		14	1	7	21	Fair	Vines, dead branches
NC-14611	Sweetgum	Liquidambar styraciflua		15	1	7.5	22.5	Poor	Several broken leaders
NC-14612	Blackgum	Nyssa sylvatica		11	1	5.5	16.5	Good	Vines at base
NC-14613	Red maple	Acer rubrum		9	1	4.5	13.5	Good	
NC-14614	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Vines
NC-14615	Red maple	Acer rubrum		6	1	3	9	Poor	Large cavity 1' foot long rotting, branch dieback in crown
NC-14616	Blackgum	Nyssa sylvatica		13	1	6.5	19.5	Fair	Branch dieback in crown
NC-14617	Pin oak	Quercus palustris		10	1	N/A	N/A	Standing Dead	
NC-14618*	Willow oak	Quercus phellos		31	1	15.5	46.5	Fair	Large branch dieback in crown

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-14619	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-14620	Pin oak	Quercus palustris		7	1	3.5	10.5	Good	
NC-14621	American elm	Ulmus americana	6, 5, 3	3	3	9	Fair	Multistem trunk 6 x 5 x 3, extensive vines	
NC-14622	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-14623	Southern red oak	Quercus falcata		15	1	7.5	22.5	Fair	Reduced canopy
NC-14624	American elm	Ulmus americana		7	1	3.5	10.5	Fair	Leaning
NC-14625	Sweetgum	Liquidambar styraciflua		12	1	6	18	Fair	Broken branches, vines at base
NC-14626	Callery pear	Pyrus calleryana		9	1	4.5	13.5	Fair	Extensive vines
NC-14627	Virginia pine	Pinus virginiana		12	1	6	18	Fair	Extensive vines
NC-14628	Callery pear	Pyrus calleryana		6	1	3	9	Good	
NC-14629	Red maple	Acer rubrum		7	1	3.5	10.5	Good	Minor vines
NC-14630	Sweetgum	Liquidambar styraciflua		10	1	5	15	Fair	Twin trunk, heavy vines
NC-14631	Sweetgum	Liquidambar styraciflua		10	1	5	15	Poor	Heavy vines on trunk into canopy
NC-14632	Sweetgum	Liquidambar styraciflua		6	1	3	9	Poor	Vines, dead leader
NC-14633	Green ash	Fraxinus pennsylvanica	6, 4	2	N/A	N/A	Standing Dead	Twin trunk 6 x 4	
NC-14634	Sweetgum	Liquidambar styraciflua		10	1	N/A	N/A	Standing Dead	
NC-14635	Sweetgum	Liquidambar styraciflua		17	1	8.5	25.5	Fair	Vines on lower trunk
NC-14636	Blackgum	Nyssa sylvatica		9	1	4.5	13.5	Fair	Extensive vines
NC-14637	Pin oak	Quercus palustris		19	1	9.5	28.5	Good	
NC-14638	Green ash	Fraxinus pennsylvanica		6	1	N/A	N/A	Standing Dead	
NC-14639	Red maple	Acer rubrum		6	1	3	9	Fair	Vines in canopy
NC-14640	Blackgum	Nyssa sylvatica		5	1	N/A	N/A	Standing Dead	
NC-14641	Sweetgum	Liquidambar styraciflua		8	1	4	12	Poor	Lean, overtopped by vines
NC-14642	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Good	
NC-14643	Red maple	Acer rubrum		5	1	N/A	N/A	Standing Dead	
NC-14644	Red maple	Acer rubrum		6	1	3	9	Fair	One sided, dead lower branches
NC-14645	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Poor	Extensive vines, reduced canopy
NC-14646	Loblolly pine	Pinus taeda		16	1	8	24	Good	
NC-14647	Eastern redbud	Cercis canadensis		7	1	3.5	10.5	Fair	Vines, dead branches
NC-14648	Sweetgum	Liquidambar styraciflua		6	1	N/A	N/A	Standing Dead	
NC-14649	White oak	Quercus alba		6	1	3	9	Good	
NC-14650	Sweetgum	Liquidambar styraciflua		13	1	N/A	N/A	Standing Dead	
NC-14651	Virginia pine	Pinus virginiana		16	1	8	24	Good	
NC-14652	Sweetgum	Liquidambar styraciflua		10	1	5	15	Fair	Heavy vines
NC-14653	Red maple	Acer rubrum		6	1	3	9	Good	
NC-14654	Pin oak	Quercus palustris		8	1	4	12	Good	
NC-14655	American sycamore	Platanus occidentalis		8	1	4	12	Good	
NC-14656	White oak	Quercus alba		19	1	9.5	28.5	Fair	Heavy vines
NC-14657	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-14658	Unknown			12	1	N/A	N/A	Standing Dead	
NC-14659	Red maple	Acer rubrum		7	1	3.5	10.5	Fair	One sided, dead lower branches
NC-14660	Sweetgum	Liquidambar styraciflua		5	1	N/A	N/A	Standing Dead	
NC-14661	Red maple	Acer rubrum		15	1	7.5	22.5	Good	
NC-14662	Southern red oak	Quercus falcata		6	1	3	9	Good	
NC-14663	Blackgum	Nyssa sylvatica		5	1	N/A	N/A	Standing Dead	
NC-14664	Callery pear	Pyrus calleryana		5	1	2.5	7.5	Fair	Vines
NC-14665	Red maple	Acer rubrum		13	1	N/A	N/A	Standing Dead	
NC-14666	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Good	Vines at base
NC-14667	Red maple	Acer rubrum		9	1	4.5	13.5	Fair	Vines, lean
NC-14668	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-14669	Blackgum	Nyssa sylvatica		19	1	9.5	28.5	Good	
NC-14670	Blackgum	Nyssa sylvatica		9	1	4.5	13.5	Poor	Trunk rot, dead leader, epicormic branches
NC-14671	Callery pear	Pyrus calleryana		7	1	3.5	10.5	Fair	Dead branches
NC-14672	Black locust	Robinia pseudoacacia		10	1	N/A	N/A	Standing Dead	
NC-14673	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Lean, vines on trunk
NC-14674	Sweetgum	Liquidambar styraciflua		10	1	5	15	Good	
NC-14675	Callery pear	Pyrus calleryana		10	1	5	15	Fair	Extensive vines
NC-14676	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Heavy lean, vines
NC-14677	Red maple	Acer rubrum		6	1	3	9	Good	
NC-14678	Callery pear	Pyrus calleryana		10	1	5	15	Good	
NC-14679	Virginia pine	Pinus virginiana		16	1	N/A	N/A	Standing Dead	
NC-14680	American sycamore	Platanus occidentalis		5	1	2.5	7.5	Poor	Vines, reduced canopy, stressed
NC-14681	Red maple	Acer rubrum		8	1	4	12	Good	
NC-14682	Red maple	Acer rubrum		5	1	2.5	7.5	Fair	Broken branches, leaning
NC-14683	Callery pear	Pyrus calleryana		7	1	3.5	10.5	Fair	Multistem, vines
NC-14684	Blackgum	Nyssa sylvatica		7	1	3.5	10.5	Poor	Dead leader and branches
NC-14685	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Good	Vines at base
NC-14686	Pin oak	Quercus palustris		8	1	4	12	Fair	Extensive vines
NC-14687	Black cherry	Prunus serotina		16	1	8	24	Fair	Leaning
NC-14688	American elm	Ulmus americana		6	1	3	9	Good	
NC-14689	Callery pear	Pyrus calleryana	6, 6, 5, 4, 3	5	3	9	Good	Multistem trunk 6 x 6 x 5 x 4 x 3	
NC-14690	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-14691	Red maple	Acer rubrum		5	1	N/A	N/A	Standing Dead	
NC-14692	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Heavy lean

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-14693	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair	Heavy vines
NC-14694	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good	
NC-14695	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair	One sided, dead lower branches
NC-14696	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Good	Thin crown
NC-14697	Red maple	<i>Acer rubrum</i>		7	1	N/A	N/A	Standing Dead	
NC-14698	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5	Poor	Dead leader
NC-14699	Red maple	<i>Acer rubrum</i>		5	1	N/A	N/A	Standing Dead	
NC-14700	Black cherry	<i>Prunus serotina</i>		10	1	N/A	N/A	Standing Dead	
NC-14701	Callery pear	<i>Pyrus calleryana</i>		6	1	3	9	Fair	Extensive vines and reduced canopy
NC-14702	Red maple	<i>Acer rubrum</i>		15	1	7.5	22.5	Fair	Leaning
NC-14703	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair	Leaning, extensive vines
NC-14704	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Poor	Dying crown, fungus on trunk, heavy vines
NC-14705	Black oak	<i>Quercus velutina</i>		16	1	8	24	Fair	Leaning, few dead branches
NC-14706	Black locust	<i>Robinia pseudoacacia</i>		6	1	N/A	N/A	Standing Dead	
NC-14707	Callery pear	<i>Pyrus calleryana</i>		6	1	3	9	Good	
NC-14708	Pin oak	<i>Quercus palustris</i>		6	1	3	9	Good	
NC-14709	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5	Fair	Extensive vines and reduced canopy
NC-14710	Black locust	<i>Robinia pseudoacacia</i>		9	1	N/A	N/A	Standing Dead	
NC-14711	American sycamore	<i>Platanus occidentalis</i>		7	1	3.5	10.5	Good	
NC-14712	Southern red oak	<i>Quercus falcata</i>		21	1	10.5	31.5	Good	Vines at base
NC-14713	Tuliptree	<i>Liriodendron tulipifera</i>		7	1	3.5	10.5	Good	
NC-14714	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair	Reduced canopy
NC-14715	Pin oak	<i>Quercus palustris</i>		11	1	5.5	16.5	Fair	Vines in canopy
NC-14716	Pin oak	<i>Quercus palustris</i>		14	1	7	21	Poor	Extensive vines, dead branches
NC-14717	Black locust	<i>Robinia pseudoacacia</i>		6	1	N/A	N/A	Standing Dead	
NC-14718	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair	Broken leader and vines
NC-14719	Willow oak	<i>Quercus phellos</i>		14	1	7	21	Good	
NC-14720	Unknown			10	1	N/A	N/A	Standing Dead	
NC-14721	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5	Fair	Dead branches, vines
NC-14722	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Fair	Large 3' cavity with rotting mushrooms inside the cavity, bend in leader, large broken branch in crown
NC-14723	White mulberry	<i>Morus alba</i>		7	1	3.5	10.5	Fair	Dead branches
NC-14724	Southern red oak	<i>Quercus falcata</i>		12	1	6	18	Fair	Dead branches
NC-14725	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5	Poor	Missing leader
NC-14726	White mulberry	<i>Morus alba</i>		5	1	2.5	7.5	Fair	Heavy vines
NC-14727	White mulberry	<i>Morus alba</i>		8	1	4	12	Fair	Broken branches, leaning
NC-14728	Red maple	<i>Acer rubrum</i>		7	1	N/A	N/A	Standing Dead	
NC-14729	Black locust	<i>Robinia pseudoacacia</i>		5	1	N/A	N/A	Standing Dead	
NC-14730	Tuliptree	<i>Liriodendron tulipifera</i>		6	1	3	9	Fair	Extensive vines
NC-14731	Black locust	<i>Robinia pseudoacacia</i>		7	1	N/A	N/A	Standing Dead	
NC-14732	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A	Standing Dead	
NC-14733	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	N/A	N/A	Standing Dead	
NC-14734	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair	Dead leader
NC-14735	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good	
NC-14736	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-14737	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Fair	Heavy vines
NC-14738	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5	Poor	Missing leader
NC-14739	Northern red oak	<i>Quercus rubra</i>		6	1	3	9	Fair	Lean
NC-14740	Black cherry	<i>Prunus serotina</i>		10	1	5	15	Fair	Extensive vines
NC-14741	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Fair	Undercutting roots
NC-14742	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Poor	Large trunk wound with decay, vines on branches
NC-14743	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair	Leaning
NC-14744	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5	Fair	Vines at base, dead branches
NC-14745	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5	Fair	Heavy vines
NC-14746	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-14747	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair	Bend in trunk, vines on trunk
NC-14748	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21	Good	Thin crown
NC-14749	Blackgum	<i>Nyssa sylvatica</i>	7, 4	2	3.5	10.5	Poor		Has a live 4" stem, rotting branches in lower canopy
NC-14750	Blackgum	<i>Nyssa sylvatica</i>		5	1	2.5	7.5	Fair	Vines
NC-14751	American elm	<i>Ulmus americana</i>	11, 4	2	5.5	16.5	Good		Twin trunk 11 x 4
NC-14752	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-14753	Unknown			5	1	N/A	N/A	Standing Dead	
NC-14754	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair	Bend in trunk, vines on lower branches
NC-14755	Southern red oak	<i>Quercus falcata</i>		22	1	11	33	Good	Few dead branches
NC-14756	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18	Good	Vines at base
NC-14757	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-14758	Sweetgum	<i>Liquidambar styraciflua</i>		17	1	8.5	25.5	Good	One dead branch
NC-14759	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair	Vines
NC-14760	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good	
NC-14761	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair	Dead secondary leader, vines
NC-14762	American sycamore	<i>Platanus occidentalis</i>	8, 6	2	4	12	Good		Twin trunk 8 x 6

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14763	White mulberry	Morus alba	7	1	3.5	10.5	Fair	Dead branches
NC-14764	White oak	Quercus alba	7	1	3.5	10.5	Fair	Vines in canopy, weighed branches
NC-14765	Black cherry	Prunus serotina	15, 7	2	7.5	22.5	Fair	Twin trunk 15 x 7 trunk rot, second trunk dead
NC-14766	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Fair	Extensive vines and reduced canopy
NC-14767	Virginia pine	Pinus virginiana	16	1	8	24	Good	
NC-14768	Willow oak	Quercus phellos	6	1	3	9	Good	Slight lean
NC-14769	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Heavy vines
NC-14770	White mulberry	Morus alba	6	1	3	9	Good	
NC-14771	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Vines, dead wood
NC-14772	Black locust	Robinia pseudoacacia	6	1	3	9	Fair	Several dead branches
NC-14773	Blackgum	Nyssa sylvatica	5	1	2.5	7.5	Good	
NC-14774	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Good	Vines
NC-14775	Red maple	Acer rubrum	14	1	7	21	Good	
NC-14776	Black locust	Robinia pseudoacacia	6	1	3	9	Fair	Dead branches
NC-14777	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Good	
NC-14778	Pin oak	Quercus palustris	10	1	5	15	Good	
NC-14779	Red maple	Acer rubrum	8	1	4	12	Fair	Poor branching structure, large branch dieback in crown
NC-14780	Red maple	Acer rubrum	6	1	3	9	Good	Slight bend in trunk, few sprouts
NC-14781	Red maple	Acer rubrum	7	1	3.5	10.5	Fair	Dead branches
NC-14782	Red maple	Acer rubrum	9	1	4.5	13.5	Good	
NC-14783	American sycamore	Platanus occidentalis	6	1	3	9	Fair	Reduced canopy
NC-14784	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Undercut roots
NC-14785	Black locust	Robinia pseudoacacia	20	1	N/A	N/A	Standing Dead	
NC-14786	Red maple	Acer rubrum	14	1	7	21	Fair	Undercut roots
NC-14787	Southern red oak	Quercus falcata	20	1	10	30	Good	
NC-14788	Pin cherry	Prunus pensylvanica	7	1	N/A	N/A	Standing Dead	
NC-14789	Red maple	Acer rubrum	5	1	2.5	7.5	Fair	Vines in canopy
NC-14790	Blackgum	Nyssa sylvatica	9	1	4.5	13.5	Good	
NC-14791	Pin oak	Quercus palustris	7	1	3.5	10.5	Good	Some vines
NC-14792	Tuliptree	Liriodendron tulipifera	9, 9	2	4.5	13.5	Good	Twin trunk 9 x 9
NC-14793	Green ash	Fraxinus pennsylvanica	5	1	N/A	N/A	Standing Dead	
NC-14794	Blackgum	Nyssa sylvatica	6	1	3	9	Good	
NC-14795	Green ash	Fraxinus pennsylvanica	6	1	3	9	Poor	Trunk rot, diseased
NC-14796	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Fair	Heavy vines
NC-14797	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Reduced canopy, some vines
NC-14798	Virginia pine	Pinus virginiana	16	1	8	24	Fair	Splits below DBH, lean
NC-14799	Red maple	Acer rubrum	8	1	4	12	Good	
NC-14800	Sweetgum	Liquidambar styraciflua	10	1	5	15	Fair	Growing along chain link fence, thin crown, branch dieback in crown
NC-14801	Red maple	Acer rubrum	7	1	3.5	10.5	Good	
NC-14802	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Good	Few dead lower branches
NC-14803	Blackgum	Nyssa sylvatica	8	1	4	12	Fair	Bend in leader, slight lean
NC-14804	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Many vines, reduced canopy
NC-14805	Virginia pine	Pinus virginiana	10	1	5	15	Fair	Fair/poor, leaning, thin crown
NC-14806	Black oak	Quercus velutina	11	1	5.5	16.5	Good	
NC-14807	Black cherry	Prunus serotina	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-14808	Virginia pine	Pinus virginiana	10	1	5	15	Fair	Heavy lean
NC-14809	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Undercutting roots
NC-14810	White mulberry	Morus alba	7	1	3.5	10.5	Good	
NC-14811	White oak	Quercus alba	5	1	2.5	7.5	Good	
NC-14812	Virginia pine	Pinus virginiana	12	1	6	18	Fair	Thin crown, dead lower branches
NC-14813	Pin oak	Quercus palustris	7	1	3.5	10.5	Good	
NC-14814	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	Slight lean, thin crown
NC-14815	Green ash	Fraxinus pennsylvanica	7	1	N/A	N/A	Standing Dead	
NC-14816	Sweetgum	Liquidambar styraciflua	8	1	4	12	Poor	Dead leader
NC-14817	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Poor	Vines, reduced canopy
NC-14818	Sweetgum	Liquidambar styraciflua	8	1	4	12	Poor	Tree almost dead, overtopped by vines
NC-14819	American beech	Fagus grandifolia	7	1	3.5	10.5	Good	Some irregular bark
NC-14820	Black oak	Quercus velutina	21	1	10.5	31.5	Good	
NC-14821	Pin oak	Quercus palustris	9	1	4.5	13.5	Fair	Extensive vines
NC-14822	Southern red oak	Quercus falcata	8	1	4	12	Fair	Sparse canopy, broken branches
NC-14823	Red maple	Acer rubrum	5	1	2.5	7.5	Good	
NC-14824	American elm	Ulmus americana	9	1	4.5	13.5	Fair	Heavy vines
NC-14825	Red maple	Acer rubrum	5	1	2.5	7.5	Good	
NC-14826	Red maple	Acer rubrum	6	1	3	9	Good	
NC-14827	Red maple	Acer rubrum	11	1	5.5	16.5	Fair	Lean, one sided, vines in crown
NC-14828	Sweetgum	Liquidambar styraciflua	8	1	4	12	Good	Vines at base
NC-14829	Tuliptree	Liriodendron tulipifera	5	1	2.5	7.5	Fair	Irregular growth form
NC-14830	Virginia pine	Pinus virginiana	18	1	9	27	Good	
NC-14831	American sycamore	Platanus occidentalis	10	1	5	15	Fair	Vines in canopy
NC-14832	American sycamore	Platanus occidentalis	7	1	3.5	10.5	Fair	Vines
NC-14833	American sycamore	Platanus occidentalis	6	1	3	9	Fair	Vines
NC-14834	Sweetgum	Liquidambar styraciflua	8	1	4	12	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14835	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Bend in leader, thin crown
NC-14836	Unknown		9	1	N/A	N/A	Standing Dead	
NC-14837	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14838	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Poor	Reduced canopy, stressed
NC-14839	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines and reduced canopy
NC-14840	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-14841	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Poor	Many water sprouts, broken leader on 13" trunk, twin trunks 13 x 11
NC-14842	Green ash	<i>Fraxinus pennsylvanica</i>	5	1	N/A	N/A	Standing Dead	
NC-14843	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean
NC-14844	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-14845	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, some vines
NC-14846	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-14847	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	Vines at base and dead branches
NC-14848	Red maple	<i>Acer rubrum</i>	15, 10	2	7.5	22.5	Good	Included bark, slight lean, twin trunks 15 x 10
NC-14849	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	Vines at base
NC-14850	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-14851	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-14852	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	
NC-14853	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Fair	Gall at base of trunk, leaning
NC-14854	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-14855	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-14856	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Reduced canopy
NC-14857	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Good	
NC-14858	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	N/A	N/A	Standing Dead	
NC-14859	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-14860	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-14861	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	One sided
NC-14862	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-14863	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	crown
NC-14864	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-14865	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Twin trunks above DBH, second stem rotting, leader is leaning, poor branching structure
NC-14866	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Heavy lean
NC-14867	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Bend in leader
NC-14868	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Vines, dead branches
NC-14869	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-14870	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-14871	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-14872	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Good	
NC-14873	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-14874	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	N/A	N/A	Standing Dead	
NC-14875	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Lean
NC-14876	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Trunk damage, dead branches
NC-14877	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Good	Some vines
NC-14878	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Good	Some vines
NC-14879	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Irregular, branch dieback in crown
NC-14880	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Reduced canopy
NC-14881	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines at base, dead branches
NC-14882	Sweetgum	<i>Liquidambar styraciflua</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-14883	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Large trunk wound, vines
NC-14884	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Lean, one sided
NC-14885	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Vines
NC-14886	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Sparse canopy, dead branches
NC-14887	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-14888	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Exposed roots
NC-14889	Pin oak	<i>Quercus palustris</i>	25	1	12.5	37.5	Good	Vines at base
NC-14890	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Significant dead wood
NC-14891	Northern red oak	<i>Quercus rubra</i>	16	1	8	24	Good	
NC-14892	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-14893	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines, dead branches
NC-14894	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-14895	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-14896	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-14897	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines
NC-14898	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-14899	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Vines at base
NC-14900	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Bend in leader, rotting branches in lower canopy
NC-14901	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-14902	Loblolly pine	<i>Pinus taeda</i>	10	1	5	15	Good	
NC-14903	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14904	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14905	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-14906	Pin oak	<i>Quercus palustris</i>	20, 17	2	10	30	Good	Twin trunks 20 x 17, vines at base
NC-14907	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Thin crown, branch dieback in crown
NC-14908	Willow oak	<i>Quercus phellos</i>	24, 4	2	12	36	Fair	Twin trunks 24 x 4, leader slightly leaning
NC-14909	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-14910	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-14911	Loblolly pine	<i>Pinus taeda</i>	16	1	8	24	Good	
NC-14912	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dead leader
NC-14913	White mulberry	<i>Morus alba</i>	6	1	3	9	Fair	Dead branches
NC-14914	White mulberry	<i>Morus alba</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-14915	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-14916	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Thin crown
NC-14917	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	
NC-14918	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Dead branches
NC-14919	American elm	<i>Ulmus americana</i>	8	1	4	12	Fair	Dead branches
NC-14920	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-14921	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	Slight lean
NC-14922	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-14923	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Climbing vines
NC-14924	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-14925	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Vines at base
NC-14926	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-14927	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines into crown, dead 3" twin
NC-14928	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14929	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-14930	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Cankers, included bark
NC-14931	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Some vines
NC-14932	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-14933	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14934	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Irregular growth form
NC-14935	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Slight lean
NC-14936	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-14937	Swamp white oak	<i>Quercus bicolor</i>	13	1	6.5	19.5	Good	
NC-14938	Red maple	<i>Acer rubrum</i>	20, 17, 17, 16	4	10	30	Fair	Multistem 20 x 17 x 17 x 6, dead stem
NC-14939	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Lean, irregular trunk, one sided
NC-14940	Red maple	<i>Acer rubrum</i>	8, 8	2	4	12	Fair	Twin trunk 8 x 8, extensive vines
NC-14941	Unknown		5	1	N/A	N/A	Standing Dead	
NC-14942	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy
NC-14943	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-14944	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Extensive vines
NC-14945	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14946	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Growing along chain link fence, water sprouts, thin crown
NC-14947	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-14948	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-14949	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-14950	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Fair	Vines at base, dead branches
NC-14951	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Vines at base, dead branches
NC-14952	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-14953	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Severe bend in leader, minor cavity at base healing
NC-14954	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-14955	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Poor	Trunk wounds, dying crown
NC-14956	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	Dead branches
NC-14957	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Fair	Thin crown, vines
NC-14958	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, broken branches
NC-14959	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines in canopy
NC-14960	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Heavy vines
NC-14961	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Good	
NC-14962	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-14963	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Vines in canopy, reduced canopy
NC-14964	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-14965	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Heavy vines
NC-14966	Tuliptree	<i>Liriodendron tulipifera</i>	8	1	4	12	Fair	Heavy vines
NC-14967	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	
NC-14968	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Heavy vines, trunk cavity
NC-14969	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14970	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-14971	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Thin canopy
NC-14972	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-14973	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-14974	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Lean
NC-14975	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Dead branch
NC-14976	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Good	
NC-14977	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-14978	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Vines
NC-14979	Loblolly pine	<i>Pinus taeda</i>	13	1	6.5	19.5	Good	
NC-14980	Pin oak	<i>Quercus palustris</i>	19	1	9.5	28.5	Good	
NC-14981	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Fair	Vines at base, leaning
NC-14982	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14983	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-14984	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	
NC-14985	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-14986	Green ash	<i>Fraxinus pennsylvanica</i>	9	1	N/A	N/A	Standing Dead	
NC-14987	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-14988	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-14989	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines, reduced canopy
NC-14990	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Overtopped by vines, large broken branches
NC-14991	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-14992	Red maple	<i>Acer rubrum</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-14993	Swamp white oak	<i>Quercus bicolor</i>	13	1	6.5	19.5	Fair	Dead branches, vines
NC-14994	Loblolly pine	<i>Pinus taeda</i>	16	1	8	24	Good	
NC-14995	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Minor cavities at base, bend in leader
NC-14996	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-14997	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Fair	Reduced canopy
NC-14998	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Heavy vines
NC-14999	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15000	Unknown		7	1	N/A	N/A	Standing Dead	
NC-15001	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Undercutting roots
NC-15002	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-15003	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-15004	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	
NC-15005	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-15006	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Overtopped by vines, dead leader
NC-15007	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Lean
NC-15008	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Minor vines
NC-15009	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	One sided, thin crown, broken branches
NC-15010	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15011	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-15012	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Good	
NC-15013	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15014	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Heavy vines
NC-15015	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15016	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Good	
NC-15017	Unknown		6	1	N/A	N/A	Standing Dead	
NC-15018	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Dead tree leaning on trunk
NC-15019	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Vines
NC-15020	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	One sided, lean
NC-15021	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	Few dead branches
NC-15022	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-15023	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-15024	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Few side branches
NC-15025	American sycamore	<i>Platanus occidentalis</i>	7, 6	2	3.5	10.5	Good	Twin trunks 7 x 6
NC-15026	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Lean
NC-15027	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Half of trunk decayed, significant lean
NC-15028	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	
NC-15029	White mulberry	<i>Morus alba</i>	6	1	3	9	Fair	Dead branches
NC-15030	Silver maple	<i>Acer saccharinum</i>	7	1	3.5	10.5	Good	
NC-15031	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Fair	Lean, vines on lower trunk. Twin trunks 7 x 4
NC-15032	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15033	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-15034	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-15035	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Vines
NC-15036	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Thin crown, lean, one sided
NC-15037	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines
NC-15038	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	crown
NC-15039	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Heavy vines
NC-15040	Black locust	<i>Robinia pseudoacacia</i>	15	1	7.5	22.5	Fair	canopy
NC-15041	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-15042	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Leaning, reaction wood at base of trunk, thin crown
NC-15043	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Topped leader, nearly dead, heavy branch dieback
NC-15044	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15045	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-15046	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-15047	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15048	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15049	Red maple	<i>Acer rubrum</i>	9, 4	2	4.5	13.5	Good	Twin trunk 9 x 4
NC-15050	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15051	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15052	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15053	Tuliptree	<i>Liriodendron tulipifera</i>	12	1	6	18	Good	
NC-15054	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15055	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-15056	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-15057	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Low branch dieback
NC-15058	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-15059	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15060	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15061	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Broken branches
NC-15062	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-15063	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines
NC-15064	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Good	
NC-15065	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Vines, lean
NC-15066	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Low branch dieback, thin crown, minor vines
NC-15067	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy, dead branches
NC-15068	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Vines in canopy, thin crown
NC-15069	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-15070	Red maple	<i>Acer rubrum</i>	11, 4	2	5.5	16.5	Fair	Undercut roots, twin trunks 11 x 4
NC-15071	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Overtaken by vines
NC-15072	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Some vines
NC-15073	Swamp white oak	<i>Quercus bicolor</i>	14	1	7	21	Fair	Dead branches
NC-15074	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Thin crown
NC-15075	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Poor branching structure
NC-15076	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15077	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15078	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Broken leader, nearly dead, trunk has a few sprouts at base
NC-15079	Red maple	<i>Acer rubrum</i>	9, 9	2	4.5	13.5	Fair	Dead side leader, slight lean. Twin trunks 9 x 9
NC-15080	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on lower trunk
NC-15081	Unknown		8	1	N/A	N/A	Standing Dead	
NC-15082	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Thin crown
NC-15083	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Fair	Twin trunks 7 x 3, stems twist around one another in crown
NC-15084	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-15085	White mulberry	<i>Morus alba</i>	12	1	6	18	Fair	Trunk rot
NC-15086	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Large branch dieback, rotting trunk, leaning
NC-15087	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-15088	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines
NC-15089	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-15090	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Fair	Leaning, vines
NC-15091	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Vines on trunk, lean, vines cutting into trunk
NC-15092	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Leaning
NC-15093	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-15094	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-15095	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Fair	Vines in canopy
NC-15096	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15097	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Poor	Broken trunk above BH
NC-15098	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Extensive dead wood
NC-15099	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-15100	Tuliptree	<i>Liriodendron tulipifera</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-15101	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Slight lean
NC-15102	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-15103	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15104	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-15105	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Heavy lean, vines
NC-15106	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Fair	Vines on trunk
NC-15107	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-15108	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-15109	Unknown		6	1	N/A	N/A	Standing Dead	
NC-15110	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines into crown, bent leader, broken branches in crown
NC-15111	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Undercutting roots
NC-15112	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Good	
NC-15113	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Uprooted
NC-15114	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines on trunk, lean
NC-15115	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15116	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines, leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15117	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Good	
NC-15118	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-15119	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-15120	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15121	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	
NC-15122	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-15123	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-15124	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15125	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, thin crown
NC-15126	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines, lean, dead wood
NC-15127	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines
NC-15128	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Fair	Vines, dead branches
NC-15129	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Heavy lean
NC-15130	American sycamore	<i>Platanus occidentalis</i>	14	1	7	21	Good	Few dead branches
NC-15131	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Heavy vines
NC-15132	Black oak	<i>Quercus velutina</i>	8	1	4	12	Fair	Vines
NC-15133	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy, broken branches
NC-15134	Blackgum	<i>Nyssa sylvatica</i>	15, 12	2	7.5	22.5	Fair	Twin trunks 15 x 12, included bark at base, minor low branch dieback
NC-15135	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Heavy vines, dead leader
NC-15136	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15137	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Leaning
NC-15138	Green ash	<i>Fraxinus pennsylvanica</i>	5	1	N/A	N/A	Standing Dead	
NC-15139	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-15140	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
NC-15141	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-15142	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Lean, some undercut roots
NC-15143	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-15144	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-15145	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-15146	Red maple	<i>Acer rubrum</i>	26	1	13	39	Good	
NC-15147	Unknown		10	1	N/A	N/A	Standing Dead	
NC-15148	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Broken branches, vines
NC-15149	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15150	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Extensive vines
NC-15151	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-15152	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines in crown, lean, one sided
NC-15153	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-15154	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Thin crown, dead lower branches
NC-15155	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Trunk rot, vines
NC-15156	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-15157	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Vines, dead branches
NC-15158	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines in crown, lean, one sided
NC-15159	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Slightly one sided
NC-15160	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15161	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-15162	Unknown		8	1	N/A	N/A	Standing Dead	
NC-15163	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor cavities on trunk healing, bend in leader
NC-15164	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, dead branches
NC-15165	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Poor	Significant lean
NC-15166	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Bend in leader, thin crown
NC-15167	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines in crown, lean
NC-15168	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-15169	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15170	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15171	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Lean, vines
NC-15172	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-15173	White mulberry	<i>Morus alba</i>	8	1	4	12	Good	
NC-15174	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines
NC-15175	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean, one sided
NC-15176	Southern red oak	<i>Quercus falcata</i>	9	1	4.5	13.5	Good	Slight lean
NC-15177	Tree of heaven	<i>Ailanthus altissima</i>	6	1	3	9	Good	
NC-15178	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Vines, leaning, dead branches
NC-15179	Black locust	<i>Robinia pseudoacacia</i>	12	1	6	18	Poor	Trunk rot, leaning
NC-15180	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Extensive vines in canopy
NC-15181	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-15182	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-15183	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-15184	American sycamore	<i>Platanus occidentalis</i>	11	1	5.5	16.5	Good	
NC-15185	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Heavy lean
NC-15186	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Many vines in canopy
NC-15187	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines in crown, thin crown, lean
NC-15188	Red maple	<i>Acer rubrum</i>	8, 5	2	4	12	Good	Twin trunk 8 x 5
NC-15189	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15190	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines on trunk
NC-15191	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Poor	Large branch dieback in crown, thin crown, rotting inner bark within gall at base
NC-15192	Loblolly pine	<i>Pinus taeda</i>	17	1	8.5	25.5	Good	
NC-15193	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-15194	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-15195	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-15196	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15197	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-15198	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-15199	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Thin crown, dead branches
NC-15200	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Heavy vines at base, poor branching structure
NC-15201	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-15202	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Vines, dead branches
NC-15203	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Heavy vines, heavy lean
NC-15204	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15205	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Fair	Uprooting
NC-15206	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines
NC-15207	Callery pear	<i>Pyrus calleryana</i>	10, 7, 6	3	5	15	Good	Multistem trunk 10 x 7 x 6
NC-15208	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-15209	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-15210	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-15211	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	Minor vines
NC-15212	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Vines in crown, thin crown
NC-15213	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead leader
NC-15214	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dead leader
NC-15215	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-15216	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-15217	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Included bark, splits above DBH
NC-15218	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Dead leader
NC-15219	Blackgum	<i>Nyssa sylvatica</i>	14	1	7	21	Fair	Vines, lean
NC-15220	Red maple	<i>Acer rubrum</i>	5, 5	2	2.5	7.5	Good	Twin trunk 5 x 5
NC-15221	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Bend in leader, vines into crown
NC-15222	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Broken leader
NC-15223	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Heavy vines, dead leader
NC-15224	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines
NC-15225	Loblolly pine	<i>Pinus taeda</i>	9	1	N/A	N/A	Standing Dead	
NC-15226	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15227	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-15228	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Broken leader
NC-15229	White mulberry	<i>Morus alba</i>	10, 8	2	5	15	Fair	Twin trunk 10 x 8, broken leader and branches from fallen tree
NC-15230	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Poor branching structure, bend in leader
NC-15231	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines in canopy
NC-15232	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Extensive vines
NC-15233	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Lean, thin crown
NC-15234	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-15235	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Thin crown
NC-15236	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Reduced canopy
NC-15237	Willow oak	<i>Quercus phellos</i>	21	1	10.5	31.5	Good	Extensive vines at base
NC-15238	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Some vines
NC-15239	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-15240	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Heavy lean
NC-15241	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines
NC-15242	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-15243	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Thin crown, trunk wound, some discharge from trunk
NC-15244	Tree of heaven	<i>Ailanthus altissima</i>	6, 3	2	3	9	Good	Twins 6 x 3
NC-15245	Sweetgum	<i>Liquidambar styraciflua</i>	29	1	14.5	43.5	Fair	Broken leader, extensive vines at base
NC-15246	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken leader
NC-15247	White oak	<i>Quercus alba</i>	18	1	9	27	Fair	Heavy lean, vines, dead wood
NC-15248	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-15249	Green ash	<i>Fraxinus pennsylvanica</i>	6	1	3	9	Fair	Unusual growth form, broken leader
NC-15250	Unknown		8	1	N/A	N/A	Standing Dead	
NC-15251	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15252	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Undercutting roots
NC-15253	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor	Overtaken by vines, reduced canopy
NC-15254	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-15255	Tree of heaven	<i>Ailanthus altissima</i>	7	1	3.5	10.5	Fair	Healed trunk wound
NC-15256	Red maple	<i>Acer rubrum</i>	7, 4	2	3.5	10.5	Fair	Lean, vines in crown. Twin trunks 7 x 4
NC-15257	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-15258	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15259	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-15260	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Extensive vines, broken branches
NC-15261	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Heavy vines
NC-15262	Northern red oak	Quercus rubra		8	1	4	12	Good	
NC-15263	Pin oak	Quercus palustris		5	1	2.5	7.5	Good	Some vines
NC-15264	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Heavy vines
NC-15265	Virginia pine	Pinus virginiana		17	1	8.5	25.5	Good	
NC-15266	Common persimmon	Diospyros virginiana		8	1	4	12	Good	
NC-15267	Sweetgum	Liquidambar styraciflua		10	1	5	15	Poor	Heavy vines, broken trunk
NC-15268	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-15269	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Poor	Heavy vines, lean
NC-15270	Red maple	Acer rubrum		8	1	4	12	Fair	Lean, thin crown
NC-15271	Blackgum	Nyssa sylvatica		10	1	5	15	Good	
NC-15272	Northern red oak	Quercus rubra		8	1	4	12	Good	
NC-15273	Sweetgum	Liquidambar styraciflua		8	1	4	12	Poor	Heavy vines, undercut roots, thin crown
NC-15274	Sweetgum	Liquidambar styraciflua		10	1	5	15	Poor	Heavy vines, dead leader
NC-15275	Red maple	Acer rubrum		8	1	4	12	Poor	Broken leader, lean
NC-15276	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Poor	Heavy vines, bend in leader
NC-15277	Southern red oak	Quercus falcata		15	1	7.5	22.5	Fair	Broken branches
NC-15278	Red maple	Acer rubrum		6	1	3	9	Fair	Reduced canopy
NC-15279	Virginia pine	Pinus virginiana		9	1	4.5	13.5	Fair	Leaning
NC-15280	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-15281	Unknown			7	1	N/A	N/A	Standing Dead	
NC-15282	Sweetgum	Liquidambar styraciflua		8	1	4	12	Good	Minor vines
NC-15283	Sweetgum	Liquidambar styraciflua		12	1	6	18	Fair	Leaning, reduced canopy
NC-15284	Callery pear	Pyrus calleryana	8, 7	2	4	12	Fair	Fair	Twin trunks 8 x 7, many vines
NC-15285	Red maple	Acer rubrum		11	1	5.5	16.5	Good	Lean
NC-15286	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Extensive vines
NC-15287	Callery pear	Pyrus calleryana		10	1	5	15	Fair	Leaning, extensive vines
NC-15288	Crabapple sp.	Malus sp.		7	1	3.5	10.5	Good	
NC-15289	Red maple	Acer rubrum		12	1	6	18	Fair	Significant lean, broken branches
NC-15290	Red maple	Acer rubrum		12	1	6	18	Good	
NC-15291	Black oak	Quercus velutina		18	1	9	27	Good	
NC-15292	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Good	
NC-15293	American beech	Fagus grandifolia		6	1	3	9	Good	
NC-15294	Sweetgum	Liquidambar styraciflua		5	1	2.5	7.5	Fair	Reduced canopy, vines
NC-15295	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Poor	Heavy vines into crown
NC-15296	Black locust	Robinia pseudoacacia		12	1	6	18	Good	
NC-15297	Pin oak	Quercus palustris		5	1	2.5	7.5	Good	
NC-15298	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Undercutting roots
NC-15299	Virginia pine	Pinus virginiana		12	1	6	18	Good	
NC-15300	Red maple	Acer rubrum		12	1	6	18	Fair	Thin crown, vines in crown
NC-15301	Eastern redcedar	Juniperus virginiana		5	1	2.5	7.5	Fair	Many vines in canopy
NC-15302	White oak	Quercus alba		6	1	3	9	Good	
NC-15303	Black locust	Robinia pseudoacacia		8	1	N/A	N/A	Standing Dead	
NC-15304	Willow oak	Quercus phellos		13	1	6.5	19.5	Fair	Leaning
NC-15305	Blackgum	Nyssa sylvatica		6	1	3	9	Good	
NC-15306	Sweetgum	Liquidambar styraciflua		8	1	4	12	Poor	Heavy vines into crown, thin crown
NC-15307	Loblolly pine	Pinus taeda		21	1	10.5	31.5	Good	
NC-15308	Pin oak	Quercus palustris		6	1	3	9	Fair	Many vines in canopy
NC-15309	Virginia pine	Pinus virginiana		8	1	N/A	N/A	Standing Dead	
NC-15310	Sweetgum	Liquidambar styraciflua		10	1	5	15	Poor	Heavy vines, undercutting roots
NC-15311	Callery pear	Pyrus calleryana		5	1	2.5	7.5	Fair	Bend in upper trunk
NC-15312	Unknown			9	1	N/A	N/A	Standing Dead	
NC-15313	Sweetgum	Liquidambar styraciflua		14	1	7	21	Fair	Vines on lower trunk
NC-15314	Willow oak	Quercus phellos		6	1	3	9	Good	Vines at base
NC-15315	Loblolly pine	Pinus taeda		16	1	8	24	Good	
NC-15316	Red maple	Acer rubrum		13	1	6.5	19.5	Good	
NC-15317	Blackgum	Nyssa sylvatica		7	1	3.5	10.5	Fair	Vines
NC-15318	Red maple	Acer rubrum	29	1	14.5	43.5	Fair	Fair	Twin trunks above DBH, heavy vines into crown, slight lean
NC-15319	Red maple	Acer rubrum	10	1	5	15	Fair	Fair	Lean
NC-15320	Red maple	Acer rubrum	9	1	4.5	13.5	Fair	Fair	Broken secondary leader
NC-15321	Eastern white pine	Pinus strobus	9	1	4.5	13.5	Good	Good	Minor vines
NC-15322	Green ash	Fraxinus pennsylvanica	6	1	N/A	N/A	Standing Dead	Standing Dead	
NC-15323	Blackgum	Nyssa sylvatica	8	1	4	12	Good	Good	
NC-15324	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	Good	
NC-15325	Black locust	Robinia pseudoacacia	14	1	7	21	Fair	Fair	Reduced canopy
NC-15326	Sweetgum	Liquidambar styraciflua	6	1	N/A	N/A	Standing Dead	Standing Dead	
NC-15327	Blackgum	Nyssa sylvatica	10	1	5	15	Good	Good	
NC-15328	Red maple	Acer rubrum	9	1	4.5	13.5	Fair	Fair	Healed wound at base, vines on lower trunk
NC-15329	Pignut hickory	Carya glabra	8	1	4	12	Good	Good	
NC-15330	Red maple	Acer rubrum	10	1	5	15	Fair	Fair	Reduced canopy, vines
NC-15331	Red maple	Acer rubrum	5	1	2.5	7.5	Fair	Fair	Slight lean, irregular branching

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
								Multistem 20 x 18 x 15 x 13, several water sprouts, stems leaning in different directions, minor vines, included bark
NC-15332	Red maple	Acer rubrum	20, 18, 15, 13	4	10	30	Fair	
NC-15333	Virginia pine	Pinus virginiana	9	1	4.5	13.5	Good	
NC-15334	Red maple	Acer rubrum	5	1	2.5	7.5	Good	
NC-15335	Red maple	Acer rubrum	5	1	2.5	7.5	Good	
NC-15336	Willow oak	Quercus phellos	10	1	5	15	Good	
NC-15337	Red maple	Acer rubrum	7	1	3.5	10.5	Good	
NC-15338	Red maple	Acer rubrum	13	1	6.5	19.5	Good	
NC-15339	Blackgum	Nyssa sylvatica	6	1	3	9	Poor	Missing leader, trunk wound
NC-15340	Red maple	Acer rubrum	17	1	8.5	25.5	Fair	Broken leader, leaning
NC-15341	Blackgum	Nyssa sylvatica	6	1	3	9	Good	
NC-15342	Southern red oak	Quercus falcata	8	1	4	12	Poor	Extensive vines
NC-15343	Willow oak	Quercus phellos	19	1	9.5	28.5	Good	
NC-15344	Red maple	Acer rubrum	11	1	5.5	16.5	Fair	Trunk cavity, lean, one sided
NC-15345	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Good	Some vines
NC-15346	Red maple	Acer rubrum	13	1	6.5	19.5	Fair	Poor branching structure
NC-15347	Red maple	Acer rubrum	14	1	7	21	Fair	Broken secondary leader
								Twin trunks 26 x 9, second leader dead at 9", heavy vines into crown on both stems, leaning
NC-15348	Red maple	Acer rubrum	26, 9	2	13	39	Poor	
NC-15349	Tuliptree	Liriodendron tulipifera	7	1	3.5	10.5	Good	Slight bend in leader
NC-15350	Red maple	Acer rubrum	6	1	3	9	Fair	Multistem, heavy vines
NC-15351	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Trunk damage
NC-15352	Eastern white pine	Pinus strobus	6	1	3	9	Poor	Potentially dead
NC-15353	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Heavy vines
NC-15354	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Reduced canopy
NC-15355	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Reduced canopy, stressed
NC-15356*	Scarlet oak	Quercus coccinea	31	1	15.5	46.5	Good	Girdling roots
NC-15357	Sweetgum	Liquidambar styraciflua	8	1	4	12	Good	
NC-15358	Red maple	Acer rubrum	12	1	6	18	Good	
NC-15359	Red maple	Acer rubrum	11	1	5.5	16.5	Fair	Vines on trunk, bend in leader
								Twin trunk 18 x 13, trunk rot, broken leader
NC-15360	Red maple	Acer rubrum	18, 13	2	9	27	Poor	
NC-15361	Callery pear	Pyrus calleryana	5	1	2.5	7.5	Good	
NC-15362	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	Some vines
NC-15363	Virginia pine	Pinus virginiana	13	1	N/A	N/A	Standing Dead	
NC-15364	Mockernut hickory	Carya tomentosa	10	1	5	15	Good	Minor vines, dead lower branches
NC-15365	Pin oak	Quercus palustris	8	1	4	12	Fair	Vines, reduced canopy
NC-15366	Willow oak	Quercus phellos	24	1	12	36	Good	Some vines
NC-15367	Blackgum	Nyssa sylvatica	6	1	3	9	Fair	Vines
NC-15368	American sycamore	Platanus occidentalis	10	1	5	15	Good	
NC-15369	Eastern white pine	Pinus strobus	10	1	5	15	Fair	Dead branches, vines
NC-15370	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	Some vines
NC-15371	Red maple	Acer rubrum	13	1	6.5	19.5	Good	
NC-15372	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Fair	Vines on trunk
NC-15373	Virginia pine	Pinus virginiana	8	1	4	12	Fair	Broken branches
NC-15374	Virginia pine	Pinus virginiana	10	1	5	15	Fair	Vines on trunk, bend in trunk
NC-15375	Black cherry	Prunus serotina	7	1	N/A	N/A	Standing Dead	
NC-15376	Unknown		7	1	N/A	N/A	Standing Dead	
NC-15377	Red maple	Acer rubrum	9	1	4.5	13.5	Fair	Unusual growth form, vines, dead wood
NC-15378	Red maple	Acer rubrum	9	1	4.5	13.5	Good	
NC-15379	Pin oak	Quercus palustris	10	1	5	15	Good	
NC-15380	Green ash	Fraxinus pennsylvanica	5	1	N/A	N/A	Standing Dead	
NC-15381	Red maple	Acer rubrum	7, 6, 5	3	3.5	10.5	Good	Multistem trunk 7 x 6 x 5
NC-15382	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	
NC-15383	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Heavy vines
NC-15384	Loblolly pine	Pinus taeda	13	1	6.5	19.5	Good	
NC-15385	Sweetgum	Liquidambar styraciflua	6	1	3	9	Fair	Unusual growth form, dead branches
NC-15386	Red maple	Acer rubrum	10	1	5	15	Fair	Vines in canopy
NC-15387	Callery pear	Pyrus calleryana	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-15388	Willow oak	Quercus phellos	9	1	4.5	13.5	Fair	Leaning
NC-15389	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Fair	Vines
NC-15390	Sweetgum	Liquidambar styraciflua	6	1	3	9	Fair	Many vines
NC-15391	White mulberry	Morus alba	8	1	4	12	Good	
NC-15392	Sweetgum	Liquidambar styraciflua	17	1	8.5	25.5	Fair	Vines
NC-15393	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Roots undercut by stream, one sided
NC-15394	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Heavy vines on trunk
NC-15395	Red maple	Acer rubrum	10	1	5	15	Good	Lean
NC-15396	Callery pear	Pyrus calleryana	5	1	2.5	7.5	Good	
NC-15397	White oak	Quercus alba	7	1	3.5	10.5	Fair	Vines in canopy
NC-15398	American elm	Ulmus americana	10	1	5	15	Good	
NC-15399	Red maple	Acer rubrum	15	1	7.5	22.5	Good	
NC-15400	Virginia pine	Pinus virginiana	11	1	5.5	16.5	Fair	Leaning, broken branches
NC-15401	Northern catalpa	Catalpa speciosa	6	1	3	9	Poor	Dying

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15402	Southern red oak	<i>Quercus falcata</i>	12	1	6	18	Fair	Heavy vines
NC-15403	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Significant lean
NC-15404	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-15405	Scarlet oak	<i>Quercus coccinea</i>	19	1	9.5	28.5	Fair	Large branch dieback in crown
NC-15406	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Some vines
NC-15407	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	Minor trunk damage
NC-15408	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-15409	Northern red oak	<i>Quercus rubra</i>	23	1	11.5	34.5	Fair	Trunk cavity
NC-15410	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-15411	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Heavy vines
NC-15412	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Many vines
NC-15413	Red maple	<i>Acer rubrum</i>	22, 14	2	11	33	Fair	Twin trunks 22 x 14, heavy vines at base entering crown
NC-15414	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Leaning, extensive vines
NC-15415	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines
NC-15416	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15417	Siberian elm	<i>Ulmus pumila</i>	9	1	4.5	13.5	Fair	Vines, many dead branches
NC-15418	Callery pear	<i>Pyrus calleryana</i>	9	1	4.5	13.5	Good	Some vines
NC-15419	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy, vines
NC-15420	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy, vines
NC-15421	Black oak	<i>Quercus velutina</i>	12	1	6	18	Fair	Heavy vines
NC-15422	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15423	Black walnut	<i>Juglans nigra</i>	15	1	7.5	22.5	Fair	Heavy lean, minor trunk wound
NC-15424	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Heavy vines
NC-15425	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-15426	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-15427	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Vines
NC-15428	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Low branch dieback
NC-15429	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Broken branches
NC-15430	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Broken branches
NC-15431	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Fair	Vines on trunk
NC-15432	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-15433	White mulberry	<i>Morus alba</i>	13, 5	2	6.5	19.5	Good	Twin trunk 13 x 5
NC-15434	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Twin, included bark
NC-15435	American elm	<i>Ulmus americana</i>	14	1	7	21	Good	Vines
NC-15436	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-15437	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Some vines in lower canopy
NC-15438	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines
NC-15439	Common hackberry	<i>Celtis occidentalis</i>	5	1	2.5	7.5	Good	
NC-15440	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy, dead branches
NC-15441	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Bend in leader, vines in lower canopy
NC-15442	Loblolly pine	<i>Pinus taeda</i>	12	1	N/A	N/A	Standing Dead	
NC-15443	Sumac sp.	<i>Sumac sp.</i>	6	1	3	9	Good	
NC-15444	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines in canopy
NC-15445	White mulberry	<i>Morus alba</i>	10, 10, 10	3	5	15	Good	Multistem trunk 10 x 10 x 10
NC-15446	Unknown		9	1	N/A	N/A	Standing Dead	
NC-15447	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken branches
NC-15448	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Minor vines not yet in crown
NC-15449	Red maple	<i>Acer rubrum</i>	16	1	8	24	Fair	Leaning, growing against chain link fence
NC-15450	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Poor	Mostly dead branches, vines
NC-15451	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Broken branches
NC-15452*	Scarlet oak	<i>Quercus coccinea</i>	33	1	16.5	49.5	Poor	Significant trunk damage, lean
NC-15453	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-15454	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Some vines
NC-15455	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-15456	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-15457	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vine in crown
NC-15458	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines
NC-15459	Loblolly pine	<i>Pinus taeda</i>	16	1	8	24	Good	
NC-15460	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Many vines, reduced canopy
NC-15461	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Trunk damage
NC-15462	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken trunk, dying, vines
NC-15463	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Good	
NC-15464	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-15465	Northern red oak	<i>Quercus rubra</i>	17	1	8.5	25.5	Fair	Undercutting roots
NC-15466	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Heavy vines
NC-15467	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Competing with adjacent trees
NC-15468	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-15469	Pine sp.	<i>Pinus sp.</i>	10	1	N/A	N/A	Standing Dead	
NC-15470	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-15471	Callery pear	<i>Pyrus calleryana</i>	8, 7, 5	3	4	12	Good	Multistem trunk 8 x 7 x 5
NC-15472	Southern red oak	<i>Quercus falcata</i>	6	1	3	9	Good	
NC-15473	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-15474	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Vines on trunk
NC-15475	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15476	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Fair	Vines on trunk and lower branches
NC-15477	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-15478	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	
NC-15479	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-15480	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Heavy vines
NC-15481	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15482	Northern catalpa	<i>Catalpa speciosa</i>	6	1	3	9	Poor	Dying
NC-15483	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Lean
NC-15484	Black cherry	<i>Prunus serotina</i>	8	1	4	12	Poor	Leaning, trunk rot
NC-15485	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-15486	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Slight lean
NC-15487	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Vines
NC-15488	White mulberry	<i>Morus alba</i>	8	1	4	12	Fair	Broken branches
NC-15489	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vine in crown, branch dieback, bend at base
NC-15490	Common hackberry	<i>Celtis occidentalis</i>	6	1	3	9	Good	
NC-15491	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-15492	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-15493	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Heavy vines
NC-15494	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Many vines in canopy
NC-15495	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Broken branches, vines at base
NC-15496	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Good	
NC-15497	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Some vines
NC-15498	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Trunk damage
NC-15499	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Unusual growth form
NC-15500*	Red maple	<i>Acer rubrum</i>	49	1	24.5	73.5	Good	Twin trunks above DBH
NC-15501	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-15502	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-15503	Common hackberry	<i>Celtis occidentalis</i>	5	1	2.5	7.5	Fair	Vines
NC-15504	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair	Reduced canopy, vines
NC-15505	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-15506	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy, vines
NC-15507	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Leaning, dead branches
NC-15508	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-15509	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-15510	Common hackberry	<i>Celtis occidentalis</i>	6	1	3	9	Good	
NC-15511	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-15512	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	Low branch dieback
NC-15513	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Broken branches, thin crown
NC-15514	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Several water sprouts, poor branching structure, heavy vines into crown, dead wood in canopy
NC-15515	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-15516	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-15517	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-15518	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Fair	Slight lean, vines
NC-15519	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-15520	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Good	Thin crown, minor vines at base
NC-15521	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Fair	Leaning, vines into crown
NC-15522	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Heavy vines in crown, interfering crowns
NC-15523	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-15524	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Leaning
NC-15525	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-15526	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Fair	Vines
NC-15527	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Vines on trunk
NC-15528	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Good	Vines
NC-15529	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Competing with adjacent trees
NC-15530	American beech	<i>Fagus grandifolia</i>	11	1	5.5	16.5	Good	Competing with adjacent trees
NC-15531	Loblolly pine	<i>Pinus taeda</i>	11	1	5.5	16.5	Good	
NC-15532	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken crown
NC-15533	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines, dead branches
NC-15534	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Low branch dieback
NC-15535	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-15536	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	Minor vines
NC-15537	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-15538	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Many vines in canopy
NC-15539	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Broken branches
NC-15540	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Poor	Major 3' long trunk wound decaying, producing discolored (brown) leaves
NC-15541	Red maple	<i>Acer rubrum</i>	14, 8	2	7	21	Poor	Twin trunks 14 x 8. 14" trunk dead, side trunk alive
NC-15542	Sweetgum	<i>Liquidambar styraciflua</i>	7, 5	2	3.5	10.5	Poor	Twin trunk 7 x 5, second leader dead
NC-15543	Red maple	<i>Acer rubrum</i>	24	1	12	36	Fair	Twin trunks above DBH, vines at base, slight lean
NC-15544	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Many vines in canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15545	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-15546	Red maple	<i>Acer rubrum</i>	16, 18	2	8	24	Fair	Twin trunks 16 x 18 below DBH 18" dead stem, topped leader, trunk rotting at base
NC-15547	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-15548	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	
NC-15549	Tree of heaven	<i>Ailanthus altissima</i>	9	1	4.5	13.5	Poor	Decaying bark, poor branching structure, branch dieback in crown
NC-15550	Red maple	<i>Acer rubrum</i>	9	1	N/A	N/A	Standing Dead	
NC-15551	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Leaning, vines in canopy
NC-15552	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	
NC-15553	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	Some vines
								Large branch dieback in crown, poor branching structure, cavities in trunk at base
NC-15554	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	
NC-15555	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines on trunk, one sided
NC-15556	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-15557	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead leader, vines
NC-15558	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines, reduced canopy
								Vines in crown, one sided, twin trunks 5 x 4
NC-15559	Sweetgum	<i>Liquidambar styraciflua</i>	5, 4	2	2.5	7.5	Fair	
NC-15560	Loblolly pine	<i>Pinus taeda</i>	13	1	N/A	N/A	Standing Dead	
NC-15561	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Overtaken by vines
NC-15562	Red maple	<i>Acer rubrum</i>	10, 10, 3	3	5	15	Fair	Interfering crowns. Multistem 10 x 10 x 3
NC-15563	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Vines in crown, thin crown
NC-15564	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Minor vine entering crown
NC-15565	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-15566	White mulberry	<i>Morus alba</i>	6	1	3	9	Fair	Leaning, vines in canopy
NC-15567	Black cherry	<i>Prunus serotina</i>	13	1	N/A	N/A	Standing Dead	
								Twin trunks above DBH, severe lean leaning on fence, heavy vines into crown, exposed roots on one side
NC-15568	Red maple	<i>Acer rubrum</i>	26	1	13	39	Poor	
NC-15569	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-15570	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines on trunk
NC-15571	Common hackberry	<i>Celtis occidentalis</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-15572	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Dead secondary leader, vines in crown
NC-15573	Sweetgum	<i>Liquidambar styraciflua</i>	7, 4	2	3.5	10.5	Good	Twin trunks 7 x 4
NC-15574	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Many vines in canopy
NC-15575	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15576	Southern red oak	<i>Quercus falcata</i>	23	1	11.5	34.5	Good	Minor vines
NC-15577	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	One sided
NC-15578	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Reduced canopy, vines
NC-15579	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Heavy vines on trunk into canopy
NC-15580	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Many vines in canopy
NC-15581	Red maple	<i>Acer rubrum</i>	10	1	N/A	N/A	Standing Dead	
NC-15582	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-15583	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	N/A	N/A	Standing Dead	
NC-15584	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Heavy lean, dead wood
NC-15585	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Reduced canopy
								Topped leader, dead branches, minimal sprouts on trunk, decaying trunk
NC-15586	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	
NC-15587*	Willow oak	<i>Quercus phellos</i>	36	1	18	54	Good	Split above DBH
NC-15588	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
								Twin trunks above DBH, included bark, some rot within included bark
NC-15589	Red maple	<i>Acer rubrum</i>	29	1	14.5	43.5	Fair	
								On stream bank, undercut roots on bank, low branch dieback, minor cavity at base healing
NC-15590	Red maple	<i>Morus rubra</i>	14	1	7	21	Fair	
NC-15591	American sycamore	<i>Platanus occidentalis</i>	26	1	13	39	Good	Vines
								undercut roots on stream bank, low branch dieback
NC-15592	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	
NC-15593	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Good	
NC-15594	Eastern redcedar	<i>Juniperus virginiana</i>	10	1	5	15	Fair	Vines
NC-15595	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Heavy vines on trunk, lean
NC-15596	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Fair	Climbing vines, broken branches
NC-15597	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Many vines
NC-15598	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-15599	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Vines
								Vines in crown, some exposed roots on stream bank
NC-15600	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	
NC-15601	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Topped leader, significant lean
NC-15602	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Poor branching structure
NC-15603	Common persimmon	<i>Diospyros virginiana</i>	5, 2	2	2.5	7.5	Fair	Twin trunks 5 x 2, many vines
NC-15604	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Broken leader, vines
NC-15605	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-15606	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Dying

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15607	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Poor	Broken leader, leaning
NC-15608	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
								Broken leader, dead secondary leader, vines in crown
NC-15609	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	
NC-15610	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Good	
NC-15611	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk
NC-15612	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines, several dead branches
NC-15613	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-15614	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-15615	Common hackberry	<i>Celtis occidentalis</i>	7, 4	2	3.5	10.5	Good	Twin trunk 7 x 4
NC-15616	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-15617	Eastern redcedar	<i>Juniperus virginiana</i>	5	1	2.5	7.5	Good	
NC-15618	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-15619	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-15620	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Extensive vines
NC-15621	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Twin trunk, vines
NC-15622	Sweet cherry	<i>Prunus avium</i>	7	1	3.5	10.5	Fair	Twin trunk, lean
NC-15623	Loblolly pine	<i>Pinus taeda</i>	13	1	6.5	19.5	Good	
NC-15624	Loblolly pine	<i>Pinus taeda</i>	16	1	8	24	Good	
NC-15625	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Heavy vines, twin trunk
NC-15626	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	Vines in canopy, dead branches
NC-15627	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
								Heavy vines on trunk and canopy, significant lean
NC-15628	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	
								Vines on trunk, one sided, slight lean, twin trunks 7 x 7
NC-15629	Red maple	<i>Morus rubra</i>	7, 7	2	3.5	10.5	Fair	
NC-15630	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-15631	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Heavy vines on trunk, bend at top
NC-15632	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-15633	American beech	<i>Fagus grandifolia</i>	6	1	3	9	Good	Minor vines
NC-15634	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines in canopy
NC-15635	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Poor	lean
NC-15636	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	
NC-15637	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Low branch dieback
NC-15638	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dead leader, lean
NC-15639	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Trunk damage
NC-15640	American sycamore	<i>Platanus occidentalis</i>	15	1	7.5	22.5	Fair	Leaning, many vines
NC-15641	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-15642	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Dead leader
NC-15643	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Vines
NC-15644	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	3.5	10.5	Fair	Heavy vines
NC-15645	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	One sided, vine in crown
NC-15646	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Heavy vines
NC-15647	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-15648	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Heavy vines
NC-15649	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-15650	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-15651	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Good	
NC-15652	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Overtopped by vines
NC-15653	Red maple	<i>Acer rubrum</i>	16	1	8	24	Poor	Broken leader, extensive vines, leaning
								Vines on trunk, very thin crown, crown interfering with mulberry
NC-15654	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	
NC-15655	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
								Poor branching structure, exposed roots on edge of stream, vine into crown
NC-15656	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	
NC-15657	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Heavy vines, leaning
NC-15658	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Extensive vines
NC-15659	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15660	Sweet cherry	<i>Prunus avium</i>	5	1	2.5	7.5	Poor	Heavy lean and vines
NC-15661	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-15662	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15663	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Slightly unbalanced crown, minor vines
NC-15664	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dead leader
NC-15665	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Poor	Multistem, dead leader, vines
NC-15666	Tuliptree	<i>Liriodendron tulipifera</i>	15	1	7.5	22.5	Poor	Extensive vines, many dead branches
NC-15667	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Overtopped by vines, dead leader
								Leaning, long cavity on large branch rotting
NC-15668	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	
NC-15669	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Many vines in canopy
NC-15670	Unknown		18	1	N/A	N/A	Standing Dead	
NC-15671	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Heavy vines on trunk
NC-15672	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	Vines
NC-15673	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Dead branches, reduced canopy, vines
NC-15674	Tuliptree	<i>Liriodendron tulipifera</i>	17	1	8.5	25.5	Fair	Several dead branches, many vines
NC-15675	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15676	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Slightly unbalanced crown
NC-15677	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead leader, lean
NC-15678	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines in canopy
NC-15679	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines on trunk
NC-15680	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Vines on branches, wound on trunk
NC-15681	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Vines, broken branches
NC-15682	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-15683	Loblolly pine	<i>Pinus taeda</i>	15	1	7.5	22.5	Good	
NC-15684	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead secondary leader, dead branches
NC-15685	American beech	<i>Fagus grandifolia</i>	8	1	4	12	Good	
NC-15686	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines
NC-15687	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Heavy vines on trunk, dead leader
NC-15688	Pin oak	<i>Quercus palustris</i>	16	1	8	24	Fair	Extensive vines
NC-15689	Tuliptree	<i>Liriodendron tulipifera</i>	21	1	10.5	31.5	Fair	Leaning, poor branching structure
NC-15690	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-15691	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Good	
NC-15692	Loblolly pine	<i>Pinus taeda</i>	14	1	7	21	Good	
NC-15693*	Willow oak	<i>Quercus phellos</i>	31	1	15.5	46.5	Poor	Severe trunk rot, missing leader
NC-15694	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-15695	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-15696	Red maple	<i>Acer rubrum</i>	11	1	N/A	N/A	Standing Dead	
NC-15697	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Heavy vines on trunk, significant lean
NC-15698	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Good	Minor vines
NC-15699	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Heavy vines
NC-15700	Northern red oak	<i>Quercus rubra</i>	11	1	5.5	16.5	Good	
NC-15701	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	starting to decay and has vines into crown
NC-15702	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Leaning, dead branches, vines
NC-15703	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Many vines, reduced canopy
NC-15704	Green ash	<i>Fraxinus pennsylvanica</i>	6, 5	2	N/A	N/A	Standing Dead	Twin trunk 6 x 5
NC-15705	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines on lower trunk, one sided, slight lean
NC-15706	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Pruned leader
NC-15707	Common persimmon	<i>Diospyros virginiana</i>	7	1	3.5	10.5	Fair	Many vines
NC-15708	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	N/A	N/A	Standing Dead	
NC-15709	Tuliptree	<i>Liriodendron tulipifera</i>	13	1	6.5	19.5	Fair	Leaning
NC-15710	Scarlet oak	<i>Quercus coccinea</i>	15	1	7.5	22.5	Good	
NC-15711	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-15712	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines
NC-15713	Virginia pine	<i>Pinus virginiana</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-15714	Red maple	<i>Acer rubrum</i>	18	1	9	27	Poor	Hole in trunk, vines in canopy, dead branches
NC-15715	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15716	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Good	
NC-15717	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Heavy vines on trunk
NC-15718	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-15719	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Slightly unbalanced crown
NC-15720	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Vines on trunk going into canopy, lean, one sided, vines cutting into trunk, basal cavity
NC-15721	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Pruned leader
NC-15722	Red maple	<i>Acer rubrum</i>	14	1	7	21	Fair	Slight lean, unbalanced crown
NC-15723	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Good	Some vines
NC-15724	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Reduced canopy
NC-15725	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Thin crown, vines
NC-15726	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-15727	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-15728	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Vines in crown, large vines on trunk
NC-15729	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Heavy vines on trunk
NC-15730	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-15731	Tuliptree	<i>Liriodendron tulipifera</i>	9	1	4.5	13.5	Good	
NC-15732	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines on trunk going into canopy, bend in leader
NC-15733	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-15734	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Good	
NC-15735	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines on trunk going into canopy
NC-15736	Eastern redcedar	<i>Juniperus virginiana</i>	5, 4	2	2.5	7.5	Fair	Vines on trunk, twin trunks 5 x 4
NC-15737	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-15738	Red maple	<i>Acer rubrum</i>	17, 3	2	8.5	25.5	Fair	Twin trunks 17 x 3. 3"dead stem, slight lean, vines taking over dead stem
NC-15739	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Extensive vines
NC-15740	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines on trunk going into canopy, lean, one sided
NC-15741	Sweetgum	<i>Liquidambar styraciflua</i>	23	1	11.5	34.5	Fair	Large dead vine into crown, low branch dieback

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15742	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-15743	Black cherry	<i>Prunus serotina</i>	18	1	9	27	Poor	Heavy vines, broken leaders. Splits above DBH
NC-15744	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Severe lean, heavy vines into crown
NC-15745	Common persimmon	<i>Diospyros virginiana</i>	11	1	5.5	16.5	Fair	Thin crown, large dead vine into crown
NC-15746	Pin oak	<i>Quercus palustris</i>	12	1	6	18	Good	
NC-15747	White oak	<i>Quercus alba</i>	10	1	5	15	Fair	Vines, sparse canopy
NC-15748	Southern red oak	<i>Quercus falcata</i>	17	1	8.5	25.5	Good	Vines
NC-15749	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-15750	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Fair	Vines, several broken branches
NC-15751	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Vines
NC-15752	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-15753	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Heavy vines on trunk into crown
NC-15754	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	Vines
NC-15755	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-15756	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Girdling roots
NC-15757	American beech	<i>Fagus grandifolia</i>	13	1	6.5	19.5	Good	
NC-15758	Northern catalpa	<i>Catalpa speciosa</i>	5	1	2.5	7.5	Fair	Many dead branches
NC-15759	Silver maple	<i>Acer saccharinum</i>	7	1	3.5	10.5	Good	Some vines
NC-15760	White mulberry	<i>Morus alba</i>	6	1	3	9	Poor	Extensive vines, leaning, many dead branches
NC-15761	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Leaning horizontal over a stream, broken branches, roots coming out of ground, vines in canopy
NC-15762	Virginia pine	<i>Pinus virginiana</i>	13, 11	2	6.5	19.5	Good	Heavy vines on trunk into crown. Twin trunks 13 x 11
NC-15763	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	2' long cavity on trunk rotting, slight lean
NC-15764	Black willow	<i>Salix nigra</i>	15	1	7.5	22.5	Fair	Leaning, several dead branches and vines
NC-15765	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Poor	Heavy vines on trunk into crown
NC-15766	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Heavy vines on trunk
NC-15767	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines in canopy, reduced canopy
NC-15768	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	Minor vines
NC-15769	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Good	Vines
NC-15770	White oak	<i>Quercus alba</i>	23	1	11.5	34.5	Good	Vines
NC-15771	Red maple	<i>Acer rubrum</i>	7, 6	2	3.5	10.5	Fair	Vines growing into canopy. Twin trunks 7 x 6
NC-15772	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Poor	Heavy vines in crown, poor branching structure, lean
NC-15773	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Good	
NC-15774	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-15775	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Growing between existing chain link fence, heavy vines into crown
NC-15776	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Many dead broken branches, vines
NC-15777	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-15778	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Low branch dieback, thin crown
NC-15779	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-15780	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-15781	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-15782	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Good	Minor vines
NC-15783	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-15784	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines on trunk
NC-15785	American sycamore	<i>Platanus occidentalis</i>	11	1	5.5	16.5	Good	
NC-15786	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Trunk damage, leaning
NC-15787	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	Slight lean, slightly unbalanced crown
NC-15788	Blackgum	<i>Nyssa sylvatica</i>	12, 5	2	6	18	Fair	Twins 12 x 5, dead stem, large dead vine into crown
NC-15789	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines, several dead branches
NC-15790	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-15791	Pignut hickory	<i>Carya glabra</i>	10	1	5	15	Poor	Vines in canopy, reduced canopy
NC-15792	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Healed trunk wound, splits above DBH
NC-15793	White mulberry	<i>Morus alba</i>	8	1	4	12	Fair	Vines, fungus on trunk
NC-15794	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Fair	Vines in canopy
NC-15795	Sweetgum	<i>Liquidambar styraciflua</i>	27	1	13.5	40.5	Good	Minor vines
NC-15796	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	Some vines
NC-15797	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Fair	Several dead branches
NC-15798	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines
NC-15799	Sweetgum	<i>Liquidambar styraciflua</i>	5, 3	2	2.5	7.5	Fair	Twin trunks 5 x 3, trunk damage, vines
NC-15800	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-15801	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	Some vines
NC-15802	Silver maple	<i>Acer saccharinum</i>	13	1	6.5	19.5	Good	Leaning slightly
NC-15803	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Extensive vines on trunk
NC-15804	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Good	
NC-15805	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Good	
NC-15806	Black locust	<i>Robinia pseudoacacia</i>	8	1	4	12	Fair	Many dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15807	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Poor	Many vines, leaning, mostly dead branches
NC-15808	Green ash	<i>Fraxinus pennsylvanica</i>	5	1	2.5	7.5	Fair	Upper branches dying
NC-15809	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Vines, reduced canopy
NC-15810	American sycamore	<i>Platanus occidentalis</i>	13	1	6.5	19.5	Good	
NC-15811	Northern catalpa	<i>Catalpa speciosa</i>	9	1	4.5	13.5	Fair	Vines
NC-15812	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines in canopy
NC-15813	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Many vines, reduced canopy
NC-15814	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-15815	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Poor	Broken trunk, many vines
NC-15816	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Good	Vines
NC-15817	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-15818	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Many vines, reduced canopy
NC-15819	Pin oak	<i>Quercus palustris</i>	21, 11	2	10.5	31.5	Poor	Dying, Twin trunks 21 x 11
NC-15820	Northern red oak	<i>Quercus rubra</i>	15	1	7.5	22.5	Poor	Severe trunk rot
NC-15821	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Broken branches, leaning, vines
NC-15822	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Good	
NC-15823	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-15824	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Trunk rot, reduced canopy, vines, leaning
NC-15825	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines, sparse canopy
NC-15826	White oak	<i>Quercus alba</i>	11	1	5.5	16.5	Fair	Several dead branches, vines
NC-15827	White oak	<i>Quercus alba</i>	10	1	5	15	Good	
NC-15828	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	Some vines
NC-15829	Black locust	<i>Robinia pseudoacacia</i>	11	1	5.5	16.5	Poor	Extensive vines, mostly dead branches
NC-15830	Red maple	<i>Acer rubrum</i>	12, 12	2	6	18	Poor	Twin trunks 12 x 12, severe trunk rot, many vines
NC-15831	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-15832	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Reduced canopy, leaning
NC-15833	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Fair	Vines, leaning
NC-15834	White oak	<i>Quercus alba</i>	22	1	11	33	Good	
NC-15835	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Sparse canopy, few dead branches
NC-15836	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Fair	Many vines, few dead branches
NC-15837	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Extensive vines, appears mostly dead
NC-15838	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-15839	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Few dead branches
NC-15840	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Reduced canopy, vines
NC-15841	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-15842	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines, leaning
NC-15843	Sumac sp.	<i>Sumac sp.</i>	5	1	2.5	7.5	Fair	Leaning
NC-15844	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Dead branches, vines
NC-15845	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Fair	Extensive vines
NC-15846	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good	Some broken branches
NC-15847	Sumac sp.	<i>Sumac sp.</i>	5	1	2.5	7.5	Good	
NC-15848	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Fair	Vines, several dead branches
NC-15849	Red maple	<i>Acer rubrum</i>	11, 11	2	5.5	16.5	Fair	Twin trunks 11 x 11
NC-15850	Sumac sp.	<i>Sumac sp.</i>	5	1	2.5	7.5	Good	
NC-15851	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Good	
NC-15852	White oak	<i>Quercus alba</i>	22	1	11	33	Good	Some vines
NC-15853	Hawthorn sp.	<i>Crataegus sp.</i>	7	1	3.5	10.5	Poor	Many vines, reduced canopy
NC-15854	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor vines
NC-15855	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Poor	Dying
NC-15856	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	Some vines
NC-15857	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Many vines in canopy
NC-15858	Unknown		9	1	N/A	N/A	Standing Dead	
NC-15859	Willow oak	<i>Quercus phellos</i>	23	1	11.5	34.5	Good	
NC-15860	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Vines
NC-15861	Sumac sp.	<i>Sumac sp.</i>	9	1	4.5	13.5	Good	
NC-15862	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Fair	Many vines
NC-15863	Red maple	<i>Acer rubrum</i>	15, 15	2	7.5	22.5	Good	Twin trunk 15 x 15
NC-15864	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Several dead branches
NC-15865	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	
NC-15866	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	Vines
NC-15867	Pin oak	<i>Quercus palustris</i>	15	1	7.5	22.5	Good	
NC-15868	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Good	
NC-15869	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	
NC-15870	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Many vines
NC-15871	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-15872	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-15873	Northern red oak	<i>Quercus rubra</i>	22	1	11	33	Fair	Many vines, minor trunk rot
NC-15874	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	Minor vines
NC-15875	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-15876	Blackgum	<i>Nyssa sylvatica</i>	14	1	N/A	N/A	Standing Dead	
NC-15877	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Leaning, dead leader, reduced canopy
NC-15878	Black locust	<i>Robinia pseudoacacia</i>	11, 11	2	5.5	16.5	Fair	Vines, many dead branches, twin trunk 11 x 11

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15879	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-15880	Sumac sp.	<i>Sumac sp.</i>	6	1	3	9	Good	
NC-15881	Cherrybark oak	<i>Quercus pagoda</i>	26	1	13	39	Good	
NC-15882	Black walnut	<i>Juglans nigra</i>	13	1	6.5	19.5	Fair	Leaning, several dead or dying branches
NC-15883	Pin oak	<i>Quercus palustris</i>	14	1	7	21	Good	
NC-15884	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-15885	Sumac sp.	<i>Sumac sp.</i>	5	1	2.5	7.5	Fair	Vines
NC-15886	Red maple	<i>Acer rubrum</i>	18	1	9	27	Poor	Trunk broken top dead
NC-15887	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-15888	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Poor	Dying, broken leader
NC-15889	Pin oak	<i>Quercus palustris</i>	19	1	9.5	28.5	Good	Vines
NC-15890	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines, several dead branches
NC-15891	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-15892	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15893	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines, several dead branches
NC-15894	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Many vines
NC-15895	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-15896	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Many vines
NC-15897	Red maple	<i>Acer rubrum</i>	14	1	7	21	Poor	Trunk rot, hollow trunk, broken at top
NC-15898	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Leaning, uprooting
NC-15899	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Vines
NC-15900	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Vines in canopy
NC-15901	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-15902	Common hackberry	<i>Celtis occidentalis</i>	8	1	4	12	Good	
NC-15903	Red maple	<i>Acer rubrum</i>	18	1	N/A	N/A	Standing Dead	
NC-15904	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-15905	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
NC-15906	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-15907	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-15908	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Fair	Many vines in canopy
NC-15909	American holly	<i>Ilex opaca</i>	6	1	3	9	Fair	Dead tree leaning on tree
NC-15910	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Good	
NC-15911	American sycamore	<i>Platanus occidentalis</i>	6	1	3	9	Good	
NC-15912	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines in canopy, leaning
NC-15913	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Many vines, reduced canopy
NC-15914	Black locust	<i>Robinia pseudoacacia</i>	10, 7	2	5	15	Fair	Twin trunk 10 x 7, few dead leaders
NC-15915	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines, mishapen trunk
NC-15916	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-15917	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Fair	Vines, broken branches
NC-15918	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Vines
NC-15919	Northern catalpa	<i>Catalpa speciosa</i>	6	1	3	9	Fair	Vines in canopy
NC-15920	Sweetgum	<i>Liquidambar styraciflua</i>	15, 14	2	7.5	22.5	Fair	Vines, dead leader, twin trunk 15 x 14
NC-15921	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Vines, broken branches
NC-15922	Callery pear	<i>Pyrus calleryana</i>	10	1	5	15	Fair	Vines
NC-15923	Common hackberry	<i>Celtis occidentalis</i>	6	1	3	9	Good	
NC-15924	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	Some vines
NC-15925	Callery pear	<i>Pyrus calleryana</i>	9, 9	2	4.5	13.5	Good	Twin trunk 9 x 9
NC-15926	White oak	<i>Quercus alba</i>	15	1	7.5	22.5	Good	Vines
NC-15927	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Vines
NC-15928	Pin oak	<i>Quercus palustris</i>	22	1	11	33	Good	
NC-15929	Common hackberry	<i>Celtis occidentalis</i>	7, 6, 5	3	3.5	10.5	Fair	Multi trunk 7 x 6 x 5, vines, dieback
NC-15930	Common hackberry	<i>Celtis occidentalis</i>	6	1	3	9	Good	
NC-15931	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Good	
NC-15932	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-15933	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-15934	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Good	
NC-15935	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-15936	Callery pear	<i>Pyrus calleryana</i>	12	1	6	18	Fair	Many vines in canopy
NC-15937	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Good	
NC-15938	American holly	<i>Ilex opaca</i>	6	1	3	9	Good	
NC-15939	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Leaning, vines
NC-15940	Black locust	<i>Robinia pseudoacacia</i>	11, 11	2	5.5	16.5	Fair	Twin trunk 11 x 11, leaning, several dead branches
NC-15941	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Vines in canopy
NC-15942	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-15943	Callery pear	<i>Pyrus calleryana</i>	7, 7, 5	3	3.5	10.5	Good	Multistem trunk 7 x 7 x 5
NC-15944	Pignut hickory	<i>Carya glabra</i>	8	1	4	12	Fair	Vines, many dead branches
NC-15945	Eastern redcedar	<i>Juniperus virginiana</i>	6	1	3	9	Fair	Vines in canopy
NC-15946	Common hackberry	<i>Celtis occidentalis</i>	8	1	4	12	Fair	Vines
NC-15947	Common hackberry	<i>Celtis occidentalis</i>	8	1	4	12	Fair	Vines, dead leader
NC-15948	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Vines
NC-15949	Callery pear	<i>Pyrus calleryana</i>	7	1	3.5	10.5	Fair	Vines
NC-15950	Common hackberry	<i>Celtis occidentalis</i>	6, 6	2	3	9	Good	Twin trunk 6 x 6
NC-15951	Pin oak	<i>Quercus palustris</i>	14	1	N/A	N/A	Standing Dead	
NC-15952	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Poor	Vines, broken leader

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-15953	Northern catalpa	<i>Catalpa speciosa</i>	7, 5	2	3.5	10.5	Fair	Twin trunk 7 x 5, vines
NC-15954	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Several dead branches, vines
NC-15955	Callery pear	<i>Pyrus calleryana</i>	8, 5	2	4	12	Fair	Twin trunk 8 x 5, many vines
NC-15956	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Many dead branches
NC-15957	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-15958	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Vines
NC-15959	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Vines
NC-15960	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	One broken branch
NC-15961	Pin oak	<i>Quercus palustris</i>	21	1	10.5	31.5	Good	Vines
NC-15962	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Several dead branches
NC-15963	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Fair	Vines, many dead branches
NC-15964	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-15965	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	Vines
NC-15966	Black locust	<i>Robinia pseudoacacia</i>	14	1	7	21	Poor	Extensive vines, dying
NC-15967	Black oak	<i>Quercus velutina</i>	11	1	5.5	16.5	Fair	Vines in canopy
NC-15968	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Poor	Vines, reduced crown
NC-15969	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Poor	Extensive vines
NC-15970	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Top of trunk broken
NC-15971	American elm	<i>Ulmus americana</i>	13	1	6.5	19.5	Fair	Vines, several dead branches
NC-15972	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Good	
NC-15973	Black walnut	<i>Juglans nigra</i>	9	1	4.5	13.5	Good	Undermined by stream
NC-15974	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Fair	Vines, leaning
NC-15975	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Vines, dead branches
NC-15976	Black walnut	<i>Juglans nigra</i>	9	1	4.5	13.5	Good	
NC-15977	Scarlet oak	<i>Quercus coccinea</i>	20	1	10	30	Fair	Vines, broken limb
NC-15978	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Many vines, many dead branches
NC-15979	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Fair	branches
NC-15980	Blackgum	<i>Nyssa sylvatica</i>	17	1	8.5	25.5	Good	Vines
NC-15981	Scarlet oak	<i>Quercus coccinea</i>	13	1	6.5	19.5	Poor	Extensive vines
NC-15982	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-15983	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Extensive vines, dying
NC-15984	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Vines in canopy, several dead branches
NC-15985	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-15986	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-15987	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Poor	Many dead branches, extensive vines
NC-15988	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Vines extensive, several dead branches
NC-15989	Callery pear	<i>Pyrus calleryana</i>	8, 7	2	4	12	Fair	Twin trunk 8 x 7, vines
NC-15990	Red maple	<i>Acer rubrum</i>	10	1	N/A	N/A	Standing Dead	
NC-15991	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Sparse canopy, vines
NC-15992	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-15993	Red maple	<i>Acer rubrum</i>	14	1	N/A	N/A	Standing Dead	
NC-15994	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Good	
NC-15995	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, few dead branches
NC-15996	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines in canopy
NC-15997	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Fair	Vines
NC-15998	Red maple	<i>Acer rubrum</i>	12	1	N/A	N/A	Standing Dead	
NC-15999	Red maple	<i>Acer rubrum</i>	25	1	12.5	37.5	Fair	Vines, dead branches
NC-16000	American elm	<i>Ulmus americana</i>	5	1	2.5	7.5	Good	
NC-16001	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Broken trunk, top half dead
NC-16002	American sycamore	<i>Platanus occidentalis</i>	16	1	8	24	Good	Minor vines
NC-16003	American sycamore	<i>Platanus occidentalis</i>	18	1	9	27	Good	Minor vines
NC-16004	Tuliptree	<i>Liriodendron tulipifera</i>	10	1	5	15	Good	Minor vines
NC-16005	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	With vines
NC-16006	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Fair	Several dead branches, fungus on trunk
NC-16007	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-16008	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Good	
NC-16009	Red maple	<i>Acer rubrum</i>	10	1	N/A	N/A	Standing Dead	
NC-16010	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16011	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Dead leader, many vines
NC-16012	American elm	<i>Ulmus americana</i>	14	1	7	21	Good	
NC-16013	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines, many dead branches
NC-16014	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Trunk rot, dead trunk
NC-16015	Callery pear	<i>Pyrus calleryana</i>	11	1	5.5	16.5	Good	
NC-16016	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Good	
NC-16017	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-16018	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Vines
NC-16019	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Dead branches, vines in canopy
NC-16020	Sweetgum	<i>Liquidambar styraciflua</i>	24	1	12	36	Good	Minor vines
NC-16021	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Broken trunk, dying, vines extensive
NC-16022	Red maple	<i>Acer rubrum</i>	12	1	N/A	N/A	Standing Dead	
NC-16023	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Dead broken leader, vines
NC-16024	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-16025	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Poor	Trunk rot, broken trunk
NC-16026	American sycamore	<i>Platanus occidentalis</i>	22	1	11	33	Good	Vines
NC-16027	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Vines in canopy, few dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16028	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Trunk rot, vines, sparse canopy
NC-16029	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Fair	Stressed
NC-16030	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Roots undermined, vines
NC-16031	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Poor	Extensive vines in canopy, roots undermined, dead branches
NC-16032	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines in canopy, few dead branches
NC-16033	Red maple	<i>Acer rubrum</i>	15	1	N/A	N/A	Standing Dead	
NC-16034	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Top dead, leaning, vines
NC-16035	Red maple	<i>Acer rubrum</i>	21	1	N/A	N/A	Standing Dead	
NC-16036	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Vines in canopy, dead branches
NC-16037	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Leaning, vines
NC-16038	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Poor	Extensive vines in canopy
NC-16039	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Fair	Vines, dead branches
NC-16040	American elm	<i>Ulmus americana</i>	12	1	6	18	Poor	Extensive vines in canopy, dead branches, leaning
NC-16041	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-16042	American elm	<i>Ulmus americana</i>	12	1	6	18	Fair	Vines in canopy, leaning
NC-16043	American elm	<i>Ulmus americana</i>	10	1	5	15	Poor	Vines extensive in canopy, dead branches, leaning
NC-16044	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Vines, broken trunk
NC-16045	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16046	White mulberry	<i>Morus alba</i>	5	1	2.5	7.5	Poor	Many vines in canopy, dead branches
NC-16047	White mulberry	<i>Morus alba</i>	10	1	5	15	Fair	Vines in canopy, few dead branches, leaning
NC-16048	Red maple	<i>Acer rubrum</i>	19	1	N/A	N/A	Standing Dead	
NC-16049	Black cherry	<i>Prunus serotina</i>	9	1	4.5	13.5	Poor	Vines, reduced canopy
NC-16050	Red maple	<i>Acer rubrum</i>	28	1	14	42	Fair	Trunk rot
NC-16051	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Good	
NC-16052	Red maple	<i>Acer rubrum</i>	28	1	14	42	Fair	Broken branches
NC-16053	Red maple	<i>Acer rubrum</i>	23	1	11.5	34.5	Fair	Dead branches
NC-16054	Common hackberry	<i>Celtis occidentalis</i>	7	1	3.5	10.5	Fair	Vines
NC-16055	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Extensive vines
NC-16056	Eastern redcedar	<i>Juniperus virginiana</i>	7	1	N/A	N/A	Standing Dead	
NC-16057	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Fair	Vines, dead leader
NC-16058	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines
NC-16059	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Many dead branches
NC-16060	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Vines in canopy, dead branches
NC-16061	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Fair	Vines in canopy, dead branches
NC-16062	Red maple	<i>Acer rubrum</i>	10	1	5	15	Poor	Broken leader, extensive vines
NC-16063	American sycamore	<i>Platanus occidentalis</i>	24	1	12	36	Good	Minor vines
NC-16064	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Fair	Vines in canopy, sparse canopy
NC-16065	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Vines, dead branches
NC-16066	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-16067	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Vines in canopy, leaning
NC-16068	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	Dead leader
NC-16069	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-16070	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Broken branches
NC-16071	Red maple	<i>Acer rubrum</i>	22	1	11	33	Fair	Leaning, vines, few dead branches
NC-16072	Red maple	<i>Acer rubrum</i>	10, 5	2	5	15	Fair	Vines, broken branches, twin trunks 10 x 5
NC-16073	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-16074	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-16075	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-16076	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-16077	Sweetgum	<i>Liquidambar styraciflua</i>	20, 18	2	10	30	Good	Twin trunk 20 x 18
NC-16078	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16079	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Poor	Broken leader, broken branches
NC-16080	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Vines, sparse canopy
NC-16081	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16082	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Trunk rot
NC-16083	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines, dead branches
NC-16084	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Vines
NC-16085	Red maple	<i>Acer rubrum</i>	15	1	N/A	N/A	Standing Dead	
NC-16086	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Sparse canopy, several broken branches
NC-16087	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Sparse canopy, vines
NC-16088	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Vines in canopy, dead branches
NC-16089	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-16090	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-16091	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Fair	Sparse canopy, dead branches
NC-16092	Common persimmon	<i>Diospyros virginiana</i>	14	1	7	21	Fair	Extensive vines
NC-16093	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Good	Few broken branches
NC-16094	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	With vines
NC-16095	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Broken branches
NC-16096	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	stressed
NC-16097	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16098	Red maple	<i>Acer rubrum</i>		1	8	24	Poor	Trunk rot, dead branches
NC-16099	Red maple	<i>Acer rubrum</i>		27	1	13.5	40.5	Good
NC-16100	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16101	Red maple	<i>Acer rubrum</i>		21	1	10.5	31.5	Good
NC-16102	Red maple	<i>Acer rubrum</i>		17	1	8.5	25.5	Good
NC-16103	Red maple	<i>Acer rubrum</i>		12	1	6	18	Good
NC-16104	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16105	Sweetgum	<i>Liquidambar styraciflua</i>		21	1	10.5	31.5	Fair
NC-16106	Red maple	<i>Acer rubrum</i>		10	1	5	15	Poor
NC-16107	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16108	Common persimmon	<i>Diospyros virginiana</i>		6	1	3	9	Fair
NC-16109	American elm	<i>Ulmus americana</i>	18, 6, 5	3	9	27	Good	Multiple trunks 18 x 6 x 5
NC-16110	Red maple	<i>Acer rubrum</i>		16	1	8	24	Good
NC-16111	American holly	<i>Ilex opaca</i>		6	1	3	9	Good
NC-16112	Sweetgum	<i>Liquidambar styraciflua</i>	13, 8	2	N/A	N/A	Standing Dead	Twin trunk 13 x 8
NC-16113	Red maple	<i>Acer rubrum</i>		18	1	9	27	Fair
NC-16114	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16115	Sweetgum	<i>Liquidambar styraciflua</i>		23	1	11.5	34.5	Fair
NC-16116	Red maple	<i>Acer rubrum</i>		15	1	7.5	22.5	Good
NC-16117	Scarlet oak	<i>Quercus coccinea</i>		14	1	7	21	Fair
NC-16118	Red maple	<i>Acer rubrum</i>		16	1	8	24	Good
NC-16119	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	N/A	N/A	Standing Dead
NC-16120	Pin oak	<i>Quercus palustris</i>		20	1	10	30	Good
NC-16121	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Good
NC-16122	Red maple	<i>Acer rubrum</i>		12	1	6	18	Fair
NC-16123	Red maple	<i>Acer rubrum</i>		20	1	10	30	Good
NC-16124	Common persimmon	<i>Diospyros virginiana</i>		12	1	6	18	Fair
NC-16125	Unknown			16	1	N/A	N/A	Standing Dead
NC-16126	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Good
NC-16127	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16128	Red maple	<i>Acer rubrum</i>		10	1	5	15	Poor
NC-16129	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	N/A	N/A	Standing Dead
NC-16130	Common persimmon	<i>Diospyros virginiana</i>		7	1	3.5	10.5	Poor
NC-16131	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair
NC-16132	Pin oak	<i>Quercus palustris</i>		17	1	8.5	25.5	Good
NC-16133	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Poor
NC-16134	Red maple	<i>Acer rubrum</i>		16	1	8	24	Good
NC-16135	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Good
NC-16136	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Fair
NC-16137	American elm	<i>Ulmus americana</i>		15	1	7.5	22.5	Fair
NC-16138	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5	Fair
NC-16139	Sweetgum	<i>Liquidambar styraciflua</i>		26	1	13	39	Fair
NC-16140	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Poor
NC-16141	American elm	<i>Ulmus americana</i>		5	1	2.5	7.5	Fair
NC-16142	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-16143	Red maple	<i>Acer rubrum</i>		12	1	N/A	N/A	Standing Dead
NC-16144	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Fair
NC-16145	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Good
NC-16146	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16147	American elm	<i>Ulmus americana</i>		17	1	8.5	25.5	Fair
NC-16148	Red maple	<i>Acer rubrum</i>		9	1	N/A	N/A	Standing Dead
NC-16149	Red maple	<i>Acer rubrum</i>		17	1	8.5	25.5	Fair
NC-16150	Scarlet oak	<i>Quercus coccinea</i>		5	1	2.5	7.5	Fair
NC-16151	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Poor
NC-16152	Tuliptree	<i>Liriodendron tulipifera</i>		17	1	8.5	25.5	Good
NC-16153	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16154	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16155	American elm	<i>Ulmus americana</i>		20	1	10	30	Fair
NC-16156	Mockernut hickory	<i>Carya tomentosa</i>		7	1	3.5	10.5	Good
NC-16157	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5	Good
NC-16158	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Good
NC-16159	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16160	American elm	<i>Ulmus americana</i>		6	1	3	9	Fair
NC-16161	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21	Good
NC-16162	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair
NC-16163	American sycamore	<i>Platanus occidentalis</i>		13	1	6.5	19.5	Good
NC-16164	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Fair
NC-16165	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5	Poor
NC-16166	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Poor
NC-16167	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5	Poor
NC-16168	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16169	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair
NC-16170	Eastern redcedar	<i>Juniperus virginiana</i>		9	1	4.5	13.5	Good
NC-16171	Red maple	<i>Acer rubrum</i>		14	1	7	21	Good
NC-16172	Common persimmon	<i>Diospyros virginiana</i>	6, 5	2	3	9	Fair	Twin trunk 6 x 5, extensive vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16173	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Fair
NC-16174	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Fair
NC-16175	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16176	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5	Fair
NC-16177	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-16178	Virginia pine	<i>Pinus virginiana</i>		7	1	3.5	10.5	Fair
NC-16179	Sweetgum	<i>Liquidambar styraciflua</i>		23	1	11.5	34.5	Good
NC-16180	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	N/A	N/A	Standing Dead
NC-16181	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Poor
NC-16182	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Fair
NC-16183	Black willow	<i>Salix nigra</i>	12, 8	2	6	18	Fair	Dead leader, leaning, twin trunk 12 x 8
NC-16184	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Good
NC-16185	Red maple	<i>Acer rubrum</i>	12, 6	2	6	18	Fair	Twin trunk 12 x 6, climbing vines, leaning, reduced canopy
NC-16186	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24	Good
NC-16187	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Good
NC-16188	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Good
NC-16189	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Good
NC-16190	Black cherry	<i>Prunus serotina</i>		7	1	3.5	10.5	Fair
NC-16191	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair
NC-16192	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-16193	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-16194	Pin oak	<i>Quercus palustris</i>		6	1	3	9	Good
NC-16195	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair
NC-16196	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Good
NC-16197	Red maple	<i>Acer rubrum</i>		8	1	4	12	Fair
NC-16198	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5	Fair
NC-16199	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Good
NC-16200	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good
NC-16201	Southern red oak	<i>Quercus falcata</i>		9	1	4.5	13.5	Good
NC-16202	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16203	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-16204	Red maple	<i>Acer rubrum</i>		10	1	5	15	Fair
NC-16205	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16206	Red maple	<i>Acer rubrum</i>		6	1	3	9	Poor
NC-16207	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16208	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16209	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Good
NC-16210	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16211	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-16212	Red maple	<i>Acer rubrum</i>		6	1	3	9	Fair
NC-16213	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Fair
NC-16214	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Poor
NC-16215	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5	Fair
NC-16216	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	N/A	N/A	Standing Dead
NC-16217	Willow oak	<i>Quercus phellos</i>		9	1	4.5	13.5	Good
NC-16218	Callery pear	<i>Pyrus calleryana</i>		8	1	4	12	Good
NC-16219	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good
NC-16220	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-16221	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16222	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5	Good
NC-16223	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Fair
NC-16224	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16225	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16226	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5	Good
NC-16227*	White oak	<i>Quercus alba</i>		36	1	18	54	Good
NC-16228	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Fair
NC-16229	Callery pear	<i>Pyrus calleryana</i>		6	1	3	9	Good
NC-16230	Red maple	<i>Acer rubrum</i>		6	1	3	9	Good
NC-16231	Pignut hickory	<i>Carya glabra</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-16232	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5	Good
NC-16233	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	N/A	N/A	Standing Dead
NC-16234	Black cherry	<i>Prunus serotina</i>		5	1	2.5	7.5	Fair
NC-16235	Willow oak	<i>Quercus phellos</i>		21	1	10.5	31.5	Good
NC-16236	Red maple	<i>Acer rubrum</i>		10	1	5	15	Good
NC-16237	Red maple	<i>Acer rubrum</i>		14	1	N/A	N/A	Standing Dead
NC-16238	Sweetgum	<i>Liquidambar styraciflua</i>		22	1	11	33	Fair
NC-16239	Black cherry	<i>Prunus serotina</i>		6	1	3	9	Good
NC-16240	Sweetgum	<i>Liquidambar styraciflua</i>		25	1	12.5	37.5	Good
NC-16241	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9	Poor
NC-16242	Black cherry	<i>Prunus serotina</i>		7	1	3.5	10.5	Poor
NC-16243	American sycamore	<i>Platanus occidentalis</i>		12	1	6	18	Good
NC-16244	Sweetgum	<i>Liquidambar styraciflua</i>		24	1	12	36	Good
NC-16245	Red maple	<i>Acer rubrum</i>		8	1	4	12	Good
NC-16246	Red maple	<i>Acer rubrum</i>	12, 9	2	6	18	Good	Twin trunk 12 x 9

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16247	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Good	
NC-16248	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16249	Red maple	<i>Acer rubrum</i>	17, 16	2	8.5	25.5	Fair	Twin trunk 17 x 16, trunk rot
NC-16250	American elm	<i>Ulmus americana</i>	10	1	5	15	Fair	Leaning, vines
NC-16251	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Leaning
NC-16252	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-16253	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-16254	American sycamore	<i>Platanus occidentalis</i>	13	1	6.5	19.5	Good	
NC-16255	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Poor	Extensive vines
NC-16256	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines, reduced canopy
NC-16257	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Fair	Vines and dead branches
NC-16258	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines
NC-16259	Loblolly pine	<i>Pinus taeda</i>	12	1	6	18	Fair	Extensive vines
NC-16260	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Broken leader
NC-16261	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	Vines
NC-16262	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-16263	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16264	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-16265	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken trunk and vines
NC-16266*	White oak	<i>Quercus alba</i>	37	1	18.5	55.5	Good	Minor vines
NC-16267	Unknown		6	1	N/A	N/A	Standing Dead	
NC-16268	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-16269	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Good	
NC-16270	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines
NC-16271	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-16272	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16273	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Fair	Vines, dead branches
NC-16274	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Vines, dying
NC-16275	American elm	<i>Ulmus americana</i>	6	1	3	9	Good	
NC-16276	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Overtaken by vines, broken leader
NC-16277	American sycamore	<i>Platanus occidentalis</i>	5	1	2.5	7.5	Good	
NC-16278	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Vines in canopy, few dead branches
NC-16279	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Poor	Broken leader, extensive vines
NC-16280	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Possibly dead
NC-16281	Red maple	<i>Acer rubrum</i>	13, 11	2	6.5	19.5	Good	Twin trunk 13 x 11
NC-16282	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines
NC-16283	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Poor	Extensive vines, leaning
NC-16284	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Reduced canopy
NC-16285	Red maple	<i>Acer rubrum</i>	24	1	12	36	Good	Minor vines
NC-16286	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines in canopy, leaning
NC-16287	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-16288	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Vines, dead branches
NC-16289	Callery pear	<i>Pyrus calleryana</i>	8	1	4	12	Good	
NC-16290	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-16291	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-16292	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-16293	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Fair	Dead branches
NC-16294	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Vines, reduced canopy
NC-16295	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Vines, leaning
NC-16296	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16297	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	Vines at base
NC-16298	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Possibly dead
NC-16299	American sycamore	<i>Platanus occidentalis</i>	7	1	3.5	10.5	Good	
NC-16300	Eastern redcedar	<i>Juniperus virginiana</i>	8	1	4	12	Poor	Extensive vines
NC-16301	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Possibly dead
NC-16302	Northern catalpa	<i>Catalpa speciosa</i>	7	1	3.5	10.5	Good	
NC-16303	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-16304	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines
NC-16305	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Reduced canopy
NC-16306	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	Minor vines
NC-16307	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Broken leader
NC-16308	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16309	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Extensive vines, broken trunk
NC-16310	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-16311	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines
NC-16312	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16313	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-16314	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying, extensive vines
NC-16315	Pignut hickory	<i>Carya glabra</i>	6	1	3	9	Good	
NC-16316	Callery pear	<i>Pyrus calleryana</i>	6	1	3	9	Good	
NC-16317	Virginia pine	<i>Pinus virginiana</i>	7	1	3.5	10.5	Fair	Leaning, vines
NC-16318	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good	
NC-16319	Callery pear	<i>Pyrus calleryana</i>	5	1	2.5	7.5	Fair	Leaning, vines in canopy
NC-16320	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-16321	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Extensive vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16322	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16323	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-16324	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Leaning, vines in canopy
NC-16325	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines
NC-16326	Red maple	<i>Acer rubrum</i>	18	1	9	27	Fair	Trunk damage
NC-16327	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor	Trunk rot
NC-16328	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16329	Pignut hickory	<i>Carya glabra</i>	5	1	2.5	7.5	Good	Vines
NC-16330	Red maple	<i>Acer rubrum</i>	9, 7	2	4.5	13.5	Fair	Twin trunk 9 x 7, extensive vines
NC-16331	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16332	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Good	
NC-16333	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leaning, broken branches
NC-16334	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16335	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	Vines
NC-16336	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-16337	Common persimmon	<i>Diospyros virginiana</i>	9	1	4.5	13.5	Good	
NC-16338	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Fair	Vines, leaning
NC-16339	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Vines and reduced canopy
NC-16340	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16341	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	Vines
NC-16342	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-16343	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	Vines
NC-16344	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Vines in canopy, dead branches
NC-16345	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16346	Black locust	<i>Robinia pseudoacacia</i>	10	1	5	15	Good	
NC-16347	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-16348	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-16349	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16350	Black willow	<i>Salix nigra</i>	9	1	4.5	13.5	Poor	Heavily pruned
NC-16351	Red maple	<i>Acer rubrum</i>	14, 7	2	7	21	Fair	Twin trunk 14 x 7, trunk rot
NC-16352	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines in canopy, broken branches
NC-16353	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-16354	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-16355	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Poor	Overtaken by vines
NC-16356	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Broken leader
NC-16357	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-16358	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16359	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-16360	Green ash	<i>Fraxinus pennsylvanica</i>	7	1	3.5	10.5	Poor	Few living branches
NC-16361	American sycamore	<i>Platanus occidentalis</i>	14	1	7	21	Good	
NC-16362	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16363	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Trunk damage
NC-16364	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Good	
NC-16365	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Many vines in canopy, dead branches
NC-16366	Unknown		5	1	N/A	N/A	Standing Dead	
NC-16367	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16368	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-16369	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Broken leader
NC-16370	Virginia pine	<i>Pinus virginiana</i>	17	1	N/A	N/A	Standing Dead	
NC-16371	White mulberry	<i>Morus alba</i>	7	1	3.5	10.5	Fair	Vines in canopy
NC-16372	Red maple	<i>Acer rubrum</i>	12	1	6	18	Fair	Trunk rot
NC-16373	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16374	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-16375	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Several dead branches
NC-16376	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-16377	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16378	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-16379	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16380	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-16381	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-16382	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-16383	Red maple	<i>Acer rubrum</i>	10, 6	2	5	15	Fair	Twin trunk 10 x 6, leaning
NC-16384	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-16385	American sycamore	<i>Platanus occidentalis</i>	11	1	5.5	16.5	Fair	Leaning
NC-16386	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-16387	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning
NC-16388	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines in canopy
NC-16389	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16390	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-16391	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16392	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16393	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-16394	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-16395	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Vines, reduced canopy
NC-16396	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines, leaning

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16397	White oak	<i>Quercus alba</i>		6	1	3	9 Good	
NC-16398	Red maple	<i>Acer rubrum</i>		12	1	6	18 Good	
NC-16399	Red maple	<i>Acer rubrum</i>		8	1	4	12 Good	
NC-16400	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Poor	Trunk rot, vines, dead branches
NC-16401	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Fair	Vines, dead branches
NC-16402	Sweetgum	<i>Liquidambar styraciflua</i>		17	1	8.5	25.5 Poor	canopy
NC-16403	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Poor	Trunk rot
NC-16404	Black locust	<i>Robinia pseudoacacia</i>		7	1	3.5	10.5 Fair	Extensive vines
NC-16405	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	
NC-16406	American sycamore	<i>Platanus occidentalis</i>		22	1	11	33 Fair	Extensive vines
NC-16407	American elm	<i>Ulmus americana</i>		8	1	4	12 Fair	Dead branches, stressed
NC-16408	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Good	Vines
NC-16409	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-16410	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Extensive vines
NC-16411	Red maple	<i>Acer rubrum</i>		12	1	6	18 Good	
NC-16412	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Many dead branches
NC-16413	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	
NC-16414	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	Vines
NC-16415	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-16416	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Several dead branches
NC-16417	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Fair	Broken leader
NC-16418	Blackgum	<i>Nyssa sylvatica</i>		11	1	5.5	16.5 Good	
NC-16419	Sweetgum	<i>Liquidambar styraciflua</i>		17	1	8.5	25.5 Fair	Several dead and broken branches
NC-16420	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	Minor vines
NC-16421	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Fair	Dead branches, vines
NC-16422	American elm	<i>Ulmus americana</i>		11	1	5.5	16.5 Fair	Vines in canopy
NC-16423	Tuliptree	<i>Liriodendron tulipifera</i>		7	1	3.5	10.5 Fair	Reduced canopy
NC-16424	Sweetgum	<i>Liquidambar styraciflua</i>		12	1	6	18 Fair	Vines in canopy
NC-16425	American elm	<i>Ulmus americana</i>		11	1	5.5	16.5 Fair	Sparse canopy, vines
NC-16426	Black cherry	<i>Prunus serotina</i>	23, 16		2	11.5	34.5 Fair	Twin trunk 23 x 16, canopy reduced, stressed
NC-16427	Tuliptree	<i>Liriodendron tulipifera</i>		6	1	3	9 Good	
NC-16428	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	Vines
NC-16429	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Dead branches, reduced canopy
NC-16430	Virginia pine	<i>Pinus virginiana</i>		10	1	N/A	N/A Standing Dead	
NC-16431	American elm	<i>Ulmus americana</i>		13	1	6.5	19.5 Good	
NC-16432	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Extensive vines
NC-16433	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	
NC-16434	Red maple	<i>Acer rubrum</i>		8	1	4	12 Fair	Vines in canopy
NC-16435	Red maple	<i>Acer rubrum</i>		20	1	10	30 Good	
NC-16436	Tuliptree	<i>Liriodendron tulipifera</i>		8	1	4	12 Good	
NC-16437	American elm	<i>Ulmus americana</i>	16, 8		2	8	24 Fair	Twin trunk 16 x 8, stressed growth, canopy reduced
NC-16438	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Good	
NC-16439	American beech	<i>Fagus grandifolia</i>		8	1	4	12 Good	
NC-16440	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-16441	Red maple	<i>Acer rubrum</i>		6	1	3	9 Fair	Dead leader
NC-16442	Red maple	<i>Acer rubrum</i>		6	1	3	9 Good	
NC-16443	Virginia pine	<i>Pinus virginiana</i>		9	1	N/A	N/A Standing Dead	
NC-16444	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Fair	Vines in canopy
NC-16445	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-16446	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5 Good	
NC-16447	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Poor	rot
NC-16448	American elm	<i>Ulmus americana</i>		7	1	3.5	10.5 Poor	Extensive vines, dead branches
NC-16449	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Poor	Vines, broken leader
NC-16450	Red maple	<i>Acer rubrum</i>	11, 4	2	5.5	16.5 Good		Twin trunk 11 x 4
NC-16451	Virginia pine	<i>Pinus virginiana</i>		16	1	8	24 Good	Vines
NC-16452	Virginia pine	<i>Pinus virginiana</i>		10	1	5	15 Fair	Vines, leaning
NC-16453	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Leaning, dead branches
NC-16454	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Good	
NC-16455	American elm	<i>Ulmus americana</i>		9	1	4.5	13.5 Poor	Extensive vines, dead branches
NC-16456	Red maple	<i>Acer rubrum</i>		5	1	2.5	7.5 Poor	Extensive vines and broken branches
NC-16457	Sweetgum	<i>Liquidambar styraciflua</i>		19	1	9.5	28.5 Good	
NC-16458	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	
NC-16459	American elm	<i>Ulmus americana</i>		8	1	4	12 Fair	Extensive vines in canopy
NC-16460	American elm	<i>Ulmus americana</i>		6	1	3	9 Fair	Dead branches
NC-16461	Red maple	<i>Acer rubrum</i>	11, 9	2	5.5	16.5 Good		Twin trunk 11 x 9
NC-16462	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Vines
NC-16463	Red maple	<i>Acer rubrum</i>		6	1	3	9 Fair	Stressed, few dead branches
NC-16464	Virginia pine	<i>Pinus virginiana</i>		8	1	4	12 Fair	Many vines, dead branches
NC-16465	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Fair	Dead branches, reduced canopy
NC-16466	American beech	<i>Fagus grandifolia</i>		8	1	4	12 Good	
NC-16467	Tuliptree	<i>Liriodendron tulipifera</i>		9	1	4.5	13.5 Good	Vines at base
NC-16468	Red maple	<i>Acer rubrum</i>	7, 5	2	3.5	10.5 Good		Twin trunk 7 x 5
NC-16469	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	Vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16470	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Stressed, reduced canopy
NC-16471	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	
NC-16472	Unknown		10	1	N/A	N/A	Standing Dead	
NC-16473	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Dead branches
NC-16474	Virginia pine	<i>Pinus virginiana</i>		9	1	N/A	N/A Standing Dead	
NC-16475	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Fair	Many vines, dead branches
NC-16476	Red maple	<i>Acer rubrum</i>		19	1	9.5	28.5 Good	
NC-16477	Red maple	<i>Acer rubrum</i>		13	1	6.5	19.5 Poor	Uprooting
NC-16478	Black willow	<i>Salix nigra</i>		5	1	2.5	7.5 Poor	Dead branches
NC-16479	Black willow	<i>Salix nigra</i>	12	1	6	18 Fair		Dead branches
NC-16480	Virginia pine	<i>Pinus virginiana</i>		6	1	N/A	N/A Standing Dead	
NC-16481	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Good	
NC-16482	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5 Fair	Vines, dead branches
NC-16483	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-16484	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Fair	Dead branches
NC-16485	Sweetgum	<i>Liquidambar styraciflua</i>		21	1	10.5	31.5 Good	Minor vines
NC-16486	Sweetgum	<i>Liquidambar styraciflua</i>		7	1	3.5	10.5 Good	
NC-16487	Sweetgum	<i>Liquidambar styraciflua</i>		15	1	7.5	22.5 Good	Vines
NC-16488	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A Standing Dead	
NC-16489	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	N/A	N/A Standing Dead	
NC-16490	Red maple	<i>Acer rubrum</i>		8	1	4	12 Poor	Broken leader
NC-16491	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Poor	Vines in canopy, many dead branches
NC-16492	White oak	<i>Quercus alba</i>		5	1	2.5	7.5 Fair	Leaning, few dead branches
NC-16493	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Many vines
NC-16494	Red maple	<i>Acer rubrum</i>		12	1	6	18 Fair	Trunk rot
NC-16495	Virginia pine	<i>Pinus virginiana</i>		11	1	5.5	16.5 Fair	Vines, leaning, dead branches
NC-16496	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Vines, reduced canopy
NC-16497	Sweetgum	<i>Liquidambar styraciflua</i>		22	1	11	33 Fair	Trunk rot
NC-16498	Black willow	<i>Salix nigra</i>	11	1	5.5	16.5 Good		Broken branches
NC-16499	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	Few dead branches
NC-16500	American elm	<i>Ulmus americana</i>		9	1	4.5	13.5 Good	
NC-16501	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Dead branches
NC-16502	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Dead branches, vines
NC-16503	Willow oak	<i>Quercus phellos</i>		6	1	3	9 Good	
NC-16504	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5 Fair	Trunk rot, reduced canopy
NC-16505	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Good	
NC-16506	Virginia pine	<i>Pinus virginiana</i>		14	1	7	21 Good	
NC-16507	Black willow	<i>Salix nigra</i>	12, 10	2	6	18 Fair		Twin trunk 12 x 10, leaning
NC-16508	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-16509	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	N/A	N/A Standing Dead	
NC-16510	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12 Fair	Dead branches, reduced canopy
NC-16511	Black willow	<i>Salix nigra</i>		11	1	5.5	16.5 Poor	Leaning, pruned
NC-16512	Red maple	<i>Acer rubrum</i>		10	1	5	15 Good	
NC-16513	Pin oak	<i>Quercus palustris</i>		18	1	9	27 Good	Vines
NC-16514	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	
NC-16515	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24 Poor	Trunk rot, extensive vines
NC-16516	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Good	
NC-16517	Red maple	<i>Acer rubrum</i>		10	1	5	15 Fair	Leaning
NC-16518	Black cherry	<i>Prunus serotina</i>		16	1	8	24 Fair	Vines and several dead branches
NC-16519	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-16520	Sweetgum	<i>Liquidambar styraciflua</i>		18	1	9	27 Fair	Dead branches, vines
NC-16521	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-16522	Boxelder	<i>Acer negundo</i>		8	1	4	12 Fair	Broken leader
NC-16523	Red maple	<i>Acer rubrum</i>		11	1	5.5	16.5 Fair	Vines in canopy, dead branches
NC-16524	Unknown			14	1	N/A	N/A Standing Dead	
NC-16525	Red maple	<i>Acer rubrum</i>		16	1	8	24 Good	
NC-16526	Virginia pine	<i>Pinus virginiana</i>		13	1	N/A	N/A Standing Dead	
NC-16527	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5 Good	
NC-16528	Red maple	<i>Acer rubrum</i>		7	1	3.5	10.5 Good	
NC-16529	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Fair	Dead leader
NC-16530	Pin oak	<i>Quercus palustris</i>		13	1	6.5	19.5 Fair	Extensive vines
NC-16531	Red maple	<i>Acer rubrum</i>		16	1	8	24 Good	
NC-16532	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Dead branches
NC-16533	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Good	Few dead branches
NC-16534	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Poor	Dead branches, trunk rot
NC-16535	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-16536	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Dead branches
NC-16537	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5 Good	
NC-16538	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15 Good	
NC-16539	Sweetgum	<i>Liquidambar styraciflua</i>		9	1	4.5	13.5 Fair	Many dead branches
NC-16540	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21 Fair	Dead branches, vines
NC-16541	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5 Good	
NC-16542	Black willow	<i>Salix nigra</i>		10	1	5	15 Fair	Leaning
NC-16543	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Vines
NC-16544	Sweetgum	<i>Liquidambar styraciflua</i>		6	1	3	9 Fair	Many vines, dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16545	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-16546	American beech	<i>Fagus grandifolia</i>	5	1	2.5	7.5	Good	
NC-16547	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16548	Red maple	<i>Acer rubrum</i>	10, 8, 5, 4, 3	5	5	15	Good	Multistem trunk 10 x 8 x 5 x 4 x 3
NC-16549	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-16550	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Vines in canopy
NC-16551	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Poor	Extensive vines, dead branches
NC-16552	Pine sp.	<i>Pinus sp.</i>	8	1	N/A	N/A	Standing Dead	
NC-16553	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Leaning, vines in canopy
NC-16554	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines and dead branches
NC-16555	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-16556	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dead leader
NC-16557	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-16558	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-16559	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	Vines
NC-16560	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Many vines, dead branches
NC-16561	Black cherry	<i>Prunus serotina</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-16562	Red maple	<i>Acer rubrum</i>	12	1	6	18	Good	
NC-16563	Unknown		7	1	3.5	10.5	Fair	Leaning, vines in canopy
NC-16564	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-16565	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16566	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Extensive vines, trunk rot
NC-16567	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	Vines
NC-16568	Unknown		16	1	N/A	N/A	Standing Dead	
NC-16569	Red maple	<i>Acer rubrum</i>	8	1	N/A	N/A	Standing Dead	
NC-16570	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16571	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	Leaning
NC-16572	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	Vines
NC-16573	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines, pruned
NC-16574	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16575	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	Vines
NC-16576	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Dead branches
NC-16577	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16578	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Dead branches
NC-16579	Red maple	<i>Acer rubrum</i>	12, 9	2	6	18	Good	Twin trunk 12 x 9
NC-16580	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-16581	Pin oak	<i>Quercus palustris</i>	9	1	4.5	13.5	Fair	Pruned
NC-16582	Red maple	<i>Acer rubrum</i>	22	1	11	33	Fair	Leaning
NC-16583	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Vines, dead branches
NC-16584	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16585	Red maple	<i>Acer rubrum</i>	6, 5	2	3	9	Good	Twin trunk 6 x 5
NC-16586	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-16587	Common persimmon	<i>Diospyros virginiana</i>	6	1	3	9	Good	
NC-16588	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Many dead branches
NC-16589	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-16590	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-16591	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-16592	Willow oak	<i>Quercus phellos</i>	13	1	6.5	19.5	Good	
NC-16593	Virginia pine	<i>Pinus virginiana</i>	6	1	3	9	Fair	Vines in canopy
NC-16594	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines, dying
NC-16595	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Extensive vines
NC-16596	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16597	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-16598	American sycamore	<i>Platanus occidentalis</i>	8	1	4	12	Good	
NC-16599	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Leaning, extensive vines
NC-16600	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16601	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Reduced canopy, dead branches, vines
NC-16602	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-16603	Pin oak	<i>Quercus palustris</i>	10	1	N/A	N/A	Standing Dead	
NC-16604	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Good	Twin trunk 8 x 6, vines
NC-16605	Red maple	<i>Acer rubrum</i>	10, 7	2	5	15	Fair	Twin trunk 10 x 7, trunk rot
NC-16606	Virginia pine	<i>Pinus virginiana</i>	20	1	10	30	Good	
NC-16607	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Leaning, possibly dying
NC-16608	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16609	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines
NC-16610	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches, vines
NC-16611	Unknown		9	1	N/A	N/A	Standing Dead	
NC-16612	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Pruned
NC-16613	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16614	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16615	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Few dead branches
NC-16616	Red maple	<i>Acer rubrum</i>	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-16617	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Dying, trunk rot
NC-16618	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-16619	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16620	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-16621	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-16622	Red maple	<i>Acer rubrum</i>	20	1	10	30	Fair	Extensive vines
NC-16623	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	Few dead branches
NC-16624	American holly	<i>Ilex opaca</i>	10	1	5	15	Good	
NC-16625	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16626	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16627	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16628	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-16629	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-16630	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Dead branches, vines
NC-16631	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16632	Red maple	<i>Acer rubrum</i>	24	1	12	36	Fair	Vines
NC-16633	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dead leader
NC-16634	American sycamore	<i>Platanus occidentalis</i>	17, 10	2	8.5	25.5	Good	Twin trunk 17 x 10
NC-16635	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16636	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Minor vines
NC-16637	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Good	
NC-16638	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	N/A	N/A	Standing Dead	
NC-16639	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16640	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16641	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16642	Virginia pine	<i>Pinus virginiana</i>	8, 4	2	N/A	N/A	Standing Dead	Twin trunk 8 x 4
NC-16643	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches, reduced canopy
NC-16644	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Leaning, dead branches
NC-16645	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Extensive vines
NC-16646	Red maple	<i>Acer rubrum</i>	8	1	4	12	Poor	Broken leader, trunk rot
NC-16647	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair	Vines
NC-16648	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Broken branches
NC-16649	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16650	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Good	
NC-16651	Pin oak	<i>Quercus palustris</i>	5	1	2.5	7.5	Fair	Vines
NC-16652	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-16653	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	N/A	N/A	Standing Dead	
NC-16654	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16655	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16656	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy, many dead branches
NC-16657	Unknown		6	1	N/A	N/A	Standing Dead	
NC-16658	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Leaning, dead branch
NC-16659	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Good	
NC-16660	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16661	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Fair	Stressed, reduced canopy
NC-16662	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16663	Northern red oak	<i>Quercus rubra</i>	6	1	3	9	Good	
NC-16664	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-16665	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Dead leader
NC-16666	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16667	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Poor	Leaning, dying
NC-16668	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-16669	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Few dead branches
NC-16670	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16671	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good	Minor vines
NC-16672	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16673	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-16674	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16675	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Reduced canopy, dying
NC-16676	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16677	Virginia pine	<i>Pinus virginiana</i>	11	1	N/A	N/A	Standing Dead	
NC-16678	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-16679	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-16680	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-16681	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Poor	Leaning, broken branches
NC-16682	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16683	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-16684	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	
NC-16685	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-16686	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Vines, leaning
NC-16687	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16688	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16689	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-16690	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Fair	Extensive vines
NC-16691	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-16692	American elm	<i>Ulmus americana</i>	19	1	9.5	28.5	Good	
NC-16693	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-16694	Unknown		6	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16695	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-16696	Virginia pine	<i>Pinus virginiana</i>	13	1	N/A	N/A	Standing Dead	
NC-16697	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Leaning, extensive vines
NC-16698	Pin oak	<i>Quercus palustris</i>	8	1	4	12	Fair	Vines
NC-16699	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Fair	Broken leader
NC-16700	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-16701	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines
NC-16702	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dead branches
NC-16703	Sweetgum	<i>Liquidambar styraciflua</i>	9, 8, 3	3	4.5	13.5	Fair	Multistem trunk 9 x 8 x 3, vines
NC-16704	Black cherry	<i>Prunus serotina</i>	9	1	N/A	N/A	Standing Dead	
NC-16705	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Leaning
NC-16706	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Fair	Broken leader
NC-16707	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Dead branches, stressed
NC-16708	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Good	
NC-16709	Virginia pine	<i>Pinus virginiana</i>	8	1	N/A	N/A	Standing Dead	
NC-16710	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-16711	Sweetgum	<i>Liquidambar styraciflua</i>	16, 14	2	8	24	Fair	Twin trunk 16 x 14, second trunk dead
NC-16712	Red maple	<i>Acer rubrum</i>	19	1	9.5	28.5	Fair	Trunk rot
NC-16713	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16714	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-16715	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Good	
NC-16716	American sycamore	<i>Platanus occidentalis</i>	9	1	4.5	13.5	Good	Minor vines
NC-16717	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-16718	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16719	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines, dead branches
NC-16720	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Poor	Dying
NC-16721	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Good	
NC-16722	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16723	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16724	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Good	Leaning
NC-16725	Willow oak	<i>Quercus phellos</i>	15	1	7.5	22.5	Good	
NC-16726	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Trunk rot
NC-16727	Southern red oak	<i>Quercus falcata</i>	22	1	11	33	Good	
NC-16728	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16729	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Trunk rot
NC-16730	Virginia pine	<i>Pinus virginiana</i>	8	1	4	12	Good	
NC-16731	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-16732	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16733	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-16734	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16735	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good	
NC-16736	American sycamore	<i>Platanus occidentalis</i>	12	1	6	18	Good	
NC-16737	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Broken branches
NC-16738	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-16739	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-16740	Unknown		6	1	N/A	N/A	Standing Dead	
NC-16741	American sycamore	<i>Platanus occidentalis</i>	10	1	5	15	Fair	Reduced canopy leaning
NC-16742	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16743	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-16744	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-16745	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16746	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-16747	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Broken branches
NC-16748	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-16749	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Trunk rot
NC-16750	Red maple	<i>Acer rubrum</i>	21	1	10.5	31.5	Good	
NC-16751	Black cherry	<i>Prunus serotina</i>	7	1	N/A	N/A	Standing Dead	
NC-16752	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16753	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-16754	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-16755	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Reduced canopy
NC-16756	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-16757	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-16758	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-16759	Unknown		5	1	N/A	N/A	Standing Dead	
NC-16760	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Poor	Trunk rot
NC-16761	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Fair	Dead branches
NC-16762	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-16763	American sycamore	<i>Platanus occidentalis</i>	13	1	6.5	19.5	Fair	Vines in canopy
NC-16764	Willow oak	<i>Quercus phellos</i>	17	1	8.5	25.5	Good	
NC-16765	Black cherry	<i>Prunus serotina</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16766	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16767	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Dead branches
NC-16768	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-16769	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16770	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Dead branches
NC-16771	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Dead branches
NC-16772	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Good	
NC-16773	Southern red oak	<i>Quercus falcata</i>	5	1	2.5	7.5	Good	
NC-16774	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16775	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines few dead branches
NC-16776	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches
NC-16777	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Dead branches, trunk rot
NC-16778	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16779	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Extensive vines
NC-16780	American sycamore	<i>Platanus occidentalis</i>	21	1	10.5	31.5	Good	Slightly leaning
NC-16781	Virginia pine	<i>Pinus virginiana</i>	14	1	N/A	N/A	Standing Dead	
NC-16782	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16783	Pignut hickory	<i>Carya glabra</i>	8	1	4	12	Good	
NC-16784	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-16785	Black cherry	<i>Prunus serotina</i>	12	1	6	18	Fair	Dead branches
NC-16786	American sycamore	<i>Platanus occidentalis</i>	17	1	8.5	25.5	Fair	Leaning vines
NC-16787	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-16788	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Extensive vines
NC-16789	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16790	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	N/A	N/A	Standing Dead	
NC-16791	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16792	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines in canopy
NC-16793	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-16794	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Many dead branches
NC-16795	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16796	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-16797	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-16798	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Leaning, dead branches
NC-16799	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Vines, few dead branches
NC-16800	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Leaning
NC-16801	Pine sp.	<i>Pinus sp.</i>	11	1	N/A	N/A	Standing Dead	
NC-16802	Virginia pine	<i>Pinus virginiana</i>	9	1	N/A	N/A	Standing Dead	
NC-16803	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16804	Red maple	<i>Acer rubrum</i>	10, 4	2	5	15	Good	Twin trunk 10 x 4
NC-16805	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16806	Black locust	<i>Robinia pseudoacacia</i>	7	1	N/A	N/A	Standing Dead	
NC-16807	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Vines in canopy
NC-16808	White oak	<i>Quercus alba</i>	9	1	4.5	13.5	Good	
NC-16809	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Leaning, extensive vines
NC-16810	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16811	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16812	White oak	<i>Quercus alba</i>	12	1	6	18	Good	
NC-16813	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Poor	Leaning vines in canopy
NC-16814	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Fair	Extensive vines
NC-16815	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	10.5	31.5	Good	
NC-16816	Black cherry	<i>Prunus serotina</i>	8	1	N/A	N/A	Standing Dead	
NC-16817	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Poor	Dead branches, vines
NC-16818	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Leaning vines in canopy
NC-16819	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Good	
NC-16820	White oak	<i>Quercus alba</i>	8	1	4	12	Fair	Dead branches
NC-16821	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16822	Willow oak	<i>Quercus phellos</i>	18	1	9	27	Good	
NC-16823	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines in canopy
NC-16824	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Vines
NC-16825	American elm	<i>Ulmus americana</i>	7	1	3.5	10.5	Good	
NC-16826	American sycamore	<i>Platanus occidentalis</i>	9	1	4.5	13.5	Good	
NC-16827	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Poor	Many dead branches
NC-16828	White oak	<i>Quercus alba</i>	8	1	4	12	Good	
NC-16829	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Vines in canopy
NC-16830	White oak	<i>Quercus alba</i>	19	1	9.5	28.5	Good	Minor vines
NC-16831	American elm	<i>Ulmus americana</i>	12	1	6	18	Good	
NC-16832	White oak	<i>Quercus alba</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-16833	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16834	Mockernut hickory	<i>Carya tomentosa</i>	6	1	3	9	Good	
NC-16835	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Dead branches, reduced canopy
NC-16836	Sweetgum	<i>Liquidambar styraciflua</i>	9, 6	2	4.5	13.5	Fair	Twin trunk 9 x 6, dead branches
NC-16837	Tuliptree	<i>Liriodendron tulipifera</i>	16	1	8	24	Fair	Dead branches
NC-16838	Shortleaf pine	<i>Pinus echinata</i>	16	1	8	24	Good	
NC-16839	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	With vines
NC-16840	American elm	<i>Ulmus americana</i>	11	1	5.5	16.5	Good	
NC-16841	Sweetgum	<i>Liquidambar styraciflua</i>	26	1	13	39	Fair	Extensive vines, few dead branches
NC-16842	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-16843*	Sweetgum	<i>Liquidambar styraciflua</i>	31	1	15.5	46.5	Good	Minor vines
NC-16844	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16845	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Leaning, dead branches
NC-16846	Sweetgum	<i>Liquidambar styraciflua</i>	18, 18	2	9	27	Fair	Twin trunk 18 x 18, trunk rot
NC-16847	Sweetgum	<i>Liquidambar styraciflua</i>	23	1	11.5	34.5	Fair	Vines few dead branches
NC-16848	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead branches, vines
NC-16849	Sassafras	<i>Sassafras albidum</i>	8	1	4	12	Fair	Leaning, vines
NC-16850	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16851	Common persimmon	<i>Diospyros virginiana</i>	6	1	N/A	N/A	Standing Dead	
NC-16852	Black locust	<i>Robinia pseudoacacia</i>	5	1	N/A	N/A	Standing Dead	
NC-16853	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Dead branches, reduced canopy
NC-16854	Virginia pine	<i>Pinus virginiana</i>	18	1	9	27	Good	With vines
NC-16855	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-16856	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-16857	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Extensive vines
NC-16858	Tuliptree	<i>Liriodendron tulipifera</i>	5	1	2.5	7.5	Good	
NC-16859	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Dead leader
NC-16860	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Leaning many dead branches
NC-16861	Red maple	<i>Acer rubrum</i>	7	1	N/A	N/A	Standing Dead	
NC-16862	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16863	Red maple	<i>Acer rubrum</i>	10, 10	2	5	15	Good	Twin trunk 10 x 10, minor vines
NC-16864	Red maple	<i>Acer rubrum</i>	20	1	10	30	Good	
NC-16865	American sycamore	<i>Platanus occidentalis</i>	9	1	4.5	13.5	Good	
NC-16866	Black locust	<i>Robinia pseudoacacia</i>	7	1	N/A	N/A	Standing Dead	
NC-16867	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead branches, vines
NC-16868	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	With vines
NC-16869	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair	Dead branches
NC-16870	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Fair	Leaning
NC-16871	Red maple	<i>Acer rubrum</i>	10	1	5	15	Fair	Dead branches
NC-16872	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16873	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Dead branches, vines
NC-16874	Black cherry	<i>Prunus serotina</i>	14	1	7	21	Fair	Dead branches
NC-16875	Sweetgum	<i>Liquidambar styraciflua</i>	28	1	14	42	Good	
NC-16876	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16877	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-16878	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16879	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair	Vines in canopy
NC-16880	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-16881	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-16882	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16883	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead branches
NC-16884	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16885	White oak	<i>Quercus alba</i>	13	1	6.5	19.5	Fair	Several dead branches
NC-16886	Black locust	<i>Robinia pseudoacacia</i>	14	1	N/A	N/A	Standing Dead	
NC-16887	American beech	<i>Fagus grandifolia</i>	9	1	4.5	13.5	Good	
NC-16888	White oak	<i>Quercus alba</i>	6	1	3	9	Fair	Extensive vines
NC-16889	Tuliptree	<i>Liriodendron tulipifera</i>	7	1	3.5	10.5	Good	Minor vines
NC-16890	Black cherry	<i>Prunus serotina</i>	6	1	3	9	Fair	Dead branches
NC-16891	Black locust	<i>Robinia pseudoacacia</i>	11	1	N/A	N/A	Standing Dead	
NC-16892	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Dead branches
NC-16893	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Good	
NC-16894	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-16895	Southern red oak	<i>Quercus falcata</i>	7	1	3.5	10.5	Good	
NC-16896	Hawthorn sp.	<i>Crataegus sp.</i>	6	1	3	9	Fair	Extensive vines
NC-16897	Red maple	<i>Acer rubrum</i>	10, 10	2	5	15	Poor	Twin trunk 10 x 10 reduced canopy, broken leader
NC-16898	Black locust	<i>Robinia pseudoacacia</i>	6	1	N/A	N/A	Standing Dead	
NC-16899	Black locust	<i>Robinia pseudoacacia</i>	8	1	N/A	N/A	Standing Dead	
NC-16900	Willow oak	<i>Quercus phellos</i>	12	1	6	18	Good	
NC-16901	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Vines, reduced canopy
NC-16902	Sweetgum	<i>Liquidambar styraciflua</i>	17, 14, 10	3	8.5	25.5	Good	Multistem trunk 17 x 14 x 10
NC-16903	Black locust	<i>Robinia pseudoacacia</i>	7	1	N/A	N/A	Standing Dead	
NC-16904	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	With vines
NC-16905	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Dead branches
NC-16906	Chestnut oak	<i>Quercus montana</i>	15	1	7.5	22.5	Good	
NC-16907	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Fair	Dead branches
NC-16908	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Extensive vines
NC-16909	Red maple	<i>Acer rubrum</i>	8	1	4	12	Fair	Dead leader
NC-16910	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-16911	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16912	Red maple	<i>Acer rubrum</i>	6, 2	2	3	9	Fair	Twin trunk 6 x 2, extensive vines
NC-16913	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Good	
NC-16914	American holly	<i>Ilex opaca</i>	7	1	3.5	10.5	Good	
NC-16915	Blackgum	<i>Nyssa sylvatica</i>	9, 7, 6	3	4.5	13.5	Fair	Multistem trunk 9 x 7 x 6, dead leader
NC-16916	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-16917	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches
NC-16918	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Poor	Many dead branches

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-16919	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-16920	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Poor	Dead branches, extensive vines
NC-16921	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Reduced canopy
NC-16922	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-16923	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16924	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good	
NC-16925	Sweetgum	<i>Liquidambar styraciflua</i>	13, 11	2	6.5	19.5	Fair	Twin trunk 13 x 11 dead branches
NC-16926	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16927	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-16928	Eastern redcedar	<i>Juniperus virginiana</i>	9	1	4.5	13.5	Poor	Trunk rot
NC-16929	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16930	Unknown		24	1	N/A	N/A	Standing Dead	
NC-16931	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Trunk rot, many vines
NC-16932	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-16933	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Dead branches
NC-16934	Black cherry	<i>Prunus serotina</i>	14	1	N/A	N/A	Standing Dead	
NC-16935	American elm	<i>Ulmus americana</i>	9	1	4.5	13.5	Good	
NC-16936	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-16937	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Dead branches
NC-16938	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-16939	Sweetgum	<i>Liquidambar styraciflua</i>	22	1	11	33	Good	Minor vines
NC-16940	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16941	Willow oak	<i>Quercus phellos</i>	5, 4	2	2.5	7.5	Good	Twin trunk 5 x 4
NC-16942	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Fair	Many vines
NC-16943	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16944	Sweetgum	<i>Liquidambar styraciflua</i>	12, 10	2	6	18	Fair	Twin trunk 12 x 10, dead branches
NC-16945	Black cherry	<i>Prunus serotina</i>	10	1	N/A	N/A	Standing Dead	
NC-16946	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16947	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-16948	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-16949	Willow oak	<i>Quercus phellos</i>	27	1	13.5	40.5	Good	
NC-16950	Virginia pine	<i>Pinus virginiana</i>	19	1	9.5	28.5	Good	
NC-16951	Sassafras	<i>Sassafras albidum</i>	9	1	4.5	13.5	Poor	Fallen, dead leader
NC-16952	Red maple	<i>Acer rubrum</i>	14, 13, 8	3	7	21	Fair	Multistem trunk 14 x 13 x 8, dead trunk
NC-16953	Virginia pine	<i>Pinus virginiana</i>	15	1	N/A	N/A	Standing Dead	
NC-16954	Pignut hickory	<i>Carya glabra</i>	20, 10	2	10	30	Fair	Twin trunk 20 x 10 many vines
NC-16955	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Good	
NC-16956	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches
NC-16957	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-16958	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-16959	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-16960	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-16961	Black locust	<i>Robinia pseudoacacia</i>	12	1	6	18	Poor	Trunk rot, fungus, dead branches
NC-16962	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-16963	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-16964	Sweetgum	<i>Liquidambar styraciflua</i>	8, 7, 7	3	N/A	N/A	Standing Dead	Multistem trunk 8 x 7 x 7
NC-16965	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-16966	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-16967	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16968	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Dead branches
NC-16969	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches
NC-16970	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Dead branches
NC-16971	Sweetgum	<i>Liquidambar styraciflua</i>	19, 19	2	9.5	28.5	Fair	Twin trunk 19 x 19, broken branches
NC-16972	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16973	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead branches
NC-16974	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Trunk rot
NC-16975	Black cherry	<i>Prunus serotina</i>	6	1	N/A	N/A	Standing Dead	
NC-16976	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Dead branches, vines
NC-16977	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-16978	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Dead branches
NC-16979	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Leaning
NC-16980	Unknown		5	1	N/A	N/A	Standing Dead	
NC-16981	Pin oak	<i>Quercus palustris</i>	10	1	5	15	Good	
NC-16982	Northern red oak	<i>Quercus rubra</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-16983	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Good	
NC-16984	Pin oak	<i>Quercus palustris</i>	7	1	3.5	10.5	Fair	Dead branches, many vines
NC-16985	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-16986	Red maple	<i>Acer rubrum</i>	9, 8, 6, 3, 2	5	4.5	13.5	Fair	Multistem trunk 9 x 8 x 6 x 3 x 2, extensive vines
NC-16987	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-16988	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16989	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Dead branches
NC-16990	Unknown		9	1	N/A	N/A	Standing Dead	
NC-16991	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-16992	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-16993	Sweetgum	Liquidambar styraciflua		5	2.5	7.5	Fair	Dead branches	
NC-16994	White oak	Quercus alba		6	1	3	9	Fair	Dead branches
NC-16995	Red maple	Acer rubrum	6, 5	2	3	9	Fair	Twin trunk 6 x 5, trunk rot	
NC-16996	Virginia pine	Pinus virginiana		17	1	8.5	25.5	Good	
NC-16997	Sweetgum	Liquidambar styraciflua		10	1	5	15	Fair	Dead branches
NC-16998	Sweetgum	Liquidambar styraciflua		15	1	7.5	22.5	Poor	Trunk rot
NC-16999	Black cherry	Prunus serotina		13	1	6.5	19.5	Fair	Dead branches
NC-17000	Red maple	Acer rubrum		16	1	8	24	Good	
NC-17001	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	Dead branches
NC-17002	Sweetgum	Liquidambar styraciflua		10	1	5	15	Good	
NC-17003	Southern red oak	Quercus falcata		7	1	3.5	10.5	Good	
NC-17004	Red maple	Acer rubrum		16	1	8	24	Good	
NC-17005	Sweetgum	Liquidambar styraciflua		15	1	7.5	22.5	Good	
NC-17006	Red maple	Acer rubrum		10	1	5	15	Good	
NC-17007	Black cherry	Prunus serotina		7	1	3.5	10.5	Poor	Dead leader
NC-17008	Pine sp.	Pinus sp.		6	1	N/A	N/A	Standing Dead	
NC-17009	Willow oak	Quercus phellos		9	1	4.5	13.5	Good	
NC-17010	Willow oak	Quercus phellos		6	1	3	9	Fair	Dead branches
NC-17011	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Fair	Trunk damage
NC-17012	Sweetgum	Liquidambar styraciflua		10	1	5	15	Fair	Dead branches
NC-17013	Willow oak	Quercus phellos		14	1	7	21	Good	
NC-17014	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-17015	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Dead branches
NC-17016	Sweetgum	Liquidambar styraciflua		11	1	5.5	16.5	Good	
NC-17017	Blackgum	Nyssa sylvatica		7	1	3.5	10.5	Poor	Leaning, broken leader
NC-17018	Willow oak	Quercus phellos		22	1	11	33	Good	
NC-17019	Pin oak	Quercus palustris		10	1	5	15	Good	
NC-17020	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Dead branches
NC-17021	Pin oak	Quercus palustris		10	1	5	15	Good	
NC-17022	Virginia pine	Pinus virginiana		10	1	5	15	Fair	Dead branches, leaning
NC-17023	Sweetgum	Liquidambar styraciflua		8	1	N/A	N/A	Standing Dead	
NC-17024	Red maple	Acer rubrum		5	1	2.5	7.5	Poor	Trunk rot, leaning
NC-17025	Sweetgum	Liquidambar styraciflua		8	1	4	12	Fair	Dead leader
NC-17026	Virginia pine	Pinus virginiana		19	1	9.5	28.5	Good	
NC-17027	Sweetgum	Liquidambar styraciflua		8	1	N/A	N/A	Standing Dead	
NC-17028	Virginia pine	Pinus virginiana		13	1	6.5	19.5	Good	
NC-17029	Tuliptree	Liriodendron tulipifera		8	1	N/A	N/A	Standing Dead	
NC-17030	Sweetgum	Liquidambar styraciflua		6	1	3	9	Good	
NC-17031	Black locust	Robinia pseudoacacia		10	1	5	15	Fair	Extensive vines, reduced canopy
NC-17032	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-17033	Tuliptree	Liriodendron tulipifera		5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-17034	Sweetgum	Liquidambar styraciflua		9	1	4.5	13.5	Fair	Reduced canopy, trunk rot
NC-17035	Red maple	Acer rubrum		5	1	2.5	7.5	Good	
NC-17036	Willow oak	Quercus phellos		10	1	5	15	Good	
NC-17037	Pine sp.	Pinus sp.		7	1	N/A	N/A	Standing Dead	
NC-17038	Tuliptree	Liriodendron tulipifera		9	1	4.5	13.5	Good	
NC-17039	Black cherry	Prunus serotina		9	1	N/A	N/A	Standing Dead	
NC-17040	Virginia pine	Pinus virginiana		15	1	7.5	22.5	Good	
NC-17041	Unknown			7	1	N/A	N/A	Standing Dead	
NC-17042	Red maple	Acer rubrum		6	1	3	9	Good	
NC-17043	Willow oak	Quercus phellos		10	1	5	15	Good	
NC-17044	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Good	
NC-17045	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	Dead branches
NC-17046	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Fair	Broken branches
NC-17047	Sweetgum	Liquidambar styraciflua		13	1	6.5	19.5	Good	
NC-17048	Red maple	Acer rubrum		14	1	7	21	Fair	Broken leader
NC-17049	American beech	Fagus grandifolia		6	1	3	9	Good	
NC-17050	Virginia pine	Pinus virginiana		11	1	5.5	16.5	Good	
NC-17051	Willow oak	Quercus phellos		7	1	3.5	10.5	Good	
NC-17052	Red maple	Acer rubrum		6	1	3	9	Good	
NC-17053	Tuliptree	Liriodendron tulipifera		8	1	4	12	Fair	Extensive vines, trunk rot
NC-17054	Sweetgum	Liquidambar styraciflua		8	1	4	12	Good	
NC-17055	Virginia pine	Pinus virginiana		8	1	4	12	Good	
NC-17056	Black cherry	Prunus serotina	5, 4	2	2.5	7.5	Fair	Twin trunk 5 x 4 broken leader, leaning	
NC-17057	Red maple	Acer rubrum		17	1	8.5	25.5	Good	
NC-17058	Sweetgum	Liquidambar styraciflua		12	1	6	18	Good	
NC-17059	Black locust	Robinia pseudoacacia		6	1	3	9	Fair	Reduced canopy, vines
NC-17060	Red maple	Acer rubrum		14	1	7	21	Good	
NC-17061	Red maple	Acer rubrum	8, 1	2	4	12	Good	Twin trunk 8 x 1	
NC-17062	Sweetgum	Liquidambar styraciflua		7	1	3.5	10.5	Good	
NC-17063	Black cherry	Prunus serotina		7	1	3.5	10.5	Good	
NC-17064	Black cherry	Prunus serotina		7	1	3.5	10.5	Fair	Vines, pruned
NC-17065	Sweetgum	Liquidambar styraciflua		6	1	3	9	Fair	Broken leader
NC-17066	Blackgum	Nyssa sylvatica		6	1	3	9	Fair	Extensive vines
NC-17067	Blackgum	Nyssa sylvatica		5	1	2.5	7.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17068	Sweetgum	Liquidambar styraciflua	15, 5	2	7.5	22.5	Fair	Twin trunk 15 x 5, second trunk broken
NC-17069	Virginia pine	Pinus virginiana	6	1	3	9	Good	
NC-17070	Virginia pine	Pinus virginiana	12	1	6	18	Good	
NC-17071	Virginia pine	Pinus virginiana	13	1	6.5	19.5	Fair	Reduced crown
NC-17072	Red maple	Acer rubrum	6, 3	2	3	9	Good	Twin trunk 6 x 3
NC-17073	Black locust	Robinia pseudoacacia	8	1	4	12	Poor	Dying
NC-17074	Black cherry	Prunus serotina	6	1	3	9	Good	
NC-17075	Sweetgum	Liquidambar styraciflua	5	1	N/A	N/A	Standing Dead	
NC-17076	Virginia pine	Pinus virginiana	8	1	4	12	Good	
NC-17077	Virginia pine	Pinus virginiana	14	1	7	21	Fair	Extensive vines
NC-17078	Sweetgum	Liquidambar styraciflua	16	1	8	24	Good	
NC-17079	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Broken main leader
NC-17080	Virginia pine	Pinus virginiana	7	1	3.5	10.5	Fair	Reduced crown
NC-17081	Sweetgum	Liquidambar styraciflua	15	1	7.5	22.5	Fair	Vines in canopy
NC-17082	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Fair	Several broken leaders
NC-17083	Sweetgum	Liquidambar styraciflua	6	1	3	9	Fair	Reduced canopy
NC-17084	Willow oak	Quercus phellos	12	1	6	18	Good	
NC-17085	Tuliptree	Liriodendron tulipifera	14	1	7	21	Good	
NC-17086	Blackgum	Nyssa sylvatica	5	1	2.5	7.5	Good	
NC-17087	Sweetgum	Liquidambar styraciflua	17	1	8.5	25.5	Good	
NC-17088	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Broken branches
NC-17089	Red maple	Acer rubrum	7	1	3.5	10.5	Good	
NC-17090	Virginia pine	Pinus virginiana	16	1	8	24	Good	
NC-17091	Sweetgum	Liquidambar styraciflua	10	1	5	15	Fair	Reduced canopy
NC-17092	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Reduced canopy
NC-17093	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Good	
NC-17094	Sweetgum	Liquidambar styraciflua	12	1	6	18	Poor	Trunk damage, leaning
NC-17095	Virginia pine	Pinus virginiana	12, 6	2	6	18	Fair	Twin trunk 12 x 6, reduced canopy, leaning
NC-17096	American elm	Ulmus americana	9	1	4.5	13.5	Fair	Trunk rot
NC-17097	American holly	Ilex opaca	6	1	3	9	Good	
NC-17098	Sweetgum	Liquidambar styraciflua	14	1	7	21	Good	
NC-17099	Sweetgum	Liquidambar styraciflua	5	1	N/A	N/A	Standing Dead	
NC-17100	Virginia pine	Pinus virginiana	14	1	7	21	Fair	Several broken branches in canopy
NC-17101	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Fair	Vines, reduced canopy
NC-17102	Red maple	Acer rubrum	11	1	5.5	16.5	Good	
NC-17103	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Fair	Broken leader
NC-17104	Sweetgum	Liquidambar styraciflua	12	1	N/A	N/A	Standing Dead	Dying, broken leaders
NC-17105	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Dying, broken leader
NC-17106	Unknown		10	1	N/A	N/A	Standing Dead	
NC-17107	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	
NC-17108	Willow oak	Quercus phellos	19	1	9.5	28.5	Fair	Extensive vines
NC-17109	Blackgum	Nyssa sylvatica	11, 5, 4	3	5.5	16.5	Fair	vines
NC-17110	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Good	
NC-17111	Sweetgum	Liquidambar styraciflua	12	1	6	18	Good	
NC-17112	Sweetgum	Liquidambar styraciflua	6	1	3	9	Good	
NC-17113	Virginia pine	Pinus virginiana	10	1	5	15	Fair	Reduced canopy
NC-17114	Sweetgum	Liquidambar styraciflua	12, 6	2	6	18	Fair	Twin trunk 12 x 6, second trunk broken
NC-17115	American holly	Ilex opaca	5, 3	2	2.5	7.5	Good	Twin trunk 5 x 3
NC-17116	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Good	
NC-17117	Willow oak	Quercus phellos	6	1	3	9	Good	
NC-17118	Sweetgum	Liquidambar styraciflua	12	1	6	18	Fair	Reduced canopy
NC-17119	Blackgum	Nyssa sylvatica	8	1	4	12	Fair	Broken branches
NC-17120	Red maple	Acer rubrum	8	1	4	12	Poor	Reduced canopy, stressed
NC-17121	Virginia pine	Pinus virginiana	13	1	6.5	19.5	Good	
NC-17122	American holly	Ilex opaca	5	1	2.5	7.5	Good	
NC-17123	Red maple	Acer rubrum	5	1	2.5	7.5	Good	Minor vines
NC-17124	Sweetgum	Liquidambar styraciflua	6, 4	2	3	9	Fair	Twin trunk 6 x 4, reduced canopy
NC-17125	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Fair	Reduced canopy
NC-17126	Red maple	Acer rubrum	8, 3	2	4	12	Good	Twin trunk 8 x 3
NC-17127	Sweetgum	Liquidambar styraciflua	5	1	2.5	7.5	Poor	Extensive vines
NC-17128	White mulberry	Morus alba	11	1	5.5	16.5	Fair	Extensive vines
NC-17129	Pin oak	Quercus palustris	6	1	3	9	Good	
NC-17130	Sweetgum	Liquidambar styraciflua	12	1	6	18	Fair	Broken branches
NC-17131	Willow oak	Quercus phellos	17, 13	2	8.5	25.5	Good	Twin trunk 17 x 13 vines
NC-17132	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Fair	Extensive vines
NC-17133	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Fair	Broken leaders
NC-17134	Red maple	Acer rubrum	8	1	4	12	Good	
NC-17135	Sweetgum	Liquidambar styraciflua	10	1	5	15	Fair	Reduced canopy
NC-17136	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Leaning
NC-17137	Sweetgum	Liquidambar styraciflua	14	1	7	21	Fair	Extensive vines
NC-17138	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17139	Red maple	Acer rubrum	8	1	4	12	Good	
NC-17140	Pin oak	Quercus palustris	13	1	6.5	19.5	Fair	Stressed
NC-17141	Blackgum	Nyssa sylvatica	9	1	4.5	13.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes	
NC-17142	American beech	<i>Fagus grandifolia</i>		9	1	4.5	13.5	Good	
NC-17143	Sweetgum	<i>Liquidambar styraciflua</i>		13	1	6.5	19.5	Poor	Reduced canopy, extensive vines
NC-17144	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Good	
NC-17145	Sweetgum	<i>Liquidambar styraciflua</i>		19	1	9.5	28.5	Good	
NC-17146	Blackgum	<i>Nyssa sylvatica</i>		7	1	3.5	10.5	Good	
NC-17147	Sweetgum	<i>Liquidambar styraciflua</i>		8	1	4	12	Good	
NC-17148	Willow oak	<i>Quercus phellos</i>		6	1	3	9	Fair	Other tree fallen on canopy
NC-17149	Sweetgum	<i>Liquidambar styraciflua</i>		14	1	7	21	Good	
NC-17150	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12	Good	
NC-17151	Blackgum	<i>Nyssa sylvatica</i>		8	1	4	12	Poor	Extensive vines
NC-17152	Sweetgum	<i>Liquidambar styraciflua</i>		16	1	8	24	Fair	Vines
NC-17153	Sweetgum	<i>Liquidambar styraciflua</i>		10	1	5	15	Fair	Extensive vines
NC-17154	Sweetgum	<i>Liquidambar styraciflua</i>		5	1	2.5	7.5	Fair	Broken branches, stressed
NC-17155	Willow oak	<i>Quercus phellos</i>		7	1	3.5	10.5	Good	
NC-17156	Red maple	<i>Acer rubrum</i>		9	1	4.5	13.5	Poor	Trunk damage, many vines
NC-17157	Sweetgum	<i>Liquidambar styraciflua</i>		11	1	5.5	16.5	Good	
NC-17158	Sweetgum	<i>Liquidambar styraciflua</i>	13, 12	2	6.5	19.5	Poor		Twin trunk 13 x 12 one standing dead trunk
NC-17159	Sweetgum	<i>Liquidambar styraciflua</i>	16, 9	2	8	24	Good		Twin trunk 16 x 9
NC-17160	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	N/A	N/A	Standing Dead		
NC-17161	Red maple	<i>Acer rubrum</i>	7, 5, 4	3	3.5	10.5	Good		Multistem trunk 7 x 5 x 4
NC-17162	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor		Extensive vines
NC-17163	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair		Reduced canopy, vines
NC-17164	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good		
NC-17165	Willow oak	<i>Quercus phellos</i>	28	1	14	42	Good		
NC-17166	Unknown		13	1	N/A	N/A	Standing Dead		
NC-17167	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair		Extensive climbing vines
NC-17168	Common persimmon	<i>Diospyros virginiana</i>	5	1	2.5	7.5	Good		
NC-17169	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair		Extensive vines
NC-17170	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair		Broken leader
NC-17171	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Poor		Broken leader, reduced canopy
NC-17172	Blackgum	<i>Nyssa sylvatica</i>	10	1	5	15	Good		
NC-17173	Sweetgum	<i>Liquidambar styraciflua</i>	15, 9	2	7.5	22.5	Good		Twin trunk 15 x 9
NC-17174	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good		
NC-17175	Pin oak	<i>Quercus palustris</i>	11	1	5.5	16.5	Good		
NC-17176	Tuliptree	<i>Liriodendron tulipifera</i>	6	1	3	9	Fair		Reduced canopy
NC-17177	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair		Extensive vines
NC-17178	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair		Climbing vines, reduced canopy
NC-17179	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good		
NC-17180	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair		Reduced canopy, extensive vines
NC-17181	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Fair		Extensive vines
NC-17182	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair		Extensive vines
NC-17183	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor		Extensive vines
NC-17184	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good		
NC-17185	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair		Vines climbing into canopy
NC-17186	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair		Many vines, reduced canopy
NC-17187	Blackgum	<i>Nyssa sylvatica</i>	11	1	5.5	16.5	Good		
NC-17188	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair		Reduced canopy, vines
NC-17189	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good		
NC-17190	Northern red oak	<i>Quercus rubra</i>	21	1	10.5	31.5	Good		Minor climbing vines
NC-17191	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor		Broken leader, many vines
NC-17192	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair		Broken leaders
NC-17193	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good		
NC-17194	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Poor		Extensive vines
NC-17195	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair		Vines in canopy
NC-17196	Sweetgum	<i>Liquidambar styraciflua</i>	21	1	N/A	N/A	Standing Dead		
NC-17197	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good		
NC-17198	Black locust	<i>Robinia pseudoacacia</i>	12	1	6	18	Poor		Extensive vines, leaning
NC-17199	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good		
NC-17200	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good		
NC-17201	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good		
NC-17202	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair		Many large vines
NC-17203	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair		Many vines
NC-17204	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good		
NC-17205	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair		Reduced canopy
NC-17206	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair		Reduced canopy
NC-17207	Willow oak	<i>Quercus phellos</i>	9	1	4.5	13.5	Fair		Dead branches
NC-17208	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor		Extensive vines
NC-17209	Red maple	<i>Acer rubrum</i>	15	1	7.5	22.5	Fair		Extensive vines
NC-17210	Red maple	<i>Acer rubrum</i>	13, 5	2	6.5	19.5	Good		Twin trunk 13 x 5
NC-17211	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Fair		Vines
NC-17212	Blackgum	<i>Nyssa sylvatica</i>	17	1	8.5	25.5	Good		
NC-17213	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor		Dying
NC-17214	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Good		
NC-17215	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair		Reduced canopy

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17216	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	N/A	N/A	Standing Dead	
NC-17217	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-17218	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Good	
NC-17219	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines
NC-17220	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-17221	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-17222	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Poor	Reduced canopy
NC-17223	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-17224	Sweetgum	<i>Liquidambar styraciflua</i>	15, 13, 13	3	7.5	22.5	Fair	Multistem trunk 15 x 13 x 13 with vines
NC-17225	Sweetgum	<i>Liquidambar styraciflua</i>	17, 13	2	8.5	25.5	Fair	Multistem trunk 17 x 13, dead branches
NC-17226	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, leaning
NC-17227	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-17228	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-17229	Sweetgum	<i>Liquidambar styraciflua</i>	16, 6	2	8	24	Poor	Multistem trunk 16 x 6, dead trunk, dead branches
NC-17230	Red maple	<i>Acer rubrum</i>	9, 7	2	4.5	13.5	Good	Twin trunk 9 x 7
NC-17231	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17232	Sweetgum	<i>Liquidambar styraciflua</i>	7, 7	2	3.5	10.5	Fair	Twin trunk 7 x 7, dead branches
NC-17233	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-17234	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-17235	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Fair	Dead branches
NC-17236	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-17237	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-17238	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Good	
NC-17239	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Good	
NC-17240	Pin oak	<i>Quercus palustris</i>	6	1	3	9	Good	
NC-17241	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-17242	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-17243	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Dead branches
NC-17244	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Good	
NC-17245	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-17246	Sugar maple	<i>Acer saccharum</i>	5	1	2.5	7.5	Good	
NC-17247	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-17248	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-17249	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Trunk rot, dead branches
NC-17250	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Dead branches
NC-17251	Southern red oak	<i>Quercus falcata</i>	21	1	10.5	31.5	Good	
NC-17252	Red maple	<i>Acer rubrum</i>	17	1	8.5	25.5	Fair	Trunk rot, vines
NC-17253	American holly	<i>Ilex opaca</i>	5	1	2.5	7.5	Good	
NC-17254	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-17255	Red maple	<i>Acer rubrum</i>	11	1	5.5	16.5	Fair	Broken leader
NC-17256	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17257	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-17258	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Extensive vines
NC-17259	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-17260	Unknown		9	1	N/A	N/A	Standing Dead	
NC-17261	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-17262	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Fair	Dead branches
NC-17263	Red maple	<i>Acer rubrum</i>	8, 6	2	4	12	Fair	Twin trunk 8 x 6, reduced canopy
NC-17264	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Fair	Vines
NC-17265	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Extensive vines
NC-17266	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-17267	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-17268	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Good	
NC-17269	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-17270	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17271	Red maple	<i>Acer rubrum</i>	18	1	9	27	Good	Minor vines
NC-17272	Red maple	<i>Acer rubrum</i>	6	1	3	9	Fair	Reduced canopy
NC-17273	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-17274	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Vines, broken leader
NC-17275	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-17276	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-17277	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Poor	Dying
NC-17278	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	Minor vines
NC-17279	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-17280	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17281	Sassafras	<i>Sassafras albidum</i>	5	1	2.5	7.5	Fair	Dead branches
NC-17282	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-17283	Unknown		16	1	N/A	N/A	Standing Dead	
NC-17284	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-17285	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-17286	American elm	<i>Ulmus americana</i>	8	1	4	12	Poor	Vines, dead branches
NC-17287	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17288	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	
NC-17289	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Dying

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17290	Southern red oak	<i>Quercus falcata</i>	16	1	8	24	Good	
NC-17291	Pin oak	<i>Quercus palustris</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-17292	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-17293	Southern red oak	<i>Quercus falcata</i>	8	1	4	12	Good	
NC-17294	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-17295	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-17296	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-17297	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-17298	Willow oak	<i>Quercus phellos</i>	11	1	5.5	16.5	Good	
NC-17299	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Dead branches
NC-17300	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Good	
NC-17301	Black cherry	<i>Prunus serotina</i>	13	1	6.5	19.5	Poor	Dead leader, dead branches
NC-17302	Red maple	<i>Acer rubrum</i>	7, 3	2	3.5	10.5	Fair	Multistem trunk 7 x 3, trunk rot
NC-17303	White oak	<i>Quercus alba</i>	7	1	3.5	10.5	Good	
NC-17304	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-17305	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Good	
NC-17306	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-17307	Red maple	<i>Acer rubrum</i>	14	1	7	21	Good	
NC-17308	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-17309	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17310	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Good	
NC-17311	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	N/A	N/A	Standing Dead	
NC-17312	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-17313	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-17314	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Dead leader, leaning
NC-17315	Pin oak	<i>Quercus palustris</i>	17	1	8.5	25.5	Good	
NC-17316	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-17317	Southern red oak	<i>Quercus falcata</i>	10	1	5	15	Good	
NC-17318	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Leaning
NC-17319	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-17320	American elm	<i>Ulmus americana</i>	12	1	6	18	Poor	Extensive vines
NC-17321	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Dead branches
NC-17322	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Dead branches
NC-17323	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-17324	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Dying
NC-17325	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-17326	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-17327	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-17328	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-17329	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Good	
NC-17330	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-17331	American elm	<i>Ulmus americana</i>	14	1	7	21	Poor	Dying
NC-17332	Red maple	<i>Acer rubrum</i>	6	1	3	9	Poor	Dead branches
NC-17333	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-17334	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Poor	Dying
NC-17335	Unknown		13	1	N/A	N/A	Standing Dead	
NC-17336	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	Minor vines
NC-17337*	Willow oak	<i>Quercus phellos</i>	32, 16	2	16	48	Good	Multistem trunk 32 x 16, dead branch
NC-17338	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17339	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Fair	Reduced canopy
NC-17340	Pine sp.	<i>Pinus sp.</i>	9	1	N/A	N/A	Standing Dead	
NC-17341	Pin oak	<i>Quercus palustris</i>	21	1	10.5	31.5	Good	Few dead branches
NC-17342	American elm	<i>Ulmus americana</i>	6	1	3	9	Fair	Dead branches
NC-17343	Virginia pine	<i>Pinus virginiana</i>	15	1	7.5	22.5	Good	
NC-17344	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dying
NC-17345	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17346	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-17347	Blackgum	<i>Nyssa sylvatica</i>	9, 4, 3	3	4.5	13.5	Poor	Multistem trunk 9 x 4 x 3, dying
NC-17348	Black cherry	<i>Prunus serotina</i>	10	1	5	15	Fair	Dead branches
NC-17349	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17350	Red maple	<i>Acer rubrum</i>	7	1	3.5	10.5	Good	
NC-17351	Virginia pine	<i>Pinus virginiana</i>	11	1	5.5	16.5	Good	
NC-17352	American elm	<i>Ulmus americana</i>	8	1	4	12	Poor	Extensive vines
NC-17353	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17354	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-17355	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17356	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Reduced canopy
NC-17357	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-17358	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning
NC-17359	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-17360	American elm	<i>Ulmus americana</i>	8	1	N/A	N/A	Standing Dead	
NC-17361	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17362	American elm	<i>Ulmus americana</i>	8	1	4	12	Poor	Extensive vines
NC-17363	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	N/A	N/A	Standing Dead	
NC-17364	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17365	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Reduced canopy
NC-17366	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	N/A	N/A	Standing Dead	
NC-17367	Virginia pine	<i>Pinus virginiana</i>	12	1	6	18	Good	
NC-17368	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Minor vines
NC-17369*	Willow oak	<i>Quercus phellos</i>	36	1	18	54	Good	
NC-17370	Willow oak	<i>Quercus phellos</i>	25	1	12.5	37.5	Good	
NC-17371	Sweetgum	<i>Liquidambar styraciflua</i>	11, 7	2	5.5	16.5	Fair	Multistem trunk 11 x 7 (dead), one dead trunk
NC-17372	American elm	<i>Ulmus americana</i>	8	1	N/A	N/A	Standing Dead	
NC-17373	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Good	
NC-17374	Willow oak	<i>Quercus phellos</i>	15	1	N/A	N/A	Standing Dead	
NC-17375	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Reduced canopy
NC-17376	Willow oak	<i>Quercus phellos</i>	24	1	12	36	Good	
NC-17377	Black cherry	<i>Prunus serotina</i>	12	1	6	18	Poor	Dying, extensive vines
NC-17378	Unknown		19	1	N/A	N/A	Standing Dead	
NC-17379	Willow oak	<i>Quercus phellos</i>	22	1	11	33	Good	
NC-17380	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Reduced canopy
NC-17381	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17382	Willow oak	<i>Quercus phellos</i>	20	1	10	30	Good	
NC-17383	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	Minor vines
NC-17384	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-17385	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	
NC-17386	Willow oak	<i>Quercus phellos</i>	22, 12	2	11	33	Fair	Multistem trunk 22 x 12, trunk rot
NC-17387	Unknown		14	1	N/A	N/A	Standing Dead	
NC-17388	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Good	
NC-17389	Blackgum	<i>Nyssa sylvatica</i>	7	1	3.5	10.5	Fair	Vines
NC-17390	Unknown		9	1	N/A	N/A	Standing Dead	
NC-17391	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Good	
NC-17392	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Leaning
NC-17393	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Fair	Extensive vines
NC-17394	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Reduced canopy
NC-17395	Pine sp.	<i>Pinus sp.</i>	7	1	N/A	N/A	Standing Dead	
NC-17396	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17397	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Leaning, reduced canopy
NC-17398	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Good	
NC-17399	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17400	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Good	
NC-17401	Willow oak	<i>Quercus phellos</i>	16	1	8	24	Fair	Vines, broken and dead branches
NC-17402	Sweetgum	<i>Liquidambar styraciflua</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-17403	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Good	
NC-17404	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17405	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17406	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-17407	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-17408	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Extensive vines
NC-17409	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Fair	Extensive vines
NC-17410	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-17411	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dead branches, extensive vines
NC-17412	Red maple	<i>Acer rubrum</i>	5	1	2.5	7.5	Poor	Dead branches, extensive vines
NC-17413	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Extensive vines, broken leader
NC-17414	Unknown		5	1	N/A	N/A	Standing Dead	
NC-17415	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Extensive vines
NC-17416	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Fair	Extensive vines
NC-17417	Willow oak	<i>Quercus phellos</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17418	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Extensive vines
NC-17419	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Extensive vines
NC-17420	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	Minor vines
NC-17421	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Extensive vines
NC-17422	Unknown		5	1	N/A	N/A	Standing Dead	
NC-17423	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Extensive vines
NC-17424	Red maple	<i>Acer rubrum</i>	10, 7, 6, 4	4	5	15	Poor	Multistem trunk 10 x 7 x 6 x 4, trunk rot, one dead trunk
NC-17425	Willow oak	<i>Quercus phellos</i>	14	1	7	21	Fair	Extensive vines
NC-17426	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Extensive vines
NC-17427	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Reduced canopy, vines
NC-17428	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Reduced canopy, dead branches
NC-17429	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Extensive vines
NC-17430	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-17431	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	N/A	N/A	Standing Dead	
NC-17432	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Vines, reduced canopy
NC-17433	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Extensive vines, reduced canopy
NC-17434	Unknown		13	1	N/A	N/A	Standing Dead	
NC-17435	White oak	<i>Quercus alba</i>	6	1	3	9	Good	
NC-17436	Red maple	<i>Acer rubrum</i>	16	1	8	24	Good	Minor vines
NC-17437	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Extensive vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17438	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Fair	Extensive vines
NC-17439	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Extensive vines, reduced canopy
NC-17440	Sweetgum	<i>Liquidambar styraciflua</i>	20	1	10	30	Fair	Extensive vines
NC-17441	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Extensive vines
NC-17442	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	N/A	N/A	Standing Dead	
NC-17443	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17444	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines, dead branches
NC-17445	Blackgum	<i>Nyssa sylvatica</i>	8	1	4	12	Fair	Vines, dead branches
NC-17446	Red maple	<i>Acer rubrum</i>	22	1	11	33	Good	Vines
NC-17447	Sassafras	<i>Sassafras albidum</i>	9	1	4.5	13.5	Good	Minor vines
NC-17448	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Extensive vines
NC-17449	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17450	Sweetgum	<i>Liquidambar styraciflua</i>	21, 14	2	10.5	31.5	Fair	Twin trunk 21 x 14 (dead), one side is dead, other has one dead branch
NC-17451	Unknown		8	1	N/A	N/A	Standing Dead	
NC-17452	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Fair	Vines
NC-17453	Blackgum	<i>Nyssa sylvatica</i>	13	1	6.5	19.5	Fair	Dead branches
NC-17454	Red maple	<i>Acer rubrum</i>	5, 4, 3	3	2.5	7.5	Fair	canopy
NC-17455	Blackgum	<i>Nyssa sylvatica</i>	13	1	N/A	N/A	Standing Dead	
NC-17456	Black locust	<i>Robinia pseudoacacia</i>	13, 7, 6, 5	4	6.5	19.5	Fair	Multistem trunk 13 x 7 x 6 x 5, vines
NC-17457	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Vines, reduced canopy
NC-17458	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Vines, reduced canopy
NC-17459	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Reduced canopy
NC-17460	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-17461	Red maple	<i>Acer rubrum</i>	8	1	4	12	Good	
NC-17462	Sweetgum	<i>Liquidambar styraciflua</i>	13, 12	2	6.5	19.5	Good	Twin trunk 13 x 12
NC-17463	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17464	Black locust	<i>Robinia pseudoacacia</i>	5	1	2.5	7.5	Fair	Extensive vines
NC-17465	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-17466	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Extensive vines
NC-17467	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Poor	Extensive vines, reduced canopy
NC-17468	Blackgum	<i>Nyssa sylvatica</i>	5	1	2.5	7.5	Poor	Dying
NC-17469	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Fair	Extensive vines
NC-17470	Unknown		9	1	N/A	N/A	Standing Dead	
NC-17471*	Pin oak	<i>Quercus palustris</i>	35	1	17.5	52.5	Good	Minor vines
NC-17472	Black locust	<i>Robinia pseudoacacia</i>	7	1	3.5	10.5	Fair	Extensive vines
NC-17473	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Good	
NC-17474	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Extensive vines
NC-17475	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-17476	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-17477	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Fair	Vines
NC-17478	Unknown		7	1	N/A	N/A	Standing Dead	
NC-17479	Sweetgum	<i>Liquidambar styraciflua</i>	15	1	7.5	22.5	Fair	Extensive vines
NC-17480	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Poor	Extensive vines, dead branches
NC-17481	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-17482	Red maple	<i>Acer rubrum</i>	10	1	5	15	Good	
NC-17483	Red maple	<i>Acer rubrum</i>	13	1	6.5	19.5	Poor	Dying
NC-17484	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Dead branches, vines
NC-17485	Red maple	<i>Acer rubrum</i>	6	1	3	9	Good	
NC-17486	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	Minor vines
NC-17487	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17488	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	N/A	N/A	Standing Dead	
NC-17489	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-17490	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Good	
NC-17491	Red maple	<i>Acer rubrum</i>	12	1	6	18	Poor	Trunk rot
NC-17492	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Extensive vines
NC-17493	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Vines, dead branches
NC-17494	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17495	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines, reduced canopy
NC-17496	Sweetgum	<i>Liquidambar styraciflua</i>	17	1	8.5	25.5	Fair	Extensive vines
NC-17497	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Vines, dead branches
NC-17498	Sweetgum	<i>Liquidambar styraciflua</i>	16, 14	2	8	24	Fair	Multistem trunk 16 x 14, extensive vines
NC-17499	Blackgum	<i>Nyssa sylvatica</i>	22	1	11	33	Fair	Extensive vines, split above breast height
NC-17500	Virginia pine	<i>Pinus virginiana</i>	12	1	N/A	N/A	Standing Dead	
NC-17501	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	3.5	10.5	Fair	Extensive vines, dead branches
NC-17502	Virginia pine	<i>Pinus virginiana</i>	13	1	6.5	19.5	Fair	Vines, reduced canopy
NC-17503	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Good	
NC-17504	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-17505	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Fair	Extensive vines
NC-17506	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Extensive vines, dead branches
NC-17507	Blackgum	<i>Nyssa sylvatica</i>	9	1	N/A	N/A	Standing Dead	
NC-17508	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Poor	Dying, extensive vines
NC-17509	Black locust	<i>Robinia pseudoacacia</i>	12	1	6	18	Fair	Extensive vines
NC-17510	Blackgum	<i>Nyssa sylvatica</i>	12	1	6	18	Good	
NC-17511	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	Minor vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17512	Blackgum	<i>Nyssa sylvatica</i>	9	1	4.5	13.5	Good	
NC-17513	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Poor	Dying
NC-17514	Sugar maple	<i>Acer saccharum</i>	7	1	3.5	10.5	Good	
NC-17515	Sweetgum	<i>Liquidambar styraciflua</i>	16, 15, 12	3	8	24	Fair	Multistem trunk 16 x 15 x 12, dead branches
NC-17516	American elm	<i>Ulmus americana</i>	10	1	5	15	Poor	Extensive vines, leaning
NC-17517	Sweetgum	<i>Liquidambar styraciflua</i>	16	1	8	24	Good	
NC-17518	Red maple	<i>Acer rubrum</i>	9	1	4.5	13.5	Poor	Dying
NC-17519	American holly	<i>Ilex opaca</i>	6, 4	2	3	9	Good	Twin trunk 6 x 4
NC-17520	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-17521	Pine sp.	<i>Pinus sp.</i>	12	1	N/A	N/A	Standing Dead	
NC-17522	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Dead branches
NC-17523	Northern red oak	<i>Quercus rubra</i>	9	1	4.5	13.5	Good	
NC-17524	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Reduced canopy
NC-17525	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	Minor vines
NC-17526	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17527	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Good	
NC-17528	Southern red oak	<i>Quercus falcata</i>	14	1	7	21	Poor	Leaning, dead branches
NC-17529	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Fair	Growing through fence
NC-17530	Northern red oak	<i>Quercus rubra</i>	5	1	2.5	7.5	Good	
NC-17531	Southern red oak	<i>Quercus falcata</i>	13	1	6.5	19.5	Good	
NC-17532	Virginia pine	<i>Pinus virginiana</i>	14	1	7	21	Poor	Leaning, extensive vines
NC-17533	Sweetgum	<i>Liquidambar styraciflua</i>	14	1	7	21	Good	
NC-17534	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Poor	Leaning, growing through fence, vines
NC-17535	White oak	<i>Quercus alba</i>	8, 7	2	4	12	Good	Twin trunk 8 x 7
NC-17536	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Fair	Extensive vines
NC-17537	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Extensive vines, reduced canopy
NC-17538	Black locust	<i>Robinia pseudoacacia</i>	9	1	4.5	13.5	Poor	stressed
NC-17539	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Good	
NC-17540	Black oak	<i>Quercus velutina</i>	5	1	2.5	7.5	Fair	Leaning, vines
NC-17541	Sweetgum	<i>Liquidambar styraciflua</i>	19	1	9.5	28.5	Poor	Trunk rot, reduced crown, dead branches
NC-17542	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Fair	Extensive vines
NC-17543	Willow oak	<i>Quercus phellos</i>	5	1	2.5	7.5	Fair	Vines
NC-17544	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Broken branches
NC-17545	White oak	<i>Quercus alba</i>	21	1	10.5	31.5	Good	
NC-17546	Mockernut hickory	<i>Carya tomentosa</i>	9, 5	2	4.5	13.5	Good	Twin trunk 9 x 5, minor vines
NC-17547	Sweetgum	<i>Liquidambar styraciflua</i>	12	1	6	18	Fair	Vines
NC-17548	Sweetgum	<i>Liquidambar styraciflua</i>	20, 11	2	10	30	Fair	Multistem trunk 20 x 11, divides at base, vines
NC-17549	Virginia pine	<i>Pinus virginiana</i>	17	1	8.5	25.5	Poor	Dead branches, vines
NC-17550	Red maple	<i>Acer rubrum</i>	5	1	N/A	N/A	Standing Dead	
NC-17551	Southern red oak	<i>Quercus falcata</i>	11	1	5.5	16.5	Good	
NC-17552	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	N/A	N/A	Standing Dead	
NC-17553	Red maple	<i>Acer rubrum</i>	6	1	N/A	N/A	Standing Dead	
NC-17554	Sweetgum	<i>Liquidambar styraciflua</i>	13	1	6.5	19.5	Good	
NC-17555	Unknown		6	1	N/A	N/A	Standing Dead	
NC-17556	Virginia pine	<i>Pinus virginiana</i>	16	1	8	24	Poor	Leaning, dead branches, vines
NC-17557	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Extensive vines, broken leader
NC-17558	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Extensive vines, dead branches
NC-17559	Virginia pine	<i>Pinus virginiana</i>	9	1	4.5	13.5	Poor	Leaning, dead branches
NC-17560	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader
NC-17561	Willow oak	<i>Quercus phellos</i>	10	1	5	15	Fair	Extensive vines
NC-17562	Virginia pine	<i>Pinus virginiana</i>	10	1	N/A	N/A	Standing Dead	
NC-17563	Red maple	<i>Acer rubrum</i>	6, 5, 3	3	3	9	Good	Multistem trunk 6 x 5 x 3
NC-17564	Willow oak	<i>Quercus phellos</i>	8	1	4	12	Poor	Broken leader, extensive vines
NC-17565	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Poor	Extensive vines, reduced canopy
NC-17566	Blackgum	<i>Nyssa sylvatica</i>	6	1	3	9	Poor	Extensive vines, reduced canopy
NC-17567	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Fair	Vines
NC-17568	Willow oak	<i>Quercus phellos</i>	6	1	3	9	Poor	Reduced canopy, extensive vines
NC-17569	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Leaning, extensive vines
NC-17570	Sweetgum	<i>Liquidambar styraciflua</i>	7	1	N/A	N/A	Standing Dead	
NC-17571	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Broken leader, extensive vines, dying
NC-17572	Sweetgum	<i>Liquidambar styraciflua</i>	9	1	4.5	13.5	Poor	Extensive vines, reduced canopy
NC-17573	Virginia pine	<i>Pinus virginiana</i>	10	1	5	15	Poor	Extensive vines, reduced canopy
NC-17574	Pine sp.	<i>Pinus sp.</i>	6	1	N/A	N/A	Standing Dead	
NC-17575	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Extensive vines, trunk rot, reduced canopy
NC-17576	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Fair	Reduced canopy, vines at base
NC-17577	Unknown		7	1	N/A	N/A	Standing Dead	
NC-17578	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Poor	Extensive vines, reduced canopy
NC-17579	Red maple	<i>Acer rubrum</i>	9, 6	2	4.5	13.5	Good	Twin trunks 9 x 6
NC-17580	Sweetgum	<i>Liquidambar styraciflua</i>	18	1	9	27	Fair	Extensive vines
NC-17581	Sweetgum	<i>Liquidambar styraciflua</i>	8	1	4	12	Poor	Extensive vines, reduced canopy
NC-17582	Sweetgum	<i>Liquidambar styraciflua</i>	6	1	3	9	Poor	Stressed, broken branches
NC-17583	Sweetgum	<i>Liquidambar styraciflua</i>	10	1	5	15	Good	

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17584	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Poor	Broken branches, reduced canopy
NC-17585	Virginia pine	Pinus virginiana	14	1	7	21	Fair	Leaning
NC-17586	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Poor	Extensive vines, reduced canopy
NC-17587	Willow oak	Quercus phellos	7	1	3.5	10.5	Poor	Dying
NC-17588	Willow oak	Quercus phellos	9	1	4.5	13.5	Good	Minor vines
NC-17589	Sweetgum	Liquidambar styraciflua	16	1	8	24	Poor	Extensive vines
NC-17590	Pin oak	Quercus palustris	7	1	3.5	10.5	Poor	Extensive vines, stressed
NC-17591	Red maple	Acer rubrum	7	1	3.5	10.5	Poor	Extensive vines in canopy
NC-17592	Sweetgum	Liquidambar styraciflua	19	1	9.5	28.5	Good	
NC-17593	Sweetgum	Liquidambar styraciflua	6	1	3	9	Fair	Reduced canopy, extensive vines
NC-17594	Sweetgum	Liquidambar styraciflua	5	1	N/A	N/A	Standing Dead	
NC-17595	Willow oak	Quercus phellos	14	1	7	21	Fair	Extensive vines
NC-17596	Sweetgum	Liquidambar styraciflua	20, 17	2	10	30	Fair	Twin trunks 20 x 17, reduced canopy
NC-17597	Willow oak	Quercus phellos	10	1	5	15	Fair	Extensive vines at base
NC-17598	American holly	Ilex opaca	6	1	3	9	Fair	Vines in canopy
NC-17599	Pine sp.	Pinus sp.	10	1	N/A	N/A	Standing Dead	
NC-17600	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Fair	Broken branches
NC-17601	Virginia pine	Pinus virginiana	10	1	5	15	Fair	Vines, reduced canopy
NC-17602	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Extensive vines, broken leader
NC-17603	Sweetgum	Liquidambar styraciflua	15	1	7.5	22.5	Poor	Extensive vines, reduced canopy
NC-17604	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Extensive vines
NC-17605	Red maple	Acer rubrum	7	1	3.5	10.5	Good	
NC-17606	Red maple	Acer rubrum	9	1	4.5	13.5	Fair	Vines
NC-17607	Sweetgum	Liquidambar styraciflua	23, 15	2	11.5	34.5	Fair	Twin trunks 23 x 15, broken branches
NC-17608	Pin oak	Quercus palustris	26	1	13	39	Poor	Reduced canopy, extensive vines, reduced canopy
NC-17609	Sweetgum	Liquidambar styraciflua	8	1	N/A	N/A	Standing Dead	
NC-17610	Sweetgum	Liquidambar styraciflua	7	1	3.5	10.5	Poor	Extensive vines, dying
NC-17611	Sweetgum	Liquidambar styraciflua	12	1	6	18	Fair	Extensive vines
NC-17612	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Poor	Extensive vines, broken leader
NC-17613	Sweetgum	Liquidambar styraciflua	20	1	10	30	Fair	Broken branches
NC-17614	Sweetgum	Liquidambar styraciflua	18	1	9	27	Poor	Extensive vines, reduced canopy
NC-17615	Red maple	Acer rubrum	6	1	3	9	Good	
NC-17616	Red maple	Acer rubrum	7	1	N/A	N/A	Standing Dead	
NC-17617	Sweetgum	Liquidambar styraciflua	12	1	N/A	N/A	Standing Dead	
NC-17618	Red maple	Acer rubrum	11	1	5.5	16.5	Good	
NC-17619	Red maple	Acer rubrum	5	1	2.5	7.5	Fair	Broken leader and branches
NC-17620	Sweetgum	Liquidambar styraciflua	8	1	4	12	Fair	Vines, reduced canopy
NC-17621	Sweetgum	Liquidambar styraciflua	16	1	8	24	Good	Vines
NC-17622	Red maple	Acer rubrum	6	1	3	9	Good	
NC-17623	Sweetgum	Liquidambar styraciflua	19	1	9.5	28.5	Fair	Extensive vines, reduced canopy
NC-17624	Sweetgum	Liquidambar styraciflua	20	1	10	30	Good	
NC-17625	Red maple	Acer rubrum	10	1	5	15	Good	
NC-17626	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Fair	Vines, reduced canopy
NC-17627	Sweetgum	Liquidambar styraciflua	12	1	6	18	Good	
NC-17628	Red maple	Acer rubrum	11	1	5.5	16.5	Fair	Trunk rot
NC-17629	Sweetgum	Liquidambar styraciflua	6	1	3	9	Poor	Extensive vines
NC-17630	Red maple	Acer rubrum	9	1	4.5	13.5	Good	
NC-17631	Sugar maple	Acer saccharum	7, 7, 3	3	3.5	10.5	Fair	Multistem trunk 7 x 7 x 3, extensive vines, reduced canopy
NC-17632	Sweetgum	Liquidambar styraciflua	11	1	5.5	16.5	Fair	Vines
NC-17633	Sweetgum	Liquidambar styraciflua	8	1	4	12	Good	
NC-17634	Northern red oak	Quercus rubra	12	1	6	18	Poor	Stressed
NC-17635	Sweetgum	Liquidambar styraciflua	20	1	10	30	Good	
NC-17636	Red maple	Acer rubrum	10, 8, 7, 6, 3, 2	6	5	15	Good	Multistem trunk 10 x 8 x 7 x 6 x 3 x 2
NC-17637	Sweetgum	Liquidambar styraciflua	15	1	7.5	22.5	Good	
NC-17638	Sassafras	Sassafras albidum	8	1	4	12	Good	
NC-17639	Sugar maple	Acer saccharum	12	1	6	18	Fair	Stressed
NC-17640	Black locust	Robinia pseudoacacia	9	1	4.5	13.5	Fair	Broken leader
NC-17641	Red maple	Acer rubrum	5	1	2.5	7.5	Fair	Broken leader
NC-17642	White oak	Quercus alba	5	1	2.5	7.5	Fair	Extensive vines, broken leader
NC-17643	Sweetgum	Liquidambar styraciflua	14	1	7	21	Fair	Broken
NC-17644	Sweetgum	Liquidambar styraciflua	17, 9, 8	3	8.5	25.5	Poor	Multistem trunk 17 x 9 x 8, one trunk dead, trunk rot
NC-17645	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Good	Extensive vines at base
NC-17646	Sweetgum	Liquidambar styraciflua	19	1	9.5	28.5	Fair	Reduced canopy, trunk rot
NC-17647	Sweetgum	Liquidambar styraciflua	10	1	5	15	Good	
NC-17648	Sweetgum	Liquidambar styraciflua	13	1	6.5	19.5	Fair	Extensive vines
NC-17649	Virginia pine	Pinus virginiana	16	1	8	24	Fair	Stressed, leaning
NC-17650	Sweetgum	Liquidambar styraciflua	12	1	6	18	Fair	Vines
NC-17651	Pin oak	Quercus palustris	26	1	13	39	Good	Some vines
NC-17652	Eastern white pine	Pinus strobus	18	1	9	27	Poor	Stressed
NC-17653	Pin oak	Quercus palustris	17	1	8.5	25.5	Fair	Extensive vines
NC-17654	Sweetgum	Liquidambar styraciflua	8	1	4	12	Poor	Broken leader
NC-17655	Sweetgum	Liquidambar styraciflua	9	1	4.5	13.5	Poor	Broken leader, extensive vines

Tree ID	Common Name	Scientific Name	DBH	Number of Stems	SCRZ (ft)	CRZ (ft)	Condition	Condition Notes
NC-17656	Sweetgum	<i>Liquidambar styraciflua</i>	11	1	5.5	16.5	Poor	Extensive vines, broken leader
NC-17657	Pin oak	<i>Quercus palustris</i>	13	1	6.5	19.5	Fair	Reduced canopy, vines