

APPENDIX C

LIST OF NEW AND EXTENDED CULVERTS AND BRIDGES BY STATION

Table 1: List of New and Extended Culverts and Bridges by Station

Station	Offset	WUS Feature ID	WUS Crossing	Ex. Pipe Dimensions	Bridge Or Culvert Action	Proposed Culvert Dimensions	FEMA Crossing	Structure ID/Culvert ID	Structure Type
0105+50	Median	22MM_B	Through	American Legion Bridge - Potomac River	No Action	N/A	Yes	150100001	Bridge
0117+00	LT	22M_C	Through	(1x) 15' W X 10'H (W pipe) (1x) 25' W X 10' H (E pipe)	No Action	N/A	No	15010200	Structure
0117+50	Median	N/A	No	Bridge - C&O Canal Towpath	No Action	N/A	No	150101001	Bridge
0122+50	RT	22Q_1	Upstream	(1x) 42" RCP	No Action	N/A	No	407	Small structure
0125+00	RT	22Q_C	Through	(1x) 30" CMP	No Action	N/A	No	373	Small structure
0130+50	LT	22HH_C	Through	(1x) 8'x4' RCP	No Action	N/A	No	034	Structure
0192+50	LT	22EE	Downstream	(1x) 18" RCP	Abandoned and Replaced	(1x) 24" RCP (storm drain)	No	600	Drainage
0195+00	LT	22CC_C	Through	(1x) 30" CMP (u/s sections) (1x) 30" RCP (d/s sections)	Abandoned and Replaced	(1x) 42" RCP	No	641	Small structure
0197+00	RT	22Z_C	Through	(3x) 14'x10' Box Culvert	No Action	N/A	No	430	Structure
0198+50	RT	22H_C/22H	Through	(1x) 48" RCP (2 pipes w/ ditch between)	Abandoned and Replaced	(1x) 60" RCP (enclosed system)	No	434/150237X01	Small structure
0199+00	Median	22AA_B1	Through	Bridge - Cabin John Creek	No Action	N/A	Yes	150108001	Bridge
0200+00	LT	22AA_B	Through	Bridge - Cabin John Creek	No Action	N/A	Yes	150107001	Bridge
0202+50	LT	N/A	No	(1x) 36" RCP	Abandoned and Replaced	(1x) 24" RCP transitions to 36" RCP (storm drain)	No	035	Drainage
0219+50	LT	22C_C/22A_C	Through	(1x) 42" RCP (2 pipes w/ ditch between)	Abandoned and Replaced	(1x) 42" RCP (enclosed system)	No	428/427	Drainage
0222+50	Median	22A	Downstream	(1x) 30" RCP (u/s sections) (1x) 42" RCP (d/s sections)	Abandoned and Replaced	(1x) 24" RCP (storm drain) partial drainage pattern shift, runoff diverted S	No	630	Drainage
0225+00	Median	21D_C	Through	(1x) 36" RCP (u/s sections) (1x) 42" RCP (d/s sections)	Abandoned and Replaced	(1x) 42" RCP (storm drain)	No	002	Drainage
0225+50	LT	21C_C2	Through	(1x) 12'x9' Concrete Box Culvert	Augmented	(3x) 108" RCP augmentations	Yes	150076X01	Small structure
0228+50	LT	21D_C1	Through	(1x) 42" RCP	Abandoned and Replaced	(1x) 42" RCP	Yes	006	Drainage

Station	Offset	WUS Feature ID	WUS Crossing	Ex. Pipe Dimensions	Bridge Or Culvert Action	Proposed Culvert Dimensions	FEMA Crossing	Structure ID/Culvert ID	Structure Type
0237+50	Median	21C_C1	Through	(1x) 12'x9' Concrete Box Culvert	Augmented and Extended	(3x) 12'x10' Concrete Box Culvert augmentations and 12'x9' Concrete Box Culvert extensions	Yes	150257X01	Small structure
0245+25	Median	21F_C	Through	(1x) 30" RCP (u/s section) (1x) 36" RCP (d/s section)	Abandoned and Replaced	(1x) 30" RCP (N pipe) (1x) 33" RCP (S pipe)	Yes	602	Small structure
0252+00	Median	21C_1	Downstream	(1x) 36" RCP	Abandoned and Replaced	(1x) 42" RCP (N pipe) (1x) 36" RCP (S pipe)	Yes	065	Small structure
0261+50	Median	21C_C	Through	(1x) 12'x9' Box Culvert	Augmented and Extended	(2x) 12'x10' Concrete Box Culvert augmentations and 12'x9' Concrete Box Culvert extensions	Yes	150141X01	Small structure
0268+50	Median	21C	Downstream	(1x) 42" RCP	Extended	(1x) 42" RCP extensions	Yes	019	Drainage
0278+25	Median	21L_C	Through	(1x) 78" CMP	Augmented and Extended	(1x) 60" RCP augmentation and 78" RCP extensions	Yes	150140X01	Small structure
0283+00	Median	21C	Downstream	(1x) 24" RCP (u/s section) (1x) 36" RCP (d/s section)	Abandoned and Replaced	(1x) 48" RCP (storm drain)	Yes	003	Small structure
0292+75	Median	21K	Downstream	(1x) 54" RCP	Augmented and Extended	(1x) 66" RCP augmentation and 54" RCP extension u/s	Yes	150139X01	Small structure
0297+50	Median	21B_C	Through	(1x) 142"x96" SPP	Abandoned and Replaced	(3x) 11'x5' Concrete Box Culvert	Yes	150138X01	Small structure
0310+25	Median	21B	Downstream	(1x) 12" RCP	Abandoned and Replaced	(1x) 18" RCP transitions to 24" RCP (storm drain)	No	426	Drainage
0323+50	RT	20D_C	Through	(1x) 54" RCP	No Action	N/A	No	425	Small structure
3326+75	Median	29B_1	Downstream	(1x) 36" RCP (u/s section) (1x) 42" RCP & CMP (mid sections) (1x) 48" RCP (d/s section)	No Action	N/A	Yes	705	Drainage
3328+50	Median	29B_C	Through	(1x) 120" CMP	No Action	N/A	Yes	150278X01	Small structure
3338+00	LT	29D_D	Downstream	(1x) 72" RCP (3 sections)	No Action	N/A	No	706	Small structure
3338+00	RT	29A_C2	Through	(2x) 72" RCP	No Action	N/A	No	150226X01	Small structure
3341+00	RT	29A_C1	Through	(2x) 72" RCP	No Action	N/A	No	150225X01	Small structure
3343+50	RT	28B	Downstream	(1x) 48" RCP	Extended	(1x) 36" RCP extension u/s	No	095	Small structure
3343+50	LT	29K	Downstream	(1x) 48" RCP	No Action	N/A	No	123	Small structure

Station	Offset	WUS Feature ID	WUS Crossing	Ex. Pipe Dimensions	Bridge Or Culvert Action	Proposed Culvert Dimensions	FEMA Crossing	Structure ID/Culvert ID	Structure Type
3346+50	LT	N/A	No	(1x) 72" RCP	No Action	N/A	No	150360X01	Small structure
3347+00	LT	N/A	No	(1x) 72" RCP	No Action	N/A	No	150361X01	Small structure
3364+50	Median	N/A	No	(1x) 72" RCP (3 sections)	No Action	N/A	No	150433X01	Small structure
3405+50	Median	27L_C	Through	(1x) 48" RCP (u/s sections) (1x) 54" RCP (d/s section)	Removed and Replaced (u/s sections) Removed, Replaced, and Extended (d/s sections)	(1x) 48" RCP replacement (u/s sections) (1x) 48" RCP to 54" RCP replacement (d/s sections) (1x) 54" RCP extension d/s	No	703	Small structure
3421+75	Median	N/A	No	(1x) 42" RCP	No Action	N/A	No	048	Small structure
3427+25	Median	N/A	No	(1x) 18" RCP (storm drain system)	No Action	N/A	No	704	Drainage
3479+25	Median	27A_C	Through	(1x) 25'x8' Concrete Box Culvert	Augmented	(1x) 96" RCP	Yes	150064001	Small structure
3484+00	RT	27A_C1	Through	(1x) 25'x8' Concrete Box Culvert	Augmented	(1x) 96" RCP	Yes	338	Small structure
3493+00	Median	N/A	No	(1x) 36" RCP (u/s sections) (1x) 42" RCP (d/s sections)	Augmented	(1x) 42" RCP	No	105	Small structure
3495+50	LT	N/A	No	(1x) 42" RCP	Augmented	(1x) 42" RCP augmentation	No	150251X01	Small structure
3509+75	Median	26B_C (N) & 26B_C1 (S)	Through	(1x) 72" CMP (N pipe) (1x) 48" RCP (S pipe)	Removed and Replaced (N pipe) No action (S pipe)	72" RCP replacement (N pipe) N/A (S pipe)	No	150271X01	Small structure
3523+25	Median	26C_C	Through	(1x) 78" SSP (N pipe) (1x) 60" RCP (S pipe)	No Action	N/A	Yes	150107X01	Small structure
3561+00	Median	25H_C	Through	(1x) 54" RCP (u/s section) (1x) 60" RCP (d/s section)	Augmented and Extended	(1x) 48" RCP augmentation and 60" RCP extensions	No	150420X01	Small structure
3569+50	Median	N/A	No	(1x) 36" RCP	No Action	N/A	No	036	Drainage
3584+50	Median	N/A	No	(1x) 48" RCP (u/s and d/s sections) (1x) 36" RCP (mid section)	No Action	N/A	No	700	Drainage
3597+50	Median	N/A	Outside LOD	(1x) 48" RCP (4 sections)	No Action	N/A	No	051	Drainage
3616+50	LT	24F_C1	Through	(1x) 16'x8' Box Culvert	No Action	N/A	No	432	Structure

Station	Offset	WUS Feature ID	WUS Crossing	Ex. Pipe Dimensions	Bridge Or Culvert Action	Proposed Culvert Dimensions	FEMA Crossing	Structure ID/Culvert ID	Structure Type
3627+00	Median	24F_C2	Through	(1x) 16'x8' Box Culvert	Augmented and Extended	(1x) 48" RCP augmentation and 16'x8' Concrete Box Culvert extension d/s	No	150017X01	Small structure
3641+50	Median	24V_C	Through	(1x) 60" RCP	Augmented and Extended	(1x) 60" RCP augmentation and 60" RCP extension u/s	No	150419X01	Small structure
3661+50	Median	24C	Downstream	(1x) 42" RCP	No Action	N/A	No	059	Small structure
3683+00	Median	24A_C	Through	(1x) 20'x10' Box Culvert	No Action	N/A	No	150080001	Small structure
3684+25	RT	23K_C	Through	(1x) 84" CMP	Augmented	(1x) 6'x12' Box Culvert	No	431	Small structure
3741+75	LT	23A_C	Through	(1x) 84" CMP	No Action	N/A	Yes	357	Small structure
3744+50	Median	23A_C1	Through	(1x) 96" CMP (u/s section) (1x) 96" RCP (d/s section)	Abandoned and Replaced	(2x) 8'x8' Concrete Box Culvert drainage pattern shift now located E of roadway	Yes	150135X01	Small structure
3751+00	RT	23A_C2	Through	(1x) 96" SPP	Abandoned and Replaced	(3x) 84" RCP drainage pattern shift now located E of roadway	Yes	356	Small structure
3759+00	Median	23D_C	Through	(1x) 91" x 142" SPPA	Abandoned and Replaced	(3x) 11'x7' Concrete Box Culvert	Yes	150137X01	Small structure
3772+25	Median	N/A	No	(1x) 36" RCP	Removed and Replaced	(1x) 36" RCP replacement	Yes	040	Drainage
3778+50	Median	21I	Downstream	(1x) 36" RCP	Removed and Replaced	(1x) 48" RCP replacement, u/s SWM Facility	Yes	150239X01	Small structure
4719+00	Median	23U_C	Through	(1x) 54" CMP	Augmented and Extended	(1x) 42" RCP augmentation and 60" RCP extensions	No	150149X01	Small structure
4727+00	Median	23N_C	Through	(1x) 60" RCP (3 sections)	Augmented	(1x) 24" RCP (3 sections) augmentation	No	150014X01	Small structure
4775+00	Median	23Q	Downstream	(1x) 36" RCP	No Action	N/A	No	114	Small structure
4782+75	Median	23Q_C	Through	(1x) 78" CMP	No Action	N/A	No	150150X01	Small structure
4792+50	Median	23G	Downstream	(1x) 24" RCP (u/s section) (1x) 30" RCP (d/s section)	No Action	N/A	No	605	Drainage
4798+25	Median	23G	Downstream	(1x) 24" RCP (u/s section) (1x) 24" RCP (d/s section)	Abandoned (u/s section) w/out replacement No Action (d/s section)	N/A	No	604	Drainage